Bio Factory

Eco friendly designs at affordable price

Catalog







www.bio-factory.co.uk



Fireplace CURVO Inox

Price inc. VAT: **785 €** Ref: **ALT-CUR-I**

Bio-fire CURVO stainless steel
It operates with bioethanol – burner with adjustable slot

No leads required, odourless, smokeless , only water steam and carbon dioxide emissions (the equivalent of 3 candles). Heating capacity: 1400 watts, the equivalent of 1 electric radiator (can heat a room from 12 to 16 m2).

To be installed in a well-ventilated room (lounge, living room, dining room, outside terrace).

Slot burner with a trapdoor lever and baton (see pictures). The intensity of the flame can be adjusted and it can be extinguished at any time by closing the trapdoor with the baton.
Tank capacity: 1 liter.
Autonomy: approx. 4 h. Consumption: 0.25 liter of bioethanol per hour.

Guarantee : 2-years guarantee

Specifications

Ref	**ALT-CUR-I**
Weight	**13 Kg**
Dimensions	**W 70 cm H 55 cm D 17 cm**
Materials	**stainless steel**
Assembly	**10 minute assembly**
Delivery time	**1 week**
Delivery cost	**19.50 €**

Bio Factory
Eco friendly designs at affordable price







www.bio-factory.co.uk

Fireplace CURVO Black

Price inc. VAT: **785 €** Ref: **ALT-CUR-N**

Black lacquered metal bio-fire CURVO
It operates with bioethanol – burner with adjustable slot

No leads required, odourless, smokeless , only water steam and carbon dioxide emissions (the equivalent of 3 candles). Heating capacity: 1400 watts, the equivalent of 1 electric radiator (can heat a room from 12 to 16 m2).

To be installed in a well-ventilated room (lounge, living room, dining room, outside terrace).

Slot burner with a trapdoor lever and baton (see pictures). The intensity of the flame can be adjusted and it can be extinguished at any time by closing the trapdoor with the baton.
Tank capacity: 1 liter.
Autonomy: approx. 4 h. Consumption: 0.25 litre of bioethanol per hour.

Guarantee : 2-years guarantee

Specifications

Ref	**ALT-CUR-N**
Weight	**13 Kg**
Dimensions	**W 70 cm H 55 cm D 17 cm**
Materials	**black lacquered metal**
Assembly	**10 minute assembly**
Delivery time	**1 week**
Delivery cost	**19.50 €**

Bio Factory
Eco friendly designs at affordable price







www.bio-factory.co.uk

Fireplace CURVO White

Price inc. VAT: **785 €** Ref: **ALT-CUR-B**

White lacquered metal bio-fire CURVO
It operates with bioethanol – burner with adjustable slot

No leads required, odourless, smokeless , only water steam and carbon dioxide emissions (the equivalent of 3 candles). Heating capacity: 1400 watts, the equivalent of 1 electric radiator (can heat a room from 12 to 16 m2).

To be installed in a well-ventilated room (lounge, living room, dining room, outside terrace).

Slot burner with a trapdoor lever and baton (see pictures). The intensity of the flame can be adjusted and it can be extinguished at any time by closing the trapdoor with the baton.
Tank capacity: 1 liter.
Autonomy: approx. 4 h. Consumption: 0.25 litre of bioethanol per hour.

Guarantee : 2-years guarantee

Specifications

Ref	**ALT-CUR-B**
Weight	**13 Kg**
Dimensions	**W 70 cm H 55 cm D 17 cm**
Materials	**white lacquered metal**
Assembly	**10 minute assembly**
Delivery time	**1 week**
Delivery cost	**19.50 €**

Bio Factory
Eco friendly designs at affordable price







www.bio-factory.co.uk

Bio-fireplace QUADRO Inox

Price inc. VAT: **675 €** Ref: **ALT-QUA-I**

Bio-fire QUADRO stainless steel
It operates with bioethanol – burner with adjustable slot

No leads required, odourless, smokeless , only water steam and carbon dioxide emissions (the equivalent of 3 candles). Heating capacity: 2200 watts, the equivalent of 2 electric radiators (can heat a room from 20 to 25 m2).

To be installed in a well-ventilated room (lounge, living room, dining room, outside terrace).

Slot burner with a trapdoor lever and baton (see pictures). The intensity of the flame can be adjusted and it can be extinguished at any time by closing the trapdoor with the baton.
Tank capacity: 1 litre.
Autonomy: approx. 4h. Consumption: 0.25 litre of bioethanol per hour.

Guarantee : 2-years guarantee

Specifications

Ref	**ALT-QUA-I**
Weight	**12 Kg**
Dimensions	**W 55 cm H 55 cm D 13,5 cm**
Materials	**stainless steel**
Assembly	**10 minute assembly**
Delivery time	**1 week**
Delivery cost	**14.50 €**

Bio Factory
Eco friendly designs at affordable price







RETTANGOLO Glass Black

Price inc. VAT: **925 €** Ref: **ALT-RET-I-GN**

Bio-fire RETTANGOLO stainless steel - Black glass frame
It operates with bioethanol – burner with adjustable slot

No leads required, odourless, smokeless , only water steam and carbon dioxide emissions (the equivalent of 3 candles). Heating capacity: 2700 watts, the equivalent of 2 electric radiators (can heat a room from 25 to 35 m2).

To be installed in a well-ventilated room (lounge, living room, dining room, outside terrace).

Slot burner with a trapdoor lever and baton (see pictures). The intensity of the flame can be adjusted and it can be extinguished at any time by closing the trapdoor with the baton.
Tank capacity: 1.5 litre.
Autonomy: 3 h. Consumption: 0.5 litre of bioethanol per hour.

Guarantee : 2-years guarantee

Specifications

Ref	**ALT-RET-I-GN**
Weight	**23 Kg**
Dimensions	**W 118 cm H 77 cm D 13,5 cm**
Materials	**stainless steel**
Assembly	**10 minute assembly**
Delivery time	**4 weeks**
Delivery cost	**19.50 €**

Bio Factory
Eco friendly designs at affordable price







Fireplace KORDOBA Black

Price inc. VAT: **750 €** Ref: **BB-KOR-N**

Bio-fireplace KORDOBA Black
Oerates on bioethanol - Adjustable burner

No leads required, smokeless, odourless, water vapour and carbon dioxide emissions equivalent to 3 burning candles. Adjustable flame height.

Heat capacity : 2 500 watts, equivalent to the energy output of an electric heater (can heat a room from 20 to 25 m2).
Consumption: 0.5 litre of bio-ethanol per hour. Tank capacity: 2 liters.
Duration: 4 hours

The protective security glass window is thermal resistant to 400 °C.

The delivery of this article also includes :

- Burner trapdoor lever
- Long Lighter
- Funnel

TUV approved: German certificate of quality and safety.
The TUV certificate is issued by the independent German organization: Technischer Überwachungs-Verein (Technical Inspection Association).







Specifications

Ref	**BB-KOR-N**
Weight	**13 Kg**
Dimensions	**W 81 cm H 79 cm D 30 cm**
Materials	**Metal, stainless steel, security glass**
Assembly	**easliy assembled in10 minutes**
Delivery time	**1 week**
Delivery cost	**19.50 €**

www.bio-factory.co.uk

Fireplace KORDOBA White

Price inc. VAT: **750 €** Ref: **BB-KOR-B**

Bio-fireplace KORDOBA White
Operates on bioethanol - Adjustable burner

No leads required, smokeless, odourless, water vapor and carbon dioxide emmissions equivalent to 3 burning candles. Adjustable flame height.

Heat capacity : 2 500 watts, equivalent to the energy output of an electric heater (can heat a room from 20 to 25 m2)
Consumption: 0.5 liter of bio-ethanol per hour. Tank capacity: 2 liters.
Duration: 4 hours

The protective security glass window is thermal resistant to 400 °C.

The delivery of this article also includes:

- Burner trapdoor lever
- Lighter
- Funnel

TUV approved: German certificate of quality and safety.
The TUV certificate is issued by the independent german organization: Technischer Überwachungs-Verein (Technical Inspection Association).

Specifications

Ref	**BB-KOR-B**
Weight	**28 Kg**
Dimensions	**W 81 cm H 79 cm D 30 cm**
Materials	
Assembly	**easliy assembled in10 minutes**
Delivery time	**1 week**
Delivery cost	**19.50 €**

Bio Factory
Eco friendly designs at affordable price







Bio-fireplace KRISTINE

Price inc. VAT: **1 055 €** Ref: **ALT-KRI**

Bio-fireplace KRISTINE
Operates with bioethanol - Color: white lacquer

No leads required, smokeless, odourless, water vapour and carbon dioxide emissions equivalent to 3 burning candles..
Heat capacity: 3,000 watts, the equivalent of 2 electric heater (can heat a room from 24 to 30 m2).
Fireplace in lacquered medium wood, excellent finish. Insert burner in metal, lacquered black (high temperature resistant paint).
The burner is stainless steel with a flap closure. To extinguish the flame, the burner door is closed using a handle (supplied).
You can also adjust the power of the flame by partially closing the door of the burner.

It has a removable safety glass installed in front of the burner. But you can also do without and have deco ceramic logs to make it look like a real wood burning fireplace (see pictures).
Metal back cover.


Installation in a well-ventilated room required (living room, dining room, outdoor, and terrace).
Tank capacity: 1.6 litres. Consumption: 0.4 to 0.5 L of bio-ethanol per hour.

Duration:

Specifications

Ref	**ALT-KRI**
Weight	**45 Kg**
Dimensions	**W 90 cm H 90 cm D 23 cm**
Materials	**lacquered wood, stainless steel burner**
Assembly	**assembled in only 10 minutes**
Delivery time	**1 week**
Delivery cost	**19.50 €**

Bio Factory
Eco friendly designs at affordable price







Bio-fireplace KARLA

Price inc. VAT: **1 055 €** Ref: **ALT-KAR**

Bio-fireplace KARLA - Art deco
Operates with bioethanol - Colour: white lacquer

No leads required, smokeless, odourless, water vapour and carbon dioxide emissions equivalent to 3 burning candles..
Heat capacity: 3,000 watts, the equivalent of 2 electric heater (can heat a room from 24 to 30 m2).

Fireplace in lacquered medium wood, excellent finish. Insert burner in metal, lacquered black (high temperature resistant paint).
The burner is stainless steel with a flap closure. To extinguish the flame, the burner door is closed using a handle (supplied).
You can also adjust the power of the flame by partially closing the door of the burner.

It has a removable safety glass installed in front of the burner. But you can also do without and have deco ceramic logs to make it look like a real wood burning fireplace (see pictures). Metal back cover.
Installation in a well-ventilated room required (living room, dining room, outdoor, and terrace).

Tank capacity: 1.6 litres. Consumption: 0.4 to 0.5 L of bio-ethanol per hour.

Duration:

Specifications

Ref	**ALT-KAR**
Weight	**45 Kg**
Dimensions	**W 90 cm H 91,5 cm D 23 cm**
Materials	**lacquered wood, stainless steel burner**
Assembly	**assembled in only 5 minutes**
Delivery time	**1 week**
Delivery cost	**19.50 €**







Bio-fireplace BARCELONA

Price inc. VAT: **990 €** Ref: **RU-BARC-BIO**



Bio-fareplace BARCELONA
Traditional fireplace in cream white lacquered wood, equipped with a stainless steel bioethanol burner.

It does not need any pipe, does not smell or generate smoke, only water steam and carbonic gas (the equivalent of 3 candles).
To be installed in a highly ventilated room (lounge, living room, dining room, veranda).

Heating capacity: 2000 watts, the equivalent of a good electric radiator (can heat a room from 16 to 20 m2).

Deposit capacity: 1 L. Consumption: 0.3 to 0.5 liter of bioethanol per hour.
Autonomy: 2 to 3 hours.

The delivery of this product includes:

- Bioethanol burner

Specifications

Ref	**RU-BARC-BIO**
Weight	**49 Kg**
Dimensions	**W 115 cm H 104 cm D 38 cm**
Materials	**Medium cream lacquered wood, metal**
Assembly	**assembled in only 15 minutes**
Delivery time	**2 weeks**
Delivery cost	**19.50 €**

Bio-fireplace EVITA

Price inc. VAT: **990 €** Ref: **RU-EVIT-BIO**

Bio-fareplace EVITA
Traditional fireplace in white lacquered wood, equipped with a stainless steel bioethanol burner.

It does not need any pipe, does not smell or generate smoke, only water steam and carbonic gas (the equivalent of 3 candles).
To be installed in a highly ventilated room (lounge, living room, dining room, veranda).

Heating capacity: 2000 watts, the equivalent of a good electric radiator (can heat a room from 16 to 20 m2).

Deposit capacity: 1 L. Consumption: 0.3 to 0.5 liter of bioethanol per hour.
Autonomy: 2 to 3 hours.

The delivery of this product includes:


- Bioethanol burner
- 6 decorative logs made of fire resistant ceramics.

Specifications

Ref	**RU-EVIT-BIO**
Weight	**37 Kg**
Dimensions	**W 102 cm H 98 cm D 39 cm**
Materials	**Medium white lacquered wood, metal**
Assembly	**assembled in only 15 minutes**
Delivery time	**2 weeks**
Delivery cost	**19.50 €**

Bio Factory
Eco friendly designs at affordable price









Price inc. VAT:

BioFactory
Eco friendly designs at affordable price

www.bio-factory.co.uk

Bio-fireplace ROBIN

Price inc. VAT: **930 €** Ref: **RU-ROBI-BIO**

Bio-fareplace ROBIN
Traditional fireplace in cream white lacquered wood, equipped with a stainless steel bioethanol burner.

It does not need any pipe, does not smell or generate smoke, only water steam and carbonic gas (the equivalent of 3 candles).
To be installed in a highly ventilated room (lounge, living room, dining room, veranda).

Heating capacity: 2000 watts, the equivalent of a good electric radiator (can heat a room from 16 to 20 m2).

Deposit capacity: 1 L. Consumption: 0.3 to 0.5 liter of bioethanol per hour.
Autonomy: 2 to 3 hours.

The delivery of this product includes:

- Bioethanol burner
- 6 decorative logs made of fire resistant ceramics.



Specifications

Ref	**RU-ROBI-BIO**
Weight	**44 Kg**
Dimensions	**W 103 cm H 95 cm D 33 cm**
Materials	**Medium cream lacquered wood, metal**
Assembly	**assembled in only 15 minutes**
Delivery time	**2 weeks**
Delivery cost	**19.50 €**

www.bio-factory.co.uk

Fireplace CURVO Inox

Price inc. VAT: **785 €** Ref: **ALT-CUR-I**

Bio-fire CURVO stainless steel
It operates with bioethanol – burner with adjustable slot

No leads required, odourless, smokeless , only water steam and carbon dioxide emissions (the equivalent of 3 candles). Heating capacity: 1400 watts, the equivalent of 1 electric radiator (can heat a room from 12 to 16 m2).

To be installed in a well-ventilated room (lounge, living room, dining room, outside terrace).

Slot burner with a trapdoor lever and baton (see pictures). The intensity of the flame can be adjusted and it can be extinguished at any time by closing the trapdoor with the baton.
Tank capacity: 1 liter.
Autonomy: approx. 4 h. Consumption: 0.25 liter of bioethanol per hour.

Guarantee : 2-years guarantee

Specifications

Ref	**ALT-CUR-I**
Weight	**13 Kg**
Dimensions	**W 70 cm H 55 cm D 17 cm**
Materials	**stainless steel**
Assembly	**10 minute assembly**
Delivery time	**1 week**
Delivery cost	**19.50 €**







Fireplace CURVO Black

Price inc. VAT: **785 €** Ref: **ALT-CUR-N**

Black lacquered metal bio-fire CURVO
It operates with bioethanol – burner with adjustable slot

No leads required, odourless, smokeless , only water steam and carbon dioxide emissions (the equivalent of 3 candles). Heating capacity: 1400 watts, the equivalent of 1 electric radiator (can heat a room from 12 to 16 m2).

To be installed in a well-ventilated room (lounge, living room, dining room, outside terrace).

Slot burner with a trapdoor lever and baton (see pictures). The intensity of the flame can be adjusted and it can be extinguished at any time by closing the trapdoor with the baton.
Tank capacity: 1 liter.
Autonomy: approx. 4 h. Consumption: 0.25 litre of bioethanol per hour.

Guarantee : 2-years guarantee

Specifications

Ref	**ALT-CUR-N**
Weight	**13 Kg**
Dimensions	**W 70 cm H 55 cm D 17 cm**
Materials	**black lacquered metal**
Assembly	**10 minute assembly**
Delivery time	**1 week**
Delivery cost	**19.50 €**

Bio Factory
Eco friendly designs at affordable price







www.bio-factory.co.uk

Fireplace CURVO White

Price inc. VAT: **785 €** Ref: **ALT-CUR-B**

White lacquered metal bio-fire CURVO
It operates with bioethanol – burner with adjustable slot

No leads required, odourless, smokeless , only water steam and carbon dioxide emissions (the equivalent of 3 candles). Heating capacity: 1400 watts, the equivalent of 1 electric radiator (can heat a room from 12 to 16 m2).

To be installed in a well-ventilated room (lounge, living room, dining room, outside terrace).


Slot burner with a trapdoor lever and baton (see pictures). The intensity of the flame can be adjusted and it can be extinguished at any time by closing the trapdoor with the baton.
Tank capacity: 1 liter.
Autonomy: approx. 4 h. Consumption: 0.25 litre of bioethanol per hour.

Guarantee : 2-years guarantee

Specifications

Ref	**ALT-CUR-B**
Weight	**13 Kg**
Dimensions	**W 70 cm H 55 cm D 17 cm**
Materials	**white lacquered metal**
Assembly	**10 minute assembly**
Delivery time	**1 week**
Delivery cost	**19.50 €**

Bio Factory
Eco friendly designs at affordable price







www.bio-factory.co.uk

STOCKHOLM Black

Price inc. VAT: **695 €** Ref: **BB-STO-N**

Bio-fireplace STOCKHOLM black lacquer
Operates with bioethanol fuel

No leads required, smokeless, odourless, vapor and carbon dioxide emmissions equivalent to 3 burning candles.
Heating Capacity: 5,250 watts, the equivalent of 3 electric radiators (can heat a room from 45 to 53 m2) . The black lacquered coating thermal resistant.
Installation in a well-ventilated room required (living room, dining room, outside terrace).
Consumption: 1 litre of ethanol per hour. Duration: 1h30 to 2h30.
Outer surface temperature 50 to 80 ° C.

Delivery includes:
- Decorative pebbles
- 3 cylindrical burners of bio ethanol, 0,5 L each (on picture)
- Lighter safety
- Funnel
- Stop burner to extinguish flames

Guarantee : 2-years guarantee

Specifications

Ref	**BB-STO-N**
Weight	**28 Kg**
Dimensions	**W 79 cm H 62 cm D 20 cm**
Materials	**black lacquered metal**
Assembly	**assembled in only 10 minutes**
Delivery time	**1 week**
Delivery cost	**19.50 €**







STOCKHOLM Inox

Price inc. VAT: **755 €** Ref: **BB-STO-I**

Bio-fireplace STOCKHOLM Inox
Operates with bioethanol

No leads required, smokeless, odourless, vapor and carbon dioxide emmissions equivalent to 3 burning candles.
Heating Capacity: 5250 watts, equivalent to 3 electric heaters (can heat a room from 45 to 53 m2).
To be installed in a highly ventilated room (lounge, living room, dining room, veranda).
Duration: 1h30 to 2h30. Consumption: 1 litre of bio-ethanol per hour.
Outer surface temperature: between 50 and 80 ° C.

Delivery includes:
- Decorative pebbles
- 3 cylinder burners of bio- ethanol, 0,5 L each (photo)
- Flame extinguisher

Guarantee : 2-years guarantee

Specifications

Ref	**BB-STO-I**
Weight	**28 Kg**
Dimensions	**W 79 cm H 62 cm D 20 cm**
Materials	**stainless steel**
Assembly	**10 minutes**
Delivery time	**1 week**
Delivery cost	**19.50 €**







Bio-fireplace QUADRO Inox

Price inc. VAT: **675 €** Ref: **ALT-QUA-I**

Bio-fire QUADRO stainless steel
It operates with bioethanol – burner with adjustable slot

No leads required, odourless, smokeless , only water steam and carbon dioxide emissions (the equivalent of 3 candles). Heating capacity: 2200 watts, the equivalent of 2 electric radiators (can heat a room from 20 to 25 m2).

To be installed in a well-ventilated room (lounge, living room, dining room, outside terrace).

Slot burner with a trapdoor lever and baton (see pictures). The intensity of the flame can be adjusted and it can be extinguished at any time by closing the trapdoor with the baton.
Tank capacity: 1 litre.
Autonomy: approx. 4h. Consumption: 0.25 litre of bioethanol per hour.

Guarantee : 2-years guarantee

Specifications

Ref	**ALT-QUA-I**
Weight	**12 Kg**
Dimensions	**W 55 cm H 55 cm D 13,5 cm**
Materials	**stainless steel**
Assembly	**10 minute assembly**
Delivery time	**1 week**
Delivery cost	**14.50 €**

Bio Factory
Eco friendly designs at affordable price







www.bio-factory.co.uk

Bio-fireplace QUADRO White

Price inc. VAT: **665 €** Ref: **ALT-QUA-B**


Bio-fire QUADRO White
It operates with bioethanol – burner with adjustable slot

No leads required, odourless, smokeless , only water steam and carbon dioxide emissions (the equivalent of 3 candles). Heating capacity: 2200 watts, the equivalent of 2 electric radiators (can heat a room from 20 to 25 m2).

To be installed in a well-ventilated room (lounge, living room, dining room, outside terrace).

Slot burner with a trapdoor lever and baton (see pictures). The intensity of the flame can be adjusted and it can be extinguished at any time by closing the trapdoor with the baton.
Tank capacity: 1 litre.
Autonomy: approx. 4h. Consumption: 0.25 litre of bioethanol per hour.

Guarantee : 2-years guarantee





Specifications

Ref	**ALT-QUA-B**
Weight	**12 Kg**
Dimensions	**W 55 cm H 55 cm D 13,5 cm**
Materials	**white lacquered metal**
Assembly	**10 minute assembly**
Delivery time	**1 week**
Delivery cost	**14.50 €**

STOCKHOLM LB Black

Price inc. VAT: **815 €** Ref: **BB-STO-N LB**

Black lacquered metal Biofireplace STOCKHOLM LB (Long Burner)
It operates with bioethanol – burner with adjustable slot

No leads required, odourless, smokeless, only water steam and carbon dioxide emissions (the equivalent of 3 candles). Heating capacity: 2000 watts, the equivalent of a good electric radiator (can heat a room from 16 to 20 m2).
To be installed in a well-ventilated room (lounge, living room, dining room, outside terrace).


Slot burner with a trapdoor lever and baton (see pictures). The intensity of the flame can be adjusted and it can be extinguished at any time by closing the trapdoor with the baton.
Flame width: 25 cm. Tank capacity: 1 litre.
Autonomy: 3h30. Consumption: 0.35 litre of bioethanol per hour.

Outer wall temperature: between 50 and 80 ° C.

The delivery of this article also includes (2 packages):
- decorative pebbles
- burner with adjustable slot and baton
- lighter with safety device
- funnel

Specifications

Ref	**BB-STO-N LB**
Weight	**28 Kg**
Dimensions	**W 79 cm H 62 cm D 20 cm**
Materials	**black lacquered metal**
Assembly	**assembled in only 10 minutes**
Delivery time	**2 weeks**
Delivery cost	**19.50 €**







STOCKHOLM LB Inox

Price inc. VAT: **885 €** Ref: **BB-STO-I LB**

Stainless Steel Biofireplace STOCKHOLM LB (Long Burner)
It operates with bioethanol – burner with adjustable slot

No leads required, odourless, smokeless, only water steam and carbon dioxide emissions (the equivalent of 3 candles). Heating capacity: 2000 watts, the equivalent of a good electric radiator (can heat a room from 16 to 20 m2).
To be installed in a well-ventilated room (lounge, living room, dining room, outside terrace).

Slot burner with a trapdoor lever and baton (see pictures). The intensity of the flame can be adjusted and it can be extinguished at any time by closing the trapdoor with the baton.
Flame width: 25 cm. Tank capacity: 1 litre.
Autonomy: 3h30. Consumption: 0.35 litre of bioethanol per hour.

Outer wall temperature: between 50 and 80 ° C.
The delivery of this article also includes (2 packages):
- decorative pebbles
- burner with adjustable slot and baton
- lighter with safety device
- funnel

Guarantee : 2-years guarantee

Specifications

Ref	**BB-STO-I LB**
Weight	**28 Kg**
Dimensions	**W 79 cm H 62 cm D 18,5 cm**
Materials	**stainless steel**
Assembly	**easily assembled in 10 minutes**
Delivery time	**1 week**
Delivery cost	**19.50 €**

Bio Factory
Eco friendly designs at affordable price







www.bio-factory.co.uk

Fireplace RETTANGOLO Inox

Price inc. VAT: **725 €** Ref: **ALT-RET-I-IT**

Bio-fire RETTANGOLO stainless steel
It operates with bioethanol – burner with adjustable slot

No leads required, odourless, smokeless , only water steam and carbon dioxide emissions (the equivalent of 3 candles). Heating capacity: 2700 watts, the equivalent of 2 electric radiators (can heat a room from 25 to 35 m2).

To be installed in a well-ventilated room (lounge, living room, dining room, outside terrace).

Slot burner with a trapdoor lever and baton (see pictures). The intensity of the flame can be adjusted and it can be extinguished at any time by closing the trapdoor with the baton.
Tank capacity: 1.5 litre.
Autonomy: approx. 3 h. Consumption: 0.5 litre of bioethanol per hour.

Guarantee : 2-years guarantee







Specifications

Ref	**ALT-RET-I-IT**
Weight	**20 Kg**
Dimensions	**W 96 cm H 55 cm D 13,5 cm**
Materials	**stainless steel**
Assembly	**10 minute assembly**
Delivery time	**2 week**
Delivery cost	**19.50 €**

Fireplace RETTANGOLO Black

Price inc. VAT: **725 €** Ref: **ALT-RET-N-IT**

Black lacquered metal bio-fire RETTANGOLO
It operates with bioethanol – burner with adjustable slot

No leads required, odourless, smokeless , only water steam and carbon dioxide emissions (the equivalent of 3 candles). Heating capacity: 2700 watts, the equivalent of 2 electric radiators (can heat a room from 25 to 35 m2).

To be installed in a well-ventilated room (lounge, living room, dining room, outside terrace).

Slot burner with a trapdoor lever and baton (see pictures). The intensity of the flame can be adjusted and it can be extinguished at any time by closing the trapdoor with the baton.
Tank capacity: 1.5 litre.
Autonomy: approx. 3 h. Consumption: 0.5 litre of bioethanol per hour.

Guarantee : 2-years guarantee

Specifications

Ref	**ALT-RET-N-IT**
Weight	**20 Kg**
Dimensions	**W 96 cm H 55 cm D 13,5 cm**
Materials	**black lacquered metal**
Assembly	**10 minute assembly**
Delivery time	**4 weeks**
Delivery cost	**19.50 €**







www.bio-factory.co.uk

RETTANGOLO Glass Black

Price inc. VAT: **925 €** Ref: **ALT-RET-I-GN**

Bio-fire RETTANGOLO stainless steel - Black glass frame
It operates with bioethanol – burner with adjustable slot

No leads required, odourless, smokeless , only water steam and carbon dioxide emissions (the equivalent of 3 candles). Heating capacity: 2700 watts, the equivalent of 2 electric radiators (can heat a room from 25 to 35 m2).

To be installed in a well-ventilated room (lounge, living room, dining room, outside terrace).


Slot burner with a trapdoor lever and baton (see pictures). The intensity of the flame can be adjusted and it can be extinguished at any time by closing the trapdoor with the baton.
Tank capacity: 1.5 litre.
Autonomy: 3 h. Consumption: 0.5 litre of bioethanol per hour.

Guarantee : 2-years guarantee

Specifications

Ref	**ALT-RET-I-GN**
Weight	**23 Kg**
Dimensions	**W 118 cm H 77 cm D 13,5 cm**
Materials	**stainless steel**
Assembly	**10 minute assembly**
Delivery time	**4 weeks**
Delivery cost	**19.50 €**

Bio Factory
Eco friendly designs at affordable price







www.bio-factory.co.uk

Bio-fireplace ROUND Black

Price inc. VAT: **835 €** Ref: **BB-QWA-B**

Biofireplace ROUND Black
It operates with bioethanol – burner with adjustable slot

No leads required, odourless, smokeless, only water steam and carbon dioxide emissions (the equivalent of 3 candles). Heating capacity: 2000 watts, the equivalent of 2 electric radiators (can heat a room from 15 to 20 m2).
To be installed in a well-ventilated room (lounge, living room, dining room, outside terrace).

Slot burner with a trapdoor lever and baton (see pictures). The intensity of the flame can be adjusted and it can be extinguished at any time by closing the trapdoor with the baton.
Tank capacity: 1.2 L.
Safety glass high temperature resistant.
Autonomy: 3h. Consumption: 0.40 litre of bioethanol per hour.

Outer wall temperature: between 50 and 80 ° C.


Delivery includes:
- Decorative pebbles
- Lighter safety
- Funnel
- Stop burner to extinguish flames

Guarantee : 2-years guarantee

Specifications

Ref	**BB-QWA-B**
Weight	**25 Kg**
Dimensions	**W 60 cm H 60 cm D 17,4 cm**
Materials	**black lacquered metal, security glass**
Assembly	**only 10 minutes required**
Delivery time	**2 weeks**
Delivery cost	**19.50 €**

BioFactory
Eco friendly designs at affordable price





Bio-fireplace ROUND White

Price inc. VAT: **835 €** Ref: **BB-QWA-W**

Biofireplace ROUND White
It operates with bioethanol – burner with adjustable slot

No leads required, odourless, smokeless, only water steam and carbon dioxide emissions (the equivalent of 3 candles). Heating capacity: 2000 watts, the equivalent of 2 electric radiators (can heat a room from 15 to 20 m2).
To be installed in a well-ventilated room (lounge, living room, dining room, outside terrace).

Slot burner with a trapdoor lever and baton (see pictures). The intensity of the flame can be adjusted and it can be extinguished at any time by closing the trapdoor with the baton.
Tank capacity: 1.2 L.
Safety glass high temperature resistant.
Autonomy: 3h. Consumption: 0.40 litre of bioethanol per hour.

Outer wall temperature: between 50 and 80° C.

Delivery includes:
- Decorative pebbles
- Lighter safety
- Funnel
- Stop burner to extinguish flames

Guarantee : 2-years guarantee

Specifications

Ref	**BB-QWA-W**
Weight	**25 Kg**
Dimensions	**W 60 cm H 60 cm D 17,4 cm**
Materials	**white lacquered metal, security glass**
Assembly	**only 10 minutes required**
Delivery time	**2 weeks**
Delivery cost	**19.50 €**





Bio-fireplace COLOMBIA Black

Price inc. VAT: **845 €** Ref: **BB-CO-B**

Biofireplace COLOMBIA Black
It operates with bioethanol – burner with adjustable slot

No leads required, odourless, smokeless, only water steam and carbon dioxide emissions (the equivalent of 3 candles). Heating capacity: 2000 watts, the equivalent of 2 electric radiators (can heat a room from 15 to 20 m2).
To be installed in a well-ventilated room (lounge, living room, dining room, outside terrace).

Slot burner with a trapdoor lever and baton (see pictures). The intensity of the flame can be adjusted and it can be extinguished at any time by closing the trapdoor with the baton.
Tank capacity: 1.2 L.
Safety glass high temperature resistant.
Autonomy: 3h. Consumption: 0.40 litre of bioethanol per hour.

Outer wall temperature: between 50 and 80 ° C.

Delivery includes:
- Decorative pebbles
- Lighter safety
- Funnel
- Stop burner to extinguish flames

Guarantee : 2-years guarantee

Specifications

Ref	**BB-CO-B**
Weight	**22 Kg**
Dimensions	**W 60 cm H 50 cm D 20 cm**
Materials	**black lacquered metal, security glass**
Assembly	**only 10 minutes required**
Delivery time	**2 weeks**
Delivery cost	**19.50 €**

Bio Factory
Eco friendly designs at affordable price





www.bio-factory.co.uk

Bio-fireplace COLOMBIA White

Price inc. VAT: **845 €** Ref: **BB-CO-W**

Biofireplace COLOMBIA White
It operates with bioethanol – burner with adjustable slot

No leads required, odourless, smokeless, only water steam and carbon dioxide emissions (the equivalent of 3 candles). Heating capacity: 2000 watts, the equivalent of 2 electric radiators (can heat a room from 15 to 20 m2).
To be installed in a well-ventilated room (lounge, living room, dining room, outside terrace).

Slot burner with a trapdoor lever and baton (see pictures). The intensity of the flame can be adjusted and it can be extinguished at any time by closing the trapdoor with the baton.
Tank capacity: 1.2 L.
Safety glass high temperature resistant.
Autonomy: 3h. Consumption: 0.40 litre of bioethanol per hour.

Outer wall temperature: between 50 and 80° C.

Delivery includes:
- Decorative pebbles
- Lighter safety
- Funnel
- Stop burner to extinguish flames

Guarantee : 2-years guarantee

Specifications

Ref	**BB-CO-W**
Weight	**25 Kg**
Dimensions	**W 60 cm H 60 cm D 17,4 cm**
Materials	**white lacquered metal, security glass**
Assembly	**only 10 minutes required**
Delivery time	**1 week**
Delivery cost	**19.50 €**





Bio-fireplace SAMOA

Price inc. VAT: **1 015 €** Ref: **RU-SAMO-BIO**

Bio-fireplace SAMOA Stainless steel
Operates with bioethanol

No leads required, smokeless and completely odourless. Water and vapour emissions equivalent to 3 burning candles.
Heating Capacity: 1,400 watts, the equivalent of an electric heater (can heat a room from 12 to 15 m2).

Install in a well-ventilated room (living room, dining room, outdoor terrace).

Tank capacity: 0,75 litres. Duration: about 3 hours
Consumption: 0,25 of bio-ethanol per hour.
Width of the flame: 25 cm.

The delivery of this article also includes:

- Burner RUBY Black Mini
- Funnel for filling bioethanol
- Stop burner to extinguish the flames
- Screws


TUV approved: German certificate of quality and safety.
The TUV certificate is issued by the independent German organization: Technischer Überwachungs-Verein (Technical Inspection Association).

Specifications

Ref	**RU-SAMO-BIO**
Weight	**17,5 Kg**
Dimensions	**W 57 cm H 55 cm D 22 cm**
Materials	**stainless steel**
Assembly	**easily assembled in 10 minutes**
Delivery time	**2 weeks**
Delivery cost	**19.50 €**

Bio Factory
Eco friendly designs at affordable price







www.bio-factory.co.uk

Fireplace SCREEN WHITE

Price inc. VAT: **895 €** Ref: **SIN-MOS-B**

Bio-fireplace SCREEN WHITE lacquered metal
Operates with bioethanol - adjustable burner
The fireplace can be placed on the floor or attached to the wall.

No leads required, smokeless and completely odourless. Water and vapour emissions equivalent to 3 burning candles.
Heating Capacity: 2 500 watts, the equivalent of two electric heaters (can heat a room from 20 to 25 m2). The lacquered coating resists to high temperatures.

Install in a well-ventilated room (living room, dining room, outdoor terrace).

Tank capacity: 1.5 litres. Consumption: 0.38 litres of ethanol per hour.
Durations: 3:30 hours.

The delivery of this article also includes:

- Funnel for filling bioethanol
- Stop burner to extinguish the flames
- Screws

Note: stop the Stop burner can also be used to regulate the flame by partially sealing the slot burner.

Specifications

Ref	**SIN-MOS-B**
Weight	**24,5 Kg**
Dimensions	**W 93 cm H 60 cm D 26 cm**
Materials	**white lacquered metal**
Assembly	**no assembly required**
Delivery time	**2 weeks**
Delivery cost	**19.50 €**







Fireplace QUERO

Price inc. VAT: **1 190 €** Ref: **RU-QUER-BIO**

Bio-fireplace QUERO
Operates with bioethanol - adjustable burner

No leads required, smokeless and completely odourless. Water and vapour emissions equivalent to 3 burning candles.
Heating capacity: 2 000 watts, the equivalent of one electric heater (can heat a room from 15 to 25 m2).
Install in a well-ventilated room (living room, dining room, outdoor terrace).

Tank capacity: 1 litre.
Consumption: 0.3 litres of ethanol per hour.
Durations: 3 hours.

The delivery of this article also includes:
- Funnel for filling bioethanol
- Stop burner to extinguish the flames
- Screw



Specifications

Ref	**RU-QUER-BIO**
Weight	
Dimensions	**W 60 cm H 75 cm D 24,5 cm**
Materials	**Black lacquered steel, stainless steel, ceramic, securit glass**
Assembly	**No assembly required**
Delivery time	**2 weeks**
Delivery cost	**19.50 €**

Fireplace UMBRIA

Price inc. VAT: **1 590 €** Ref: **RU-UMBR-BIO**

Bio-fireplace UMBRIA
Operates with bioethanol - adjustable burner
The fireplace can be placed on the floor or attached to the wall.

No leads required, smokeless and completely odourless. Water and vapour emissions equivalent to 3 burning candles.
Heating capacity: 3 000 watts, the equivalent of two electric heaters (can heat a room from 25 to 30 m2).
Install in a well-ventilated room (living room, dining room, outdoor terrace).

Width of the flame: 40 cm.
Tank capacity: 2 litres.
Consumption: 0.47 litres of ethanol per hour.
Durations: 4 hours.

The delivery of this article also includes:
- Funnel for filling bioethanol
- Stop burner to extinguish the flames
- Screw





Specifications

Ref	**RU-UMBR-BIO**
Weight	
Dimensions	**W 74 cm H 65 cm D 34 cm**
Materials	**White lacquered MDF, ceramic, glass black**
Assembly	**No assembly required**
Delivery time	**2 weeks**
Delivery cost	**19.50 €**

www.bio-factory.co.uk

Bio-fireplace OSLO

Price inc. VAT: **1 175 €** Ref: **BB-OSL**

Bio-fire OSLO stainless steel - 3 flames
Operates on bio-ethanol

No leads required, smokeless, odourless, water vapour and carbon dioxide emissions equivalent to 4 burning candles.

Heating Capacity: 3,900 watts, equivalent to 3 electric heaters (can heat a room from 30 to 40 m2). Duration: 2 hours. Consumption: 0.75 litre of bioethanol per hour.

Install in a well-ventilated room (living room, dining room, outdoor terrace).

The back of the fireplace is composed of two metal plates separated by a layer of glass wool. This sandwich structure provides excellent insulation against the wall where the fireplace is attached.

Outer wall temperature: 70 - 100 ° C.

Delivery includes:

- Decorative pebbles
- 3 bioethanol burners
- lighter with safety device
- Flame extinguisher to stop flame

Specifications

Ref	**BB-OSL**
Weight	**35 Kg**
Dimensions	**W 88 cm H 55 cm D 17,8 cm**
Materials	**stainless steel**
Assembly	**10 minute assembly**
Delivery time	**1 week**
Delivery cost	**19.50 €**







Bio-fireplace OSLO Black

Price inc. VAT: **1 245 €** Ref: **BB-OSL-N**

Bio-fire OSLO Black - 3 flames
Operates on bio-ethanol

No leads required, smokeless, odourless, water vapour and carbon dioxide emissions equivalent to 3 burning candles.

Heating Capacity: 3,900 watts, equivalent to 3 electric heaters (can heat a room from 30 to 40 m2). Duration: 2 hours. Consumption: 0.75 litre of bioethanol per hour.

Install in a well-ventilated room (living room, dining room, outdoor terrace).

The back of the fireplace is composed of two metal plates separated by a layer of glass wool. This sandwich structure provides excellent insulation against the wall where the fireplace is attached.

Outer wall temperature: 70 - 100 ° C.

Delivery includes:

- Decorative pebbles
- 3 bioethanol burners
- lighter with safety device
- Flame extinguisher to stop flame

Specifications

Ref	**BB-OSL-N**
Weight	**35 Kg**
Dimensions	**W 88 cm H 55 cm D 17,8 cm**
Materials	**black lacquered metal**
Assembly	**10 minute assembly**
Delivery time	**2 weeks**
Delivery cost	**19.50 €**







www.bio-factory.co.uk

Bio-fireplace OSLO LB

Price inc. VAT: **1 395 €** Ref: **BB-OSL LB**

Biofireplace OSLO LB stainless metal - 2 burners with adjustable slot
It operates with bioethanol
No leads required, odourless, smokeless, only water steam and carbon dioxide emissions (the equivalent of 4 candles).
Heating capacity: 3600 watts, the equivalent of a 2 good electric radiator (can heat a room from 26 to 36 m2).

2 Slot burners with a trapdoor lever and baton.
The intensity of the flame can be adjusted and it can be extinguished at any time by closing the trapdoor with the baton.
Tank capacity per burner: 0,75 L, flame width: 25 cm.

Consumption of the fireplace: 0.5 L of bioethanol per hour.
Autonomy: 3h

To be installed in a well-ventilated room (lounge, living room, dining room, outside terrace).
The back of the fireplace is composed of two metal plates separated by a layer of glass wool. This sandwich structure provides excellent insulation against the wall where the fireplace is attached.

Outer wall temperature: between 70 and 100 ° C.
The delivery of this article also includes (2 packages):

Specifications

Ref	**BB-OSL LB**
Weight	**35 Kg**
Dimensions	**W 88 cm H 55 cm D 17,8 cm**
Materials	**stainless steel**
Assembly	**10 minute assembly**
Delivery time	**2 weeks**
Delivery cost	**19.50 €**

Bio Factory
Eco friendly designs at affordable price







OSLO LB Black

Price inc. VAT: **1 495 €** Ref: **BB-OSL LB-N**

Biofireplace OSLO LB Black - 2 burners with adjustable slot
It operates with bioethanol
No leads required, odourless, smokeless, only water steam and carbon dioxide emissions (the equivalent of 4 candles).
Heating capacity: 3600 watts, the equivalent of a 2 good electric radiator (can heat a room from 26 to 36 m2).

2 Slot burners with a trapdoor lever and baton.
The intensity of the flame can be adjusted and it can be extinguished at any time by closing the trapdoor with the baton.
Tank capacity per burner: 0,75 L, flame width: 25 cm.

Consumption of the fireplace: 0.5 L of bioethanol per hour.
Autonomy: 3h

To be installed in a well-ventilated room (lounge, living room, dining room, outside terrace).
The back of the fireplace is composed of two metal plates separated by a layer of glass wool. This sandwich structure provides excellent insulation against the wall where the fireplace is attached.

Outer wall temperature: between 70 and 100 ° C.
The delivery of this article also includes (2 packages):

Specifications

Ref	**BB-OSL LB-N**
Weight	**35 Kg**
Dimensions	**W 88 cm H 55 cm D 17,8 cm**
Materials	**black lacquered metal**
Assembly	**10 minute assembly**
Delivery time	**2 weeks**
Delivery cost	**19.50 €**







Bio-fireplace OSLO XL

Price inc. VAT: **1 245 €** Ref: **BB-OSL-XL**

Bio-fireplace OSLO XL stainless steel - 4 slot burners
Runs on bioethanol

No leads are required, odourless and smokeless, water vapour and carbon dioxide emissions equivalent of 3 burning candles
Heating Capacity: 5 250 watts, the equivalent of three electric heaters (can heat a room from 45 to 55 m2).

Installation within a well ventilated room or outdoor terrace, balcony or garden.

Consumption: 1 litre of ethanol per hour. Duration: 2h

The back of the fireplace is composed of two metal plates separated by a layer of glass wool. This sandwich structure provides excellent insulation against the wall where the fireplace is attached.

Temperature of the outer wall: between 70 and 100 ° C.

The delivery of this article also includes :

- Decorative pebbles
- 4 bioethanol burners
- Flame extinguisher to stop flame

Also available in smaller size OSLO, 88 cm width

Specifications

Ref	**BB-OSL-XL**
Weight	**45 Kg**
Dimensions	**W 110 cm H 55 cm D 18,3 cm**
Materials	**stainless steel**
Assembly	**requires only 10 minutes**
Delivery time	**2 weeks**
Delivery cost	**19.50 €**

Bio Factory
Eco friendly designs at affordable price







OSLO XL Black

Price inc. VAT: **1 335 €** Ref: **BB-OSL-XL-N**

Bio-fireplace OSLO XL Black - 4 slot burners
Runs on bioethanol

No leads are required, odourless and smokeless, water vapour and carbon dioxide emissions equivalent of 3 burning candles
Heating Capacity: 5 250 watts, the equivalent of three electric heaters (can heat a room from 45 to 55 m2).

Installation within a well ventilated room or outdoor terrace, balcony or garden.

Consumption: 1 litre of ethanol per hour. Duration: 2h

The back of the fireplace is composed of two metal plates separated by a layer of glass wool. This sandwich structure provides excellent insulation against the wall where the fireplace is attached.

Temperature of the outer wall: between 70 and 100 ° C.

The delivery of this article also includes :

- Decorative pebbles
- 4 bioethanol burners
- Flame extinguisher to stop flame

Also available in smaller size OSLO, 88 cm width

Specifications

Ref	**BB-OSL-XL-N**
Weight	**45 Kg**
Dimensions	**W 110 cm H 55 cm D 18,3 cm**
Materials	**black lacquered metal**
Assembly	**requires only 10 minutes**
Delivery time	**2 weeks**
Delivery cost	**19.50 €**







Bio-fireplace OSLO XL-LB

Price inc. VAT: **1 415 €** Ref: **BB-OSL-XL LB**

Biofireplace OSLO XL-LB stainless metal - 2 burners with adjustable slot
It operates with bioethanol

No leads required, odourless, smokeless, only water steam and carbon dioxide emissions (the equivalent of 4 candles).
Heating capacity: 3 600 watts, the equivalent of a good electric radiator (can heat a room from 26 to 36 m2).

2 Slot burners with a trapdoor lever and baton.
The intensity of the flame can be adjusted and it can be extinguished at any time by closing the trapdoor with the baton.
Tank capacity per burner: 0,75 L, flame width: 25 cm.

Consumption of the fireplace: 0.5 L of bioethanol per hour.
Autonomy: 3h

To be installed in a well-ventilated room (lounge, living room, dining room, outside terrace).
The back of the fireplace is composed of two metal plates separated by a layer of glass wool. This sandwich structure provides excellent insulation against the wall where the fireplace is attached.

Outer wall temperature: between 70 and 100 ° C.

Specifications

Ref	**BB-OSL-XL LB**
Weight	**45 Kg**
Dimensions	**W 110 cm H 55 cm D 18,3 cm**
Materials	**stainless steel**
Assembly	**requires only 10 minutes**
Delivery time	**2 weeks**
Delivery cost	**19.50 €**

Bio Factory
Eco friendly designs at affordable price







OSLO XL-LB Black

Price inc. VAT: **1 515 €**

Ref: **BB-OSL-XL LB-N**

Biofireplace OSLO XL-LB Black - 2 burners with adjustable slot
It operates with bioethanol

No leads required, odourless, smokeless, only water steam and carbon dioxide emissions (the equivalent of 4 candles).
Heating capacity: 3 600 watts, the equivalent of a good electric radiator (can heat a room from 26 to 36 m2).

2 Slot burners with a trapdoor lever and baton.
The intensity of the flame can be adjusted and it can be extinguished at any time by closing the trapdoor with the baton.
Tank capacity per burner: 0,75 L, flame width: 25 cm.

Consumption of the fireplace: 0.5 L of bioethanol per hour.
Autonomy: 3h

To be installed in a well-ventilated room (lounge, living room, dining room, outside terrace).
The back of the fireplace is composed of two metal plates separated by a layer of glass wool. This sandwich structure provides excellent insulation against the wall where the fireplace is attached.

Outer wall temperature: between 70 and 100 ° C.

Specifications

Ref	**BB-OSL-XL LB-N**
Weight	**45 Kg**
Dimensions	**W 110 cm H 55 cm D 18.3 cm**
Materials	**stainless steel**
Assembly	**requires only 10 minutes**
Delivery time	**2 weeks**
Delivery cost	**19.50 €**







Bio-fireplace OSLO XXL

Price inc. VAT: **1 595 €** Ref: **BB-OSL-XXL**

Bio-fireplace OSLO XXL stainless steel - 6 slot burners
Runs on bioethanol

No leads are required, odourless and smokeless, water vapor and carbon dioxide.

Heating Capacity: 7,800 watts, the equivalent of four electric heaters (can heat a room from 60 to 80 m2).

Installation within a well ventilated room or outdoor terrace, balcony or garden

Consumption: 1.5 liter of ethanol per hour.

Duration: 2h.

The back of the fireplace is composed of two metal plates separated by a layer of glass wool. This sandwich structure provides excellent insulation against the wall where the fireplace is attached .

Temperature of the outer wall: between 70 and 100 ° C.

The delivery of this article also includes (2 packages):

- Decorative pebbles
- 6 bioethanol burners
- Flame extinguisher to stop flame

Specifications

Ref	**BB-OSL-XXL**
Weight	**78 Kg**
Dimensions	**W 150 cm H 55 cm D 18.3 cm**
Materials	**stainless steel**
Assembly	**assembly time required: 10 minutes**
Delivery time	**2 weeks**
Delivery cost	**19.50 €**

Bio Factory
Eco friendly designs at affordable price







www.bio-factory.co.uk

OSLO XXL Black

Price inc. VAT: **1 680 €** Ref: **BB-OSL-XXL-N**

Bio-fireplace OSLO XXL Black - 6 slot burners
Runs on bioethanol

No leads are required, odourless and smokeless, water vapor and carbon dioxide.

Heating Capacity: 7,800 watts, the equivalent of four electric heaters (can heat a room from 60 to 80 m2).

Installation within a well ventilated room or outdoor terrace, balcony or garden

Consumption: 1.5 liter of ethanol per hour.

Duration: 2h.

The back of the fireplace is composed of two metal plates separated by a layer of glass wool. This sandwich structure provides excellent insulation against the wall where the fireplace is attached .

Temperature of the outer wall: between 70 and 100 ° C.

The delivery of this article also includes (2 packages):

- Decorative pebbles
- 6 bioethanol burners
- Flame extinguisher to stop flame

Specifications

Ref	**BB-OSL-XXL-N**
Weight	**78 Kg**
Dimensions	**W 150 cm H 55 cm D 18.3 cm**
Materials	**stainless steel**
Assembly	**assembly time required: 10 minutes**
Delivery time	**2 weeks**
Delivery cost	**19.50 €**

Bio Factory
Eco friendly designs at affordable price







www.bio-factory.co.uk

Bio-fireplace OSLO XXL-LB

Price inc. VAT: **1 790 €** Ref: **BB-OSL-XXL LB**

Biofireplace OSLO XXL LB stainless metal - 3 burners with adjustable slot
It operates with bioethanol
No leads required, odourless, smokeless, only water steam and carbon dioxide emissions (the equivalent of 6 candles).
Heating capacity: 5400 watts, the equivalent of 3 good electric radiator (can heat a room from 42 to 54 m2).

Equiped with 3 slot burners with a trapdoor lever and baton.
The intensity of the flame can be adjusted and it can be extinguished at any time by closing the trapdoor with the baton.
Tank capacity per burner: 0,75 L, flame width: 25 cm.

Consumption of the fireplace: 0.75 L of bioethanol per hour.
Autonomy: 3h

To be installed in a well-ventilated room (lounge, living room, dining room, outside terrace).
The back of the fireplace is composed of two metal plates separated by a layer of glass wool. This sandwich structure provides excellent insulation against the wall where the fireplace is attached.

Outer wall temperature: between 70 and 100 ° C.

Specifications

Ref	**BB-OSL-XXL LB**
Weight	**78 Kg**
Dimensions	**W 150 cm H 55 cm D 18.3 cm**
Materials	**stainless steel**
Assembly	**assembly time required: 10 minutes**
Delivery time	**1 week**
Delivery cost	**19.50 €**







OSLO XXL-LB Black

Price inc. VAT: **1 875 €**

Ref: **BB-OSL-XXL LB-N**

Biofireplace OSLO XXL LB Black - 3 burners with adjustable slot
It operates with bioethanol
No leads required, odourless, smokeless, only water steam and carbon dioxide emissions (the equivalent of 6 candles).
Heating capacity: 5400 watts, the equivalent of 3 good electric radiator (can heat a room from 42 to 54 m2).

Equiped with 3 slot burners with a trapdoor lever and baton.
The intensity of the flame can be adjusted and it can be extinguished at any time by closing the trapdoor with the baton.
Tank capacity per burner: 0,75 L, flame width: 25 cm.

Consumption of the fireplace: 0.75 L of bioethanol per hour.
Autonomy: 3h

To be installed in a well-ventilated room (lounge, living room, dining room, outside terrace).
The back of the fireplace is composed of two metal plates separated by a layer of glass wool. This sandwich structure provides excellent insulation against the wall where the fireplace is attached.

Outer wall temperature: between 70 and 100 ° C.







Specifications

Ref	**BB-OSL-XXL LB-N**
Weight	**85 Kg**
Dimensions	**W 150 cm H 55 cm D 18.3 cm**
Materials	**stainless steel**
Assembly	**assembly time required: 10 minutes**
Delivery time	**3 weeks**
Delivery cost	**19.50 €**

www.bio-factory.co.uk

Bio-fireplace OVIAL Black

Price inc. VAT: **1 350 €** Ref: **BB-OV-B**

Biofireplace OVIAL Black
It operates with bioethanol – burner with adjustable slot

No leads required, odourless, smokeless, only water steam and carbon dioxide emissions (the equivalent of 3 candles). Heating capacity: 4000 watts, the equivalent of 3 electric radiators (can heat a room from 30 to 40 m2).
To be installed in a well-ventilated room (lounge, living room, dining room, outside terrace).

2 slot burners with a trapdoor lever and baton (see pictures). The intensity of the flame can be adjusted and it can be extinguished at any time by closing the trapdoor with the baton.
Tank capacity: 2 x 1.2 L.
Safety glass high temperature resistant.
Autonomy: 3h. Consumption: 2 x 0.40 litre of bioethanol per hour.

Outer wall temperature: between 50 and 80 ° C.

Delivery includes:
- Decorative pebbles
- Lighter safety
- Funnel
- Stop burner to extinguish flames

Guarantee : 2-years guarantee

Specifications

Ref	**BB-OV-B**
Weight	**38 Kg**
Dimensions	**W 100 cm H 58 cm D 18 cm**
Materials	**black lacquered metal, security glass**
Assembly	**only 10 minutes required**
Delivery time	**1 week**
Delivery cost	**19.50 €**





Bio-fireplace OVIAL White

Price inc. VAT: **1 350 €** Ref: **BB-OV-W**

Biofireplace OVIAL White
It operates with bioethanol – burner with adjustable slot

No leads required, odourless, smokeless, only water steam and carbon dioxide emissions (the equivalent of 3 candles). Heating capacity: 4000 watts, the equivalent of 3 electric radiators (can heat a room from 30 to 40 m2).
To be installed in a well-ventilated room (lounge, living room, dining room, outside terrace).

2 slot burners with a trapdoor lever and baton (see pictures). The intensity of the flame can be adjusted and it can be extinguished at any time by closing the trapdoor with the baton.
Tank capacity: 2 x 1.2 L.
Safety glass high temperature resistant.
Autonomy: 3h. Consumption: 2 x 0.40 litre of bioethanol per hour.

Outer wall temperature: between 50 and 80 ° C.

Delivery includes:
- Decorative pebbles
- Lighter safety
- Funnel
- Stop burner to extinguish flames


Guarantee : 2-years guarantee

Specifications

Ref	**BB-OV-W**
Weight	**38 Kg**
Dimensions	**W 100 cm H 58 cm D 18 cm**
Materials	**white lacquered metal, security glass**
Assembly	**only 10 minutes required**
Delivery time	**2 weeks**
Delivery cost	**19.50 €**







Bio-fireplace BIO ANGLE

Price inc. VAT: **780 €** Ref: **ALT-ANG**

Design biofireplace BIO ANGLE
It operates with bioethanol – burner with adjustable slot

No leads required, odourless, smokeless, only water steam and carbon dioxide emissions (the equivalent of 3 candles). Heating capacity: 2000 watts, the equivalent of 2 electric radiators (can heat a room from 20 to 25 m2).
To be installed in a well-ventilated room (lounge, living room, dining room, outside terrace).

Slot burner with a trapdoor lever and baton (see pictures). The intensity of the flame can be adjusted and it can be extinguished at any time by closing the trapdoor with the baton.
Tank capacity: 1.5 L.
Autonomy: 4h. Consumption: 0.35 litre of bioethanol per hour.

Outer wall temperature: between 50 and 80 ° C.

Guarantee : 2-years guarantee







Specifications

Ref	**ALT-ANG**
Weight	**25Kg**
Dimensions	**W 90 cm H 50 cm D 25,3 cm**
Materials	**white lacquered**
Assembly	**only 10 minutes required**
Delivery time	**1 week**
Delivery cost	**19.50 €**

www.bio-factory.co.uk

Bio-fireplace BIO TUBE

Price inc. VAT: **780 €** Ref: **ALT-TUB**

Design biofireplace BIO TUBE
It operates with bioethanol – burner with adjustable slot

No leads required, odourless, smokeless, only water steam and carbon dioxide emissions (the equivalent of 3 candles). Heating capacity: 2000 watts, the equivalent of 2 electric radiators (can heat a room from 20 to 25 m2).
To be installed in a well-ventilated room (lounge, living room, dining room, outside terrace).


Slot burner with a trapdoor lever and baton (see pictures). The intensity of the flame can be adjusted and it can be extinguished at any time by closing the trapdoor with the baton.
Tank capacity: 1.5 L.
Autonomy: 4h. Consumption: 0.35 litre of bioethanol per hour.

Outer wall temperature: between 50 and 80 ° C.

Guarantee : 2-years guarantee

Specifications

Ref	**ALT-TUB**
Weight	**25 Kg**
Dimensions	**W 90 cm H 35,1 cm D 33,6 cm**
Materials	**white lacquered**
Assembly	**only 10 minutes required**
Delivery time	**1 week**
Delivery cost	**19.50 €**







www.bio-factory.co.uk

Bio-fireplace BIO EDGE

Price inc. VAT: **780 €** Ref: **ALT-EDG**

Design biofireplace BIO EDGE
It operates with bioethanol – burner with adjustable slot

No leads required, odourless, smokeless, only water steam and carbon dioxide emissions (the equivalent of 3 candles). Heating capacity: 2000 watts, the equivalent of 2 electric radiators (can heat a room from 20 to 25 m2).
To be installed in a well-ventilated room (lounge, living room, dining room, outside terrace).

Slot burner with a trapdoor lever and baton (see pictures). The intensity of the flame can be adjusted and it can be extinguished at any time by closing the trapdoor with the baton.
Tank capacity: 1.5 L.
Autonomy: 4h. Consumption: 0.35 litre of bioethanol per hour.

Outer wall temperature: between 50 and 80 ° C.

Guarantee : 2-years guarantee

Specifications

Ref	**ALT-EDG**
Weight	**25Kg**
Dimensions	**W 70 cm H 100 cm D 23 cm**
Materials	**white lacquered**
Assembly	**only 10 minutes required**
Delivery time	**1 week**
Delivery cost	**19.50 €**

Bio Factory
Eco friendly designs at affordable price







www.bio-factory.co.uk

Bio-fireplace BIO WALL

Price inc. VAT: **780 €** Ref: **ALT-WAL**

Design biofireplace BIO WALL
It operates with bioethanol – burner with adjustable slot

No leads required, odourless, smokeless, only water steam and carbon dioxide emissions (the equivalent of 3 candles). Heating capacity: 2000 watts, the equivalent of 2 electric radiators (can heat a room from 20 to 25 m2).
To be installed in a well-ventilated room (lounge, living room, dining room, outside terrace).

Slot burner with a trapdoor lever and baton (see pictures). The intensity of the flame can be adjusted and it can be extinguished at any time by closing the trapdoor with the baton.
Tank capacity: 1.5 L.
Autonomy: 4h. Consumption: 0.35 litre of bioethanol per hour.

Outer wall temperature: between 50 and 80 ° C.

Guarantee : 2-years guarantee

Specifications

Ref	**ALT-WAL**
Weight	**20 Kg**
Dimensions	**W 60 cm H 100 cm D 17,5 cm**
Materials	**white lacquered**
Assembly	**only 10 minutes required**
Delivery time	**1 week**
Delivery cost	**19.50 €**







Bio-fireplace OSLO H

Price inc. VAT: **1 165 €** Ref: **BB-OSL-H**

Bio-fire OSLO H stainless steel - adjustable burner
Operates on bio-ethanol

No leads required, smokeless, odourless, water vapor and carbon dioxide emissions equivalent to 3 burning candles.

Heating Capacity: 2 000 watts, equivalent to 1 electric heater (can heat a room from 16 to 20 m2). Duration: 2 hours. Consumption: 0.5 liter of bioethanol per hour.

Install in a well-ventilated room (lliving room, dining room, outdoor terrace).

The back of the fireplace is composed of two metal plates separated by a layer of glass wool. This sandwich structure provides excellent insulation against the wall where the fireplace is attached .

Delivery includes:
- Funnel for dispensing bioethanol
- Insulating blanket
- Wall fasteners - Heatproof glue
- Insulating blanket (to stick on the wall)

TUV approved: German certificate of quality and safety.

Specifications

Ref	**BB-OSL-H**
Weight	**30 Kg**
Dimensions	**W 55 cm H 80 cm D 17,8 cm**
Materials	**Stainless steel**
Assembly	**only 10 minutes required**
Delivery time	**2 weeks**
Delivery cost	**19.50 €**

Bio Factory
Eco friendly designs at affordable price







Fireplace VALETTA White

Price inc. VAT: **385 €** Ref: **BB-VAL-B**

Bio-fireplace VALETTA White
Operates on bioethanol

No leads required, smokeless, odourless, water vapor and carbon dioxide emmissions equivalent to 3 burning candles.

Heat capacity : 1 200 watts, equivalent to the energy output of an electric heater (can heat a room from 10 to 12 m2).
Consumption: 0.25 liter of bio-ethanol per hour. Tank capacity: 0.5 liters.
Duration: 2 hours

The protective security glass window is thermal resistant to 400 °C.

The delivery of this article also includes:

- Burner trapdoor lever
- Lighter
- Funnel

TUV approved: German certificate of quality and safety.
The TUV certificate is issued by the independent german organization: Technischer Überwachungs-Verein (Technical Inspection Association).


Specifications

Ref	**BB-VAL-B**
Weight	**5 Kg**
Dimensions	**W 50 cm H 30 cm D 14 cm**
Materials	**metal, stainless steel, security glass**
Assembly	**easliy assembled in 5 minutes**
Delivery time	**2 weeks**
Delivery cost	**8.00 €**

Bio Factory
Eco friendly designs at affordable price







Fireplace RAGGIO Inox

Price inc. VAT: **415 €** Ref: **ALT-RAG-I**

Bio-fireplace RAGGIO Stainless steel
Operates on bioethanol

No leads required, smokeless, odourless, water vapor and carbon dioxide emmissions equivalent to 3 burning candles.

Heat capacity : 1 250 watts, equivalent to the energy output of an electric heater (can heat a room from 10 to 12 m2).
Consumption: 0.25 liter of bio-ethanol per hour. Tank capacity: 1.2 liter.
Duration: 4 hours

The protective security glass window is thermal resistant to 400 °C.







Specifications

Ref	**ALT-RAG-I**
Weight	**5 Kg**
Dimensions	**W 52 cm H 18,3 cm D 16,5 cm**
Materials	**stainless steel, security glass**
Assembly	**easily assembled in 10 minutes**
Delivery time	**1 week**
Delivery cost	**8.00 €**

Fireplace RAGGIO Black

Price inc. VAT: **415 €** Ref: **ALT-RAG-N**

Bio-fireplace RAGGIO Black
Operates on bioethanol

No leads required, smokeless, odourless, water vapor and carbon dioxide emmissions equivalent to 3 burning candles.

Heat capacity : 1 250 watts, equivalent to the energy output of an electric heater (can heat a room from 10 to 12 m2).
Consumption: 0.25 liter of bio-ethanol per hour. Tank capacity: 1.2 liter.
Duration: 4 hours

The protective security glass window is thermal resistant to 400 °C.







Specifications

Ref	**ALT-RAG-N**
Weight	**5 Kg**
Dimensions	**W 52 cm H 18,3 cm D 16,5 cm**
Materials	**metal, stainless steel, security glass**
Assembly	**easily assembled in 10 minutes**
Delivery time	**1 week**
Delivery cost	**8.00 €**

Fireplace RAGGIO White

Price inc. VAT: **415 €** Ref: **ALT-RAG-B**

Bio-fireplace RAGGIO White
Operates on bioethanol

No leads required, smokeless, odourless, water vapor and carbon dioxide emmissions equivalent to 3 burning candles.

Heat capacity : 1 250 watts, equivalent to the energy output of an electric heater (can heat a room from 10 to 12 m2).
Consumption: 0.25 liter of bio-ethanol per hour. Tank capacity: 1.2 liter.
Duration: 4 hours

The protective security glass window is thermal resistant to 400 °C.







Specifications

Ref	**ALT-RAG-B**
Weight	**5 Kg**
Dimensions	**W 52 cm H 18,3 cm D 16,5 cm**
Materials	**metal, stainless steel, security glass**
Assembly	**easily assembled in 10 minutes**
Delivery time	**1 week**
Delivery cost	**8.00 €**

www.bio-factory.co.uk

Fireplace CUNEO

Price inc. VAT: **890 €** Ref: **RU-CUNE-BIO**

Bio-fireplace CUNEO
Operates with bioethanol

No leads required, smokeless and completely odourless. Water and vapour emissions equivalent to 3 burning candles.
Heating capacity: 2 000 watts, the equivalent of one electric heater (can heat a room from 15 to 25 m2).
Install in a well-ventilated room (living room, dining room, outdoor terrace).

Tank capacity: 1 litre.
Consumption: 0.3 litres of ethanol per hour.
Durations: 3 hours.

The delivery of this article also includes:
- Funnel for filling bioethanol
- Stop burner to extinguish the flames
- Screw





Specifications

Ref	**RU-CUNE-BIO**
Weight	
Dimensions	**W 53 cm H 18,5 cm D 26 cm**
Materials	**Concrete, ceramic, security glasses**
Assembly	**No assembly required**
Delivery time	**2 weeks**
Delivery cost	**19.50 €**

Fireplace KORDOBA Black

Price inc. VAT: **750 €** Ref: **BB-KOR-N**

Bio-fireplace KORDOBA Black
Oerates on bioethanol - Adjustable burner

No leads required, smokeless, odourless, water vapour and carbon dioxide emissions equivalent to 3 burning candles. Adjustable flame height.

Heat capacity : 2 500 watts, equivalent to the energy output of an electric heater (can heat a room from 20 to 25 m2).
Consumption: 0.5 litre of bio-ethanol per hour. Tank capacity: 2 liters.
Duration: 4 hours

The protective security glass window is thermal resistant to 400 °C.

The delivery of this article also includes :

- Burner trapdoor lever
- Long Lighter
- Funnel

TUV approved: German certificate of quality and safety.
The TUV certificate is issued by the independent German organization: Technischer Überwachungs-Verein (Technical Inspection Association).







Specifications

Ref	**BB-KOR-N**
Weight	**28 Kg**
Dimensions	**W 81 cm H 79 cm D 30 cm**
Materials	**Metal, stainless steel, security glass**
Assembly	**easliy assembled in10 minutes**
Delivery time	**1 week**
Delivery cost	**19.50 €**

www.bio-factory.co.uk

Fireplace KORDOBA White

Price inc. VAT: **750 €** Ref: **BB-KOR-B**

Bio-fireplace KORDOBA White
Operates on bioethanol - Adjustable burner

No leads required, smokeless, odourless, water vapor and carbon dioxide emmissions equivalent to 3 burning candles. Adjustable flame height.

Heat capacity : 2 500 watts, equivalent to the energy output of an electric heater (can heat a room from 20 to 25 m2)
Consumption: 0.5 liter of bio-ethanol per hour. Tank capacity: 2 liters.
Duration: 4 hours

The protective security glass window is thermal resistant to 400 °C.

The delivery of this article also includes:

- Burner trapdoor lever
- Lighter
- Funnel

TUV approved: German certificate of quality and safety.
The TUV certificate is issued by the independent german organization: Technischer Überwachungs-Verein (Technical Inspection Association).







Specifications

Ref	**BB-KOR-B**
Weight	**28 Kg**
Dimensions	**W 81 cm H 79 cm D 30 cm**
Materials	
Assembly	**easliy assembled in10 minutes**
Delivery time	**1 week**
Delivery cost	**19.50 €**

www.bio-factory.co.uk

Bio-fireplace VENIZ Black

Price inc. VAT: **820 €** Ref: **BB-VEN-N**

Bio-fireplace VENIZ Black
Operates on bioethanol - For use within an indoor or outdoor fireplace

No leads required, smokeless, odourless, water vapour and carbon dioxide emissions equivalent to 2 burning candles.
Heat capacity : 2 500 watts, equivalent to an electric heater (can heat a room from 20 to 25 m2).

Adjustable flame height.


Consumption: 0.5 liter of bio-ethanol per hour. Tank capacity: 2 liters.
Duration: 4 hours.

Installation within a well ventilated room required (living room, dining room, outdoor terrace).

Baton included to close burner trapdoor.







Specifications

Ref	**BB-VEN-N**
Weight	**11 kg**
Dimensions	**W 60 cm H 13 cm D 41 cm**
Materials	**black lacquered metal, stainless steel, security glass**
Assembly	**Indoor or outdoor fireplace**
Delivery time	**2 weeks**
Delivery cost	**19.50 €**

www.bio-factory.co.uk

Bio-fireplace VENIZ White

Price inc. VAT: **820 €** Ref: **BB-VEN-B**

Bio-fireplace VENIZ White
Operates on bioethanol - For use within an indoor or outdoor fireplace

No leads required, smokeless, odourless, water vapor and carbon dioxide emmissions equivalent to 2 burning candles.


Heat capacity : 2 500 watts, equivalent to an electric heater (can heat a room from 20 to 25 m2).

Consumption: 0.5 liter of bio-ethanol per hour. Tank capacity: 2 liters.
Duration : 4 hours.

Adjustable flame height.

Installation within a well ventilated room required (living room, dining room, outdoor terrace).

Baton included to close burner trapdoor.







Specifications

Ref	**BB-VEN-B**
Weight	**11 kg**
Dimensions	**W 60 cm H 13 cm D 41 cm**
Materials	**Metal, stainless steel**
Assembly	**Indoor or outdoor fireplace**
Delivery time	**2 weeks**
Delivery cost	**19.50 €**

www.bio-factory.co.uk

VENIZ Glass Black

Price inc. VAT: **945 €** Ref: **BB-VB + BB-VG**

Bio-fireplace VENIZ Glass Black
Operates on bioethanol

No leads required, smokeless, odourless, water vapour and carbon dioxide emissions equivalent to 2 burning candles.

Heat capacity : 2 500 watts, equivalent to an electric heater (can heat a room from 20 to 25 m2).

Consumption: 0.5 liter of bio-ethanol per hour.

Tank capacity: 2 liters. Duration: 4 hours.

Adjustable flame height.
Two safety glass heat resistant (H 50 cm x L 65 cm)

Installation within a well ventilated room required (living room, dining room, outdoor terrace)

Baton included to close burner trapdoor.







Specifications

Ref	**BB-VB + BB-VG**
Weight	**22 kg**
Dimensions	**W 65 cm H 50 cm D 43 cm**
Materials	**black lacquered metal, stainless steel, security glass**
Assembly	**Indoor or outdoor fireplace**
Delivery time	**2 weeks**
Delivery cost	**19.50 €**

VENIZ Glass White

Price inc. VAT: **945 €** Ref: **BB-VW + BB-VG**

Bio-fireplace VENIZ Glass White
Operates on bioethanol - For use within an indoor or outdoor fireplace

No leads required, smokeless, odourless, water vapor and carbon dioxide emmissions equivalent to 2 burning candles.

Heat capacity : 2 500 watts, equivalent to an electric heater (can heat a room from 20 to 25 m2).

Consumption: 0.5 liter of bio-ethanol per hour.

Tank capacity: 2 liters. Duration : 4 hours

Adjustable flame height.
Two safety glass heat resistant (H 50 cm x L 65 cm).

Installation within a well ventilated room required (living room, dining room, outdoor terrace).

Baton included to close burner trapdoor.







Specifications

Ref	**BB-VW + BB-VG**
Weight	**22 kg**
Dimensions	**W 65 cm H 50 cm D 43 cm**
Materials	**white lacquered metal, stainless steel, security glass**
Assembly	**Indoor or outdoor fireplace**
Delivery time	**2 weeks**
Delivery cost	**19.50 €**

www.bio-factory.co.uk

Bio-fireplace KARLA

Price inc. VAT: **1 055 €** Ref: **ALT-KAR**

Bio-fireplace KARLA - Art deco
Operates with bioethanol - Colour: white lacquer

No leads required, smokeless, odourless, water vapour and carbon dioxide emissions equivalent to 3 burning candles..
Heat capacity: 3,000 watts, the equivalent of 2 electric heater (can heat a room from 24 to 30 m2).

Fireplace in lacquered medium wood, excellent finish. Insert burner in metal, lacquered black (high temperature resistant paint).
The burner is stainless steel with a flap closure. To extinguish the flame, the burner door is closed using a handle (supplied).
You can also adjust the power of the flame by partially closing the door of the burner.

It has a removable safety glass installed in front of the burner. But you can also do without and have deco ceramic logs to make it look like a real wood burning fireplace (see pictures). Metal back cover.
Installation in a well-ventilated room required (living room, dining room, outdoor, and terrace).

Tank capacity: 1.6 liter. Consumption: 0.4 to 0.5 L of bio-ethanol per hour.

Duration:







Specifications

Ref	**ALT-KAR**
Weight	**45 Kg**
Dimensions	**W 90 cm H 91,5 cm D 23 cm**
Materials	**lacquered wood, stainless steel burner**
Assembly	**assembled in only 5 minutes**
Delivery time	**1 week**
Delivery cost	**19.50 €**

www.bio-factory.co.uk

Bio-fireplace KRISTINE

Price inc. VAT: **1 055 €** Ref: **ALT-KRI**

Bio-fireplace KRISTINE
Operates with bioethanol - Color: white lacquer

No leads required, smokeless, odourless, water vapour and carbon dioxide emissions equivalent to 3 burning candles..
Heat capacity: 3,000 watts, the equivalent of 2 electric heater (can heat a room from 24 to 30 m2).
Fireplace in lacquered medium wood, excellent finish. Insert burner in metal, lacquered black (high temperature resistant paint).
The burner is stainless steel with a flap closure. To extinguish the flame, the burner door is closed using a handle (supplied).
You can also adjust the power of the flame by partially closing the door of the burner.

It has a removable safety glass installed in front of the burner. But you can also do without and have deco ceramic logs to make it look like a real wood burning fireplace (see pictures).
Metal back cover.

Installation in a well-ventilated room required (living room, dining room, outdoor, and terrace).
Tank capacity: 1.6 liter. Consumption: 0.4 to 0.5 L of bio-ethanol per hour.

Duration:

Specifications

Ref	**ALT-KRI**
Weight	**45 Kg**
Dimensions	**W 90 cm H 90 cm D 23 cm**
Materials	**lacquered wood, stainless steel burner**
Assembly	**assembled in only 10 minutes**
Delivery time	**1 week**
Delivery cost	**19.50 €**

Bio Factory
Eco friendly designs at affordable price







www.bio-factory.co.uk

Bio-fireplace HAUSSMANN

Price inc. VAT: **1 125 €** Ref: **ALT-KLA**

Bio-fireplace HAUSSMANN
Operates with bioethanol - Colour: white

No leads required, smokeless, odourless, water vapour and carbon dioxide emissions equivalent to 3 burning candles..
Heat capacity: 3,000 watts, the equivalent of 2 electric heater (can heat a room from 24 to 30 m2).
Fireplace in lacquered medium wood, excellent finish. Insert burner in metal, lacquered black (high temperature resistant paint).
The burner is stainless steel with a flap closure. To extinguish the flame, the burner door is closed using a handle (supplied).
You can also adjust the power of the flame by partially closing the door of the burner.

It has a removable safety glass installed in front of the burner. But you can also do without and have deco ceramic logs to make it look like a real wood burning fireplace (see pictures).
Metal back cover.
Installation in a well-ventilated room required (living room, dining room, outdoor, and terrace).

Tank capacity: 1,6 liter. Consumption: 0.4 to 0.5 L of bio-ethanol per hour.

Duration:

Specifications

Ref	**ALT-KLA**
Weight	**50 Kg**
Dimensions	**W 102 cm H 100,5 cm D 31 cm**
Materials	**lacquered wood, brushed stainless steel burner**
Assembly	**necesita sólo 5 minutos**
Delivery time	**3 weeks**
Delivery cost	**19.50 €**







Bio-fireplace BARCELONA

Price inc. VAT: **990 €** Ref: **RU-BARC-BIO**

Bio-fareplace BARCELONA
Traditional fireplace in cream white lacquered wood, equipped with a stainless steel bioethanol burner.

It does not need any pipe, does not smell or generate smoke, only water steam and carbonic gas (the equivalent of 3 candles).
To be installed in a highly ventilated room (lounge, living room, dining room, veranda).

Heating capacity: 2000 watts, the equivalent of a good electric radiator (can heat a room from 16 to 20 m2).

Deposit capacity: 1 L. Consumption: 0.3 to 0.5 liter of bioethanol per hour.
Autonomy: 2 to 3 hours.

The delivery of this product includes:

- Bioethanol burner



Specifications

Ref	**RU-BARC-BIO**
Weight	**49 Kg**
Dimensions	**W 115 cm H 104 cm D 38 cm**
Materials	**Medium cream lacquered wood, metal**
Assembly	**assembled in only 15 minutes**
Delivery time	**2 weeks**
Delivery cost	**19.50 €**

Bio-fireplace EVITA

Price inc. VAT: **990 €** Ref: **RU-EVIT-BIO**

Bio-fareplace EVITA
Traditional fireplace in white lacquered wood, equipped with a stainless steel bioethanol burner.

It does not need any pipe, does not smell or generate smoke, only water steam and carbonic gas (the equivalent of 3 candles).
To be installed in a highly ventilated room (lounge, living room, dining room, veranda).

Heating capacity: 2000 watts, the equivalent of a good electric radiator (can heat a room from 16 to 20 m2).

Deposit capacity: 1 L. Consumption: 0.3 to 0.5 liter of bioethanol per hour.
Autonomy: 2 to 3 hours.

The delivery of this product includes:

- Bioethanol burner
- 6 decorative logs made of fire resistant ceramics.

Specifications

Ref	**RU-EVIT-BIO**
Weight	**37 Kg**
Dimensions	**W 102 cm H 98 cm D 39 cm**
Materials	**Medium white lacquered wood, metal**
Assembly	**assembled in only 15 minutes**
Delivery time	**2 weeks**
Delivery cost	**19.50 €**







Bio-fireplace MADRID

Price inc. VAT: **990 €** Ref: **RU-MADR-BIO**

Bio-fareplace MADRID
Traditional fireplace in cream white lacquered wood, equipped with a stainless steel bioethanol burner.

It does not need any pipe, does not smell or generate smoke, only water steam and carbonic gas (the equivalent of 3 candles).
To be installed in a highly ventilated room (lounge, living room, dining room, veranda).

Heating capacity: 2000 watts, the equivalent of a good electric radiator (can heat a room from 16 to 20 m2).

Deposit capacity: 1 L. Consumption: 0.3 to 0.5 liter of bioethanol per hour.
Autonomy: 2 to 3 hours.

The delivery of this product includes:

- Bioethanol burner
- 6 decorative logs made of fire resistant ceramics.

Specifications

Ref	**RU-MADR-BIO**
Weight	**45,7 Kg**
Dimensions	**W 110 cm H 105 cm D 38 cm**
Materials	**Medium cream lacquered wood, metal**
Assembly	**assembled in only 15 minutes**
Delivery time	**2 weeks**
Delivery cost	**19.50 €**

Bio Factory
Eco friendly designs at affordable price







www.bio-factory.co.uk

Bio-fireplace ROBIN

Price inc. VAT: **930 €** Ref: **RU-ROBI-BIO**

Bio-fareplace ROBIN
Traditional fireplace in cream white lacquered wood, equipped with a stainless steel bioethanol burner.

It does not need any pipe, does not smell or generate smoke, only water steam and carbonic gas (the equivalent of 3 candles).
To be installed in a highly ventilated room (lounge, living room, dining room, veranda).

Heating capacity: 2000 watts, the equivalent of a good electric radiator (can heat a room from 16 to 20 m2).

Deposit capacity: 1 L. Consumption: 0.3 to 0.5 liter of bioethanol per hour.
Autonomy: 2 to 3 hours.

The delivery of this product includes:

- Bioethanol burner
- 6 decorative logs made of fire resistant ceramics.



Specifications

Ref	**RU-ROBI-BIO**
Weight	**44 Kg**
Dimensions	**W 103 cm H 95 cm D 33 cm**
Materials	**Medium cream lacquered wood, metal**
Assembly	**assembled in only 15 minutes**
Delivery time	**2 weeks**
Delivery cost	**19.50 €**

www.bio-factory.co.uk

Bio-fireplace ZEMBRA

Price inc. VAT: **1 280 €** Ref: **RU-ZEMB-C**

Bio-fireplace ZEMBRA
Operates with bioethanol - protective glasses

No leads required, smokeless, odourless, water vapour and carbon dioxide emissions equivalent to 3 burning candles. May be used indoors or outdoors.

Burner safety: burner base contains porous substance to absorb bio-fuel. This safety configuration minimizes risk of spillage. Once dispensed, bio-ethanol fuel can not be removed.

Heat capacity: 1 400 watts, the equivalent output of an electric heater (can heat a room from 11 to 14 m2).

Consumption: 0,25 of bio-ethanol per hour.
Tank capacity: 0,75 litres. Duration: about 3 hours.

Installation in a well-ventilated room required (living room, dining room, outdoor, and terrace).

TUV approved: German certificate of quality and safety.
The TUV certificate is issued by the independent german organization: Technischer Überwachungs-Verein (Technical Inspection Association).



Specifications

Ref	**RU-ZEMB-C**
Weight	**60 Kg**
Dimensions	**W 87 cm H 95 cm D 34 cm**
Materials	**concrete - resin - stainless steel burner**
Assembly	**no assembly required**
Delivery time	**3 weeks**
Delivery cost	**19.50 €**

www.bio-factory.co.uk

Fireplace ZEMBRA Firedog

Price inc. VAT: **1 520 €** Ref: **RU-ZEMB-CN**

Bio-fireplace ZEMBRA with firedog
Operates with bioethanol - protective glasses

No leads required, smokeless, odourless, water vapour and carbon dioxide emissions equivalent to 3 burning candles. May be used indoors or outdoors.

Burner safety: burner base contains porous substance to absorb bio-fuel. This safety configuration minimizes risk of spillage. Once dispensed, bio-ethanol fuel can not be removed.

Heat capacity: 1 400 watts, the equivalent output of an electric heater (can heat a room from 11 to 14 m2).

Consumption: 0,25 of bio-ethanol per hour.
Tank capacity: 0,75 litres. Duration: about 3 hours.

Installation in a well-ventilated room required (living room, dining room, outdoor, and terrace).

TUV approved: German certificate of quality and safety.
The TUV certificate is issued by the independent german organization: Technischer Überwachungs-Verein (Technical Inspection Association).



Specifications

Ref	**RU-ZEMB-CN**
Weight	**60 Kg**
Dimensions	**W 87 cm H 95 cm D 34 cm**
Materials	**concrete - resin - stainless steel burner**
Assembly	**only 10 minutes required**
Delivery time	**3 weeks**
Delivery cost	**19.50 €**

www.bio-factory.co.uk

Bio-fireplace KEOPS Black

Price inc. VAT: **890 €** Ref: **BB-KE-B**

Biofireplace KEOPS Black
It operates with bioethanol – burner with adjustable slot

No leads required, odourless, smokeless, only water steam and carbon dioxide emissions (the equivalent of 3 candles). Heating capacity: 2000 watts, the equivalent of 2 electric radiators (can heat a room from 15 to 20 m2).
To be installed in a well-ventilated room (lounge, living room, dining room, outside terrace).

Slot burner with a trapdoor lever and baton (see pictures). The intensity of the flame can be adjusted and it can be extinguished at any time by closing the trapdoor with the baton.
Tank capacity: 1.2 L.
Safety glass high temperature resistant.
Autonomy: 3h. Consumption: 0.40 litre of bioethanol per hour.

Outer wall temperature: between 50 and 80 ° C.

Delivery includes:
- Decorative pebbles
- Lighter safety
- Funnel
- Stop burner to extinguish flames

Guarantee : 2-years guarantee

Specifications

Ref	**BB-KE-B**
Weight	**30 Kg**
Dimensions	**W 50 cm H 69,1 cm D 35 cm**
Materials	**black lacquered metal, security glass**
Assembly	**only 10 minutes required**
Delivery time	**3 weeks**
Delivery cost	**19.50 €**







Bio-fireplace MINSK Black

Price inc. VAT: **1 250 €** Ref: **BB-MIN-N**

Bio-fireplace MINSK lacquered black metal

This free standing model runs on bioethanol and must be installed within a well ventilated room. The black lacquered coating is thermal resistant.

Requires no leads, odourless and smokeless, water vapour and carbon dioxide emissions equivalent to 3 burning candles.

Heating capacity: 2 000 watts, the equivalent to the energy output of an electric heater (can heat a room from 15 to 20 m2)

Tank capacity: 1.5 liter
Duration: 6 hours
Consumption: 0,25 liter of bioethanol per hour.

Adjustable flame levels.
Temperature of outer surface walls: between 30 and 50°C.
Removable security glass panels (thermal resistant up to 400°C).

Delivery of this article also includes:

- Long lighter
- Burner trapdoor lever
- Funnel for dispensing bioethanol

Specifications

Ref	**BB-MIN-N**
Weight	**45 kg**
Dimensions	**W 80 cm H 80 cm D 25 cm**
Materials	**Metal, stainless steel, security glass**
Assembly	**easily assembled in 10 minutes**
Delivery time	**2 weeks**
Delivery cost	**19.50 €**

Bio Factory
Eco friendly designs at affordable price





www.bio-factory.co.uk

Bio-fireplace MINSK White

Price inc. VAT: **1 250 €** Ref: **BB-MIN-B**

Bio-fireplace MINSK lacquered white metal

This free standing model runs on bioethanol and must be installed within a well ventilated room. The white lacquered coating is thermal resistant.

Requires no leads, odourless and smokeless, water vapour and carbon dioxide emissions equivalent to 3 burning candles.

Heating capacity: 2 000 watts, the equivalent to the energy output of an electric heater (can heat a room from 15 to 20 m2).

Tank capacity: 1.5 liter.
Duration: 6 hours
Consumption: 0.25 liter of bioethanol per hour.

Adjustable flame levels.
Temperature of outer surface walls: between 30 and 50°C.
Removable security glass panels (thermal resistant up to 400°C).

Delivery of this article also includes :

- Long lighter
- Burner trapdoor lever
- Funnel for dispensing bioethanol

Specifications

Ref	**BB-MIN-B**
Weight	**45 Kg**
Dimensions	**W 80 cm H 80 cm D 25 cm**
Materials	**metal, stainless steel, security glass**
Assembly	**easily assembled in10 minutes**
Delivery time	**1 week**
Delivery cost	**19.50 €**

Bio Factory
Eco friendly designs at affordable price





www.bio-factory.co.uk

Fireplace MONZA

Price inc. VAT: **1 440 €** Ref: **RU-MONZ-BIO**

Fireplace MONZA
Operates with bioethanol - adjustable burner

No leads required, smokeless and completely odourless. Water and vapour emissions equivalent to 3 burning candles.
Heating capacity: 2 000 watts, the equivalent of one electric heater (can heat a room from 15 to 25 m2).
Install in a well-ventilated room (living room, dining room, outdoor terrace).

Tank capacity: 1 litre.
Consumption: 0.3 litres of ethanol per hour.
Durations: 3 hours.

The delivery of this article also includes:
- Funnel for filling bioethanol
- Stop burner to extinguish the flames
- Screw





Specifications

Ref	**RU-MONZ-BIO**
Weight	
Dimensions	**W 90 cm H 68 cm D 40 cm**
Materials	**White metal, black lacquered MDF, ceramic, securit glass**
Assembly	**No assembly required**
Delivery time	**2 weeks**
Delivery cost	**19.50 €**

www.bio-factory.co.uk

Bio-fireplace LASIZE

Price inc. VAT: **1 450 €** Ref: **RU-LASIZE-SILVER**

Bio-fireplace LASIZE
Operates with bioethanol - Color: silver

Burner safety: burner base contains porous substance to absorb bio-fuel. This safety configuration minimizes risk of spillage. Once dispensed, bio-ethanol fuel can not be removed.

No leads required, smokeless, odourless, water vapour and carbon dioxide emissions equivalent to 3 burning candles..
Heat capacity: 1,400 watts, the equivalent of 1 electric heater (can heat a room from 11 to 14 m2).
Fireplace in lacquered wood, inside part and insert burner in metal, lacquered black (high temperature resistant paint), adjustable burner stainless steel.
Installation in a well-ventilated room required (living room, dining room, outdoor, and terrace).

Tank capacity: 0,75 litre. Consumption: 0,25 l. of bio-ethanol per hour.
Duration: about 3 hours.

TUV approved: German certificate of quality and safety. N°ID 24293, certificat ET 324 2009 C1
The TUV certificate is issued by the independent German organization: Technischer Überwachungs-Verein (Technical Inspection Association).

Specifications

Ref	**RU-LASIZE-SILVER**
Weight	**42 Kg**
Dimensions	**W 98 cm H 136 cm D 32 cm**
Materials	**lacquered wood, stainless steel burner**
Assembly	**assembled in only 10 minutes**
Delivery time	**2 weeks**
Delivery cost	**19.50 €**







Fireplace ORLANDO White

Price inc. VAT: **1 490 €** Ref: **BB-ORL-B**

Bio-fireplace ORLANDO lacquered white metal
This free standing model runs on bioethanol and must be installed within a well ventilated room. The white lacquered coating is thermal resistant.

Requires no leads, odourless and smokeless, water vapour and carbon dioxide emissions equivalent to 3 burning candles.
Heating capacity : 2 000 watts, the equivalent to the energy output of an electric heater (can heat a room from 15 to 20 m2).

Tank capacity : 1.5 liter. Duration: 6 hours
Consumption: 0.25 liter of bioethanol per hour.

Adjustable flame levels.
Temperature of outer surface walls: between 30 and 50°C.
Removable security glass panels (thermal resistant up to 400°C).

Delivery of this article also includes :

- Long lighter
- Burner trapdoor lever
- Funnel

TUV approved: German certificate of quality and safety.

Specifications

Ref	**BB-ORL-B**
Weight	**45 kg**
Dimensions	**W 100 cm H 71 cm D 25 cm**
Materials	**metal, stainless steel, security glass**
Assembly	**easily assembled in10 minutes**
Delivery time	**2 weeks**
Delivery cost	**19.50 €**







Fireplace ORLANDO Black

Price inc. VAT: **1 490 €** Ref: **BB-ORL-N**

Bio-fireplace ORLANDO lacquered black metal
This free standing model runs on bioethanol and must be installed within a well ventilated room. The white lacquered coating is thermal resistant.

Requires no leads, odourless and smokeless, water vapour and carbon dioxide emissions equivalent to 3 burning candles.
Heating capacity : 2 000 watts, the equivalent to the energy output of an electric heater (can heat a room from 15 to 20 m2).

Tank capacity : 1.5 liter. Duration: 6 hours
Consumption: 0.25 liter of bioethanol per hour.


Adjustable flame levels.
Temperature of outer surface walls: between 30 and 50°C.
Removable security glass panels (thermal resistant up to 400°C).

Delivery of this article also includes :

- Long lighter
- Burner trapdoor lever
- Funnel

TUV approved: German certificate of quality and safety.







Specifications

Ref	**BB-ORL-N**
Weight	**42 kg**
Dimensions	**W 100 cm H 71 cm D 25 cm**
Materials	**metal, stainless steel, security glass**
Assembly	**easily assembled in10 minutes**
Delivery time	**2 weeks**
Delivery cost	**19.50 €**

Fireplace MINSK XL Black

Price inc. VAT: **1 650 €** Ref: **BB-MIN-XLN**

Bio-fireplace MINSK XL lacquered black metal
Runs on bioethanol - Free standing model

Requires no leads, odourless and smokeless, water vapour and carbon dioxide emissions, the equivalent of 3 burning candles.
Heating capacity : 5000 watts, the equivalent of 3 electric heaters (can heat a room from 40 to 50 m2). The black lacquered coating thermal resistant.

Adjustable flame levels.
Tank capacity : 2 x 1,5 liter. Duration: 6 hours
Consumption: 0,25 liter of bioethanol per hour.

Temperature of the outer wall: between 30 and 50°C.

Protective security glass thermal resistant up to 400°C.

Installation in a well-ventilated room required (living room, dining room, outdoor terrace.

The delivery of this article also includes :

- Burner trapdoor lever





Specifications

Ref	**BB-MIN-XLN**
Weight	**75 kg**
Dimensions	**W 120 cm H 80 cm D 30 cm**
Materials	**Metal, stainless steel, security glass**
Assembly	**only 10 minutes required**
Delivery time	**1 week**
Delivery cost	**19.50 €**

Fireplace MINSK XL White

Price inc. VAT: **1 650 €** Ref: **BB-MIN-XLB**

Bio-fireplace MINSK XL lacquered white metal
Runs on bioethanol - Free standing model

Requires no leads, odourless and smokeless, water vapour and carbon dioxide emissions equivalent to 3 burning candles.
Heating capacity : 5000 watts, the equivalent of 3 electric heaters (can heat a room from 40 to 50 m2). The black lacquered coating thermal resistant.

Adjustable flame levels.
Tank capacity : 2 x 1,5 liter. Duration: 6 hours
Consumption: 0,25 liter of bioethanol per hour.

Temperature of the outer wall: between 30 and 50°C.

Protective security glass thermal resistant up to 400°C.

Installation in a well-ventilated room required (living room, dining room, outdoor terrace.

The delivery of this article also includes :


- Burner trapdoor lever

Specifications

Ref	**BB-MIN-XLB**
Weight	**75 kg**
Dimensions	**W 120 cm H 80 cm D 30 cm**
Materials	**Metal, stainless steel, security glass**
Assembly	**only 10 minutes required**
Delivery time	**1 week**
Delivery cost	**19.50 €**







Bio-fireplace CILO

Price inc. VAT: **1 390 €** Ref: **RU-CILO-N**

Bio-fireplace CILO
Operates with bioethanol - Dutch designer: Hans Daalder
Height: 85 cm, diameter: 45 cm

No leads required, smokeless, odourless, water vapour and carbon dioxide emissions the equivalent of 3 burning candles.
May be used inside or outside.

Burner Saftey: bio-ethanol tank base contains porous ceramic substance to absorb biofuel. This safety configuration minimizes risk of spillage.
Once bio-ethanol is dispensed, it can not be removed from the base.
Heating Capacity: 1400 watts, equivalent to an electric heater (can heat a room from 11 to 14 m2).
Lacquered coating thermal resistant.

Installation in a well ventilated room required (living room, dining room, outdoor terrace).

Tank capacity : 0.75 litre. Consumption: 0.25 litre of ethanol per hour.
Duration : 3 hours.

TUV approved: German certificate of quality and safety.

Specifications

Ref	**RU-CILO-N**
Weight	**38 Kg**
Dimensions	**W 45 cm H 85 cm D 45 cm**
Materials	**black lacquered metal**
Assembly	**no assembly required**
Delivery time	**2 weeks**
Delivery cost	**19.50 €**

Bio Factory
Eco friendly designs at affordable price







Bio-fireplace MILANO

Price inc. VAT: **1 260 €** Ref: **RU-MILA-G**

Bio-fireplace MILANO . gray concrete
Operates with bioethanol -

No leads required, smokeless, odourless, water vapour and carbon dioxide emissions equivalent to 3 burning candles. May be used indoors or outdoors.

Burner safety: burner base contains porous substance to absorb bio-fuel. This safety configuration minimizes risk of spillage. Once dispensed, bio-ethanol fuel can not be removed.

Heat capacity: 1 400 watts, the equivalent output of an electric heater (can heat a room from 11 to 14 m2).

Consumption: 0,25 of bio-ethanol per hour.
Tank capacity: 0,75 litres. Duration: about 3 hours.

Installation in a well-ventilated room required (living room, dining room, outdoor, and terrace).

Dimensions: H 88 x L 76 x P 31 cm, includes socket 12 cm tall.

TUV approved: German certificate of quality and safety.
The TUV certificate is issued by the independent german organization: Technischer Überwachungs-Verein (Technical Inspection Association).


Specifications

Ref	**RU-MILA-G**
Weight	**40 Kg**
Dimensions	**W 76 cm H 88 cm D 31 cm**
Materials	**gray concrete burner en acier inox..**
Assembly	**no assembly required**
Delivery time	**3 weeks**
Delivery cost	**19.50 €**

Bio Factory
Eco friendly designs at affordable price







Bio-fireplace NUORO

Price inc. VAT: **1 790 €** Ref: **RU-NUOR-G**

Bio-fireplace NUORO gray concrete
Operates with bioethanol - protective glasses

No leads required, smokeless, odourless, water vapour and carbon dioxide emissions equivalent to 3 burning candles. May be used indoors or outdoors.

Burner safety: burner base contains porous substance to absorb bio-fuel. This safety configuration minimizes risk of spillage. Once dispensed, bio-ethanol fuel can not be removed.

Heat capacity: 1 400 watts, the equivalent output of an electric heater (can heat a room from 11 to 14 m2).

Consumption: 0,25 of bio-ethanol per hour.
Tank capacity: 0,75 litres. Duration: about 3 hours.

Installation in a well-ventilated room required (living room, dining room, outdoor, and terrace).

TUV approved: German certificate of quality and safety.
The TUV certificate is issued by the independent german organization: Technischer Überwachungs-Verein (Technical Inspection Association).

Specifications

Ref	**RU-NUOR-G**
Weight	**58 Kg**
Dimensions	**W 75 cm H 100 cm D 34 cm**
Materials	**gray concrete - resin - stainless steel burner**
Assembly	**no assembly required**
Delivery time	**2 weeks**
Delivery cost	**19.50 €**

Bio Factory
Eco friendly designs at affordable price







www.bio-factory.co.uk

Bio-fireplace INSERT TABLE

Price inc. VAT: **1 120 €** Ref: **BB-INS**

Bio-fireplace INSERT TABLE
The NOMADE BIo-fireplace includes a protective glass wall. It operates on bioethanol and may be used indoors or out. If used indoors the NOMADE must be placed within a well ventilated room.
Leads are not required, and the flames are odourless and smokeless.
Water vapour and carbon dioxide emissions are equivalent to that of 3 burning candles.

Heating Capacity: 2 500 watts, equivalent to the energy output of an electric heater (can heat a room from 20 to 25 m2).
Consumption: 0.5 liters of bioethanol per hour.
Tank capacity : 2 liters. Duration: Approximately 4 hours.


The protective security glass window is thermal resistant to 400 °C.

The delivery of this item also includes a trapdoor lever to adjust flame levels.

Specifications

Ref	**BB-INS**
Weight	**14 Kg**
Dimensions	**W 42 cm H 29 cm D 30.5 cm**
Materials	**stainless steel, safety glass**
Assembly	**Only the window to fix**
Delivery time	**1 week**
Delivery cost	**9.50 €**







Bio-fireplace FUEGO Black

Price inc. VAT: **590 €** Ref: **BB-FUE-N-2L**

Bio-fireplace FUEGO Black
The FUEGO may be used as an indoor or outdoor fireplace. It operates on bioethanol and if installed indoors it must be placed within a well ventilated area.

No leads required, smokeless, odourless, water vapour and carbon dioxide emissions equivalent to 3 burning candles. Adjustable flame height.

Heat capacity : 2500 watts, equivalent to the energy output of an electric heater (can heat a room from 20 to 25 m2).

Consumption: 0.5 liter of bio-ethanol per hour. Tank capacity: 2 liters.
Duration : 4 hours

The delivery of this article also includes :

- Burner trapdoor lever
- Long lighter
- Funnel

Specifications

Ref	**BB-FUE-N-2L**
Weight	**13 Kg**
Dimensions	**W 40 cm H 9.5 cm D 30 cm**
Materials	**metal, stainless steel**
Assembly	**no assembly required**
Delivery time	**2 weeks**
Delivery cost	**9.50 €**

Bio Factory
Eco friendly designs at affordable price





Bio-fireplace FUEGO White

Price inc. VAT: **590 €** Ref: **BB-FUE-B-2L**

Bio-fireplace FUEGO White
The FUEGO may be used as an indoor or outdoor fireplace. It operates on bioethanol and if installed indoors it must be placed within a well ventilated area.

No leads required, smokeless, odourless, water vapour and carbon dioxide emissions equivalent to 3 burning candles. Adjustable flame height.

Heat capacity : 2500 watts, equivalent to the energy output of an electric heater (can heat a room from 20 to 25 m2).

Consumption: 0.5 liter of bio-ethanol per hour.

Tank capacity: 2 liters. Duration : 4 hours

The delivery of this article also includes :

- Burner trapdoor lever
- Long lighter
- Funnel

Specifications

Ref	**BB-FUE-B-2L**
Weight	**13 Kg**
Dimensions	**W 40 cm H 9.5 cm D 30 cm**
Materials	**Stainless steel**
Assembly	**no assembly required**
Delivery time	**3 weeks**
Delivery cost	**9.50 €**

Bio Factory
Eco friendly designs at affordable price





www.bio-factory.co.uk

Bio-fireplace BYALA White

Price inc. VAT: **750 €** Ref: **BB-BYA-B**

Bio-fireplace BYALA White - Corner model

It operates on bioethanol and must be placed within a well ventilated area.

No leads required, smokeless, odourless, water vapour and carbon dioxide emmissions equivalent to 3 burning candles. Adjustable flame height.

Heat capacity : 2500 watts, equivalent to the energy output of an electric heater (can heat a room from 20 to 25 m2).

Consumption: 0.5 liter of bio-ethanol per hour.

Tank capacity: 2 liters. Duration : 4 hours

The delivery of this article also includes :

- Burner trapdoor lever
- long lighter
- Funnel

Specifications

Ref	**BB-BYA-B**
Weight	**21 Kg**
Dimensions	**W 69 cm H 44 cm D 49 cm**
Materials	**stainless steel, lackered metal**
Assembly	**no assembly required**
Delivery time	**1 week**
Delivery cost	**19.50 €**







Bio-fireplace DESIGN TABLE

Price inc. VAT: **820 €** Ref: **BB-DES**

Bio-fireplace DESIGN TABLE
The DESIGN TABLE BIo-fireplace includes a protective glass wall. It operates on bioethanol and may be used indoors or out. If used indoors the DESIGN TABLE must be placed within a well ventilated room.

Leads are not required, and the flames are odourless and smokeless. Water vapour and carbon dioxide emissions are equivalent to that of 3 burning candles.

Heating Capacity: 2 500 watts, equivalent to the energy output of an electric heater (can heat a room from 20 to 25 m2).
Consumption: 0.5 liter of bioethanol per hour.
Tank capacity : 2 liters. Duration: Approximately 4 hours.

The protective security glass window is thermal resistant to 400 °C.

The delivery of this item also includes a trapdoor lever to adjust flame levels.







Specifications

Ref	**BB-DES**
Weight	**12 Kg**
Dimensions	**W 54.5 cm H 30 cm D 23 cm**
Materials	**stainless steel, safety glass**
Assembly	**Only the window to fix**
Delivery time	**1 week**
Delivery cost	**19.50 €**

www.bio-factory.co.uk

BLOC FIRE Carrare Inox

Price inc. VAT: **750 €** Ref: **NO-BLO-CAR-I**

Bio BLOCK FIRE Carrara - Inox
This portable 20 kg fireplace operates on bioethanol and may be used either indoors or outdoors. If used indoors it must be placed within a well ventilated area.

Requires no lead , odourless, smokeless, water vapour and carbon dioxide emissions equivalent to that of 3 burning candles.
Heating Capacity: 1 800 watts, equivalent to the energy output of an electric heater (can heat a room from 14 to 18 m2).
Tank capacity: 1.5 litre.
Consumption: 0.35 litre of ethanol per hour.
Fire Duration: 4 hour







Specifications

Ref	**NO-BLO-CAR-I**
Weight	**20 Kg**
Dimensions	**W 30 cm H 10 cm D 30 cm**
Materials	**Carrare marble, steel**
Assembly	**no assembly required**
Delivery time	**2 weeks**
Delivery cost	**19.50 €**

www.bio-factory.co.uk

Bio-fireplace VELONA Black

Price inc. VAT: **845 €** Ref: **BB-VELO-N**

Bio-fireplace VELONA Black
Operates on bioethanol - Can be placed on the floor or attached to the wall.

No leads required, smokeless, odourless, water vapour and carbon dioxide emissions equivalent to 3 burning candles. Adjustable flame height.

Heat capacity : 2500 watts, equivalent to the energy output of an electric heater (can heat a room from 20 to 25 m2).

Consumption: 0.4 liter of bio-ethanol per hour.

Tank capacity: 1 liter. Duration : 3 hours.


The delivery of this article also includes :

- Burner trapdoor lever
- Long lighter
- Funnel


Specifications

Ref	**BB-VELO-N**
Weight	**18 kg**
Dimensions	**W 51 cm H 60 cm D 32 cm**
Materials	**Stainless steel, security glass**
Assembly	**no assembly required**
Delivery time	**2 weeks**
Delivery cost	**19.50 €**

Bio Factory
Eco friendly designs at affordable price







www.bio-factory.co.uk

Bio-fireplace VELONA White

Price inc. VAT: **845 €** Ref: **BB-VELO-B**

Bio-fireplace VELONA White
Operates on bioethanol - Can be placed on the floor or attached to the wall.

No leads required, smokeless, odourless, water vapour and carbon dioxide emissions equivalent to 3 burning candles. Adjustable flame height.

Heat capacity : 2500 watts, equivalent to the energy output of an electric heater (can heat a room from 20 to 25 m2).

Consumption: 0.4 liter of bio-ethanol per hour.

Tank capacity: 1 liter. Duration : 3 hours.

The delivery of this article also includes :

- Burner trapdoor lever
- Long lighter
- Funnel


Specifications

Ref	**BB-VELO-B**
Weight	**18 kg**
Dimensions	**W 51 cm H 60 cm D 32 cm**
Materials	**Stainless steel, security glass**
Assembly	**no assembly required**
Delivery time	**2 weeks**
Delivery cost	**19.50 €**

Bio Factory
Eco friendly designs at affordable price








www.bio-factory.co.uk

Bio-fireplace COLUMN Black


Price inc. VAT: **1 075 €** Ref: **BB-COL-N**

Bio-fireplace COLUMN Black - adjustable flame
An attractive mobile structure, this fireplace operates on bioethanol and may be used indoors or out. If used indoors please note that fireplace should be installed within a well ventilated area.
Requires no leads, odourless and smokeless. Water vapor and carbon dioxide emissions equivalent to that of 3 burning candles.
Please note: for safety reasons, do not move the fireplace whilst fire is activated.

Heat capacity: 2 500 watts, equivilant to the energy output of an electric heater (can heat a room from 20 to 25 m2).
Consumption: 0,5 liter of bioethanol per hour. Tank capacity: 2 liters.
Duration: approximately 4 hours.







Specifications

Ref	**BB-COL-N**
Weight	**32 Kg**
Dimensions	**W 40 cm H 127 cm D 40 cm**
Materials	**metal, stainless steel, glass**
Assembly	**easily assembled in 10 minutes**
Delivery time	**2 weeks**
Delivery cost	**19.50 €**

www.bio-factory.co.uk

Bio-fireplace COLUMN White

Price inc. VAT: **1 075 €** Ref: **BB-COL-B**

Bio-fireplace COLUMN (White) - adjustable flame
An attractive mobile structure, this fireplace operates on bioethanol and may be used indoors or out. If used indoors please note that fireplace should be installed within a well ventilated area.
Requires no leads, odourless and smokeless. Water vapour and carbon dioxide emissions equivalent to that of 3 burning candles.
Please not : for safety reasons, do not move the fireplace whilst fire is activated.

Heat capacity: 2 500 watts, equivalent to the energy output of an electric heater (can heat a room from 20 to 25 m2).
Consumption: 0.5 liter of bioethanol per hour. Tank capacity: 2 liters.
Duration: Approximately 4 hours.







Specifications

Ref	**BB-COL-B**
Weight	**32 Kg**
Dimensions	**W 40 cm H 127 cm D 40 cm**
Materials	**metal, stainless steel, glass**
Assembly	**easily assembled in 10 minutes**
Delivery time	**3 weeks**
Delivery cost	**19.50 €**

www.bio-factory.co.uk

Bio-fireplace OLYMPE

Price inc. VAT: **590 €** Ref: **BB-OLY**

Bio-fireplace OLYMPE chromed metal
Runs on bioethanol

No leads are required, odourless and smokeless, water vapor and carbon dioxide emissions equivalent to that of 3 burning candles
Heating Capacity: 5 250 watts, the equivalent of two electric heaters (can heat a room from 45 to 53 m2).

Installation within a well ventilated room or outdoor terrace, balcony or garden
Consumption: 1 litre of ethanol per hour.

Duration: 1h to 1h30.

The delivery of this article also includes (2 packages):

- 3 bioethanol burners
- Flame exgtinguisher to stop flames

Specifications

Ref	**BB-OLY**
Weight	**7 Kg**
Dimensions	**W 39 cm H 60 cm D 39 cm**
Materials	**chromed metal**
Assembly	**assembly not required**
Delivery time	**2 weeks**
Delivery cost	**19.50 €**

Bio Factory
Eco friendly designs at affordable price







Bio-fireplace OLYMPE XL

Price inc. VAT: **690 €** Ref: **BB-OLY-XL**

NEW TO OUR COLLECTION 2009-2010
Bio-fireplace OLYMPIC XL (chromed metal)

This portable candle like bio-fireplace operates on bioethanol. The OLYMPIC XL may be used indoors or out. If used indoors it must be placed within a well ventilated room and not near any flammable objects. (ie. curtains, divans etc)
No leads are required, and the flames are odourless and smokeless. Water vapour and carbon dioxide emissions are equivalent to that of 3 burning candles.

Heating Capacity: 5 250 watts, the equivalent of two electric heaters (can heat a room from 45 to 53 m2).
Consumption: 1 litre of ethanol per hour.
Duration: 1h30

This article is delivered in 2 packages and also includes the following:

- A long lighter
- Flame exgtinguisher
- Funnel for dispensing bioethanol

Specifications

Ref	**BB-OLY-XL**
Weight	**16 Kg**
Dimensions	**W 39 cm H 120 cm D 39 cm**
Materials	**Chromed metal**
Assembly	**no assembly required**
Delivery time	**2 weeks**
Delivery cost	**19.50 €**








www.bio-factory.co.uk

Bio-fireplace COLUMN White

Price inc. VAT: **1 150 €** Ref: **BB-COL-B**

Bio-fireplace COLUMN (White) - adjustable flame
An attractive mobile structure, this fireplace operates on bioethanol and may be used indoors or out. If used indoors please note that fireplace should be installed within a well ventilated area.
Requires no leads, odourless and smokeless. Water vapour and carbon dioxide emissions equivalent to that of 3 burning candles.
Please not : for safety reasons, do not move the fireplace whilst fire is activated.

Heat capacity: 2 500 watts, equivalent to the energy output of an electric heater (can heat a room from 20 to 25 m2).
Consumption: 0.58 liter of bioethanol per hour. Tank capacity: 2.5 litres.
Duration: Approximately 4 hours.







Specifications

Ref	**BB-COL-B**
Weight	**32 Kg**
Dimensions	**W 40 cm H 127 cm D 40 cm**
Materials	**metal, stainless steel, glass**
Assembly	**easily assembled in 10 minutes**
Delivery time	**3 weeks**
Delivery cost	**19.50 €**

Bio-fireplace COLUMN Black


Price inc. VAT: **1 150 €** Ref: **BB-COL-N**

Bio-fireplace COLUMN Black - adjustable flame
An attractive mobile structure, this fireplace operates on bioethanol and may be used indoors or out. If used indoors please note that fireplace should be installed within a well ventilated area.
Requires no leads, odourless and smokeless. Water vapor and carbon dioxide emissions equivalent to that of 3 burning candles.
Please note: for safety reasons, do not move the fireplace whilst fire is activated.

Heat capacity: 2 500 watts, equivilant to the energy output of an electric heater (can heat a room from 20 to 25 m2).
Consumption: 0,58 liter of bioethanol per hour. Tank capacity: 2.5 liters.
Duration: approximately 4 hours.







Specifications

Ref	**BB-COL-N**
Weight	**32 Kg**
Dimensions	**W 40 cm H 127 cm D 40 cm**
Materials	**metal, stainless steel, glass**
Assembly	**easily assembled in 10 minutes**
Delivery time	**2 weeks**
Delivery cost	**19.50 €**

www.bio-factory.co.uk

Fireplace CYLINDUS White

Price inc. VAT: **398 €** Ref: **SIN-CYL-BS**

Fireplace CYLINDUS White
Operates on bioethanol

This portable 32 kg marble fireplace operates on bioethanol gel and may be used either indoors or outdoors. If used indoors it must be placed within a well ventilated area.

Requires no lead , odourless, smokeless, water vapor and carbon dioxide emissions equivalent to that of 3 burning candles.
Heating Capacity: 2 000 watts, equivalent to the energy output of 2 electric heaters (can heat a room from 16 to 20 m2).
Tank capacity: 0.35 litre.
Consumption: 0.25 litre of ethanol per hour.
Fire Duration: 1:30 hour







Specifications

Ref	**SIN-CYL-BS**
Weight	**32 Kg**
Dimensions	**W 25 cm H 55 cm D 25 cm**
Materials	**White marble, steeel, borosilicate glass**
Assembly	**no assembly required**
Delivery time	**2 weeks**
Delivery cost	**19.50 €**

www.bio-factory.co.uk

Fireplace CYLINDUS Black

Price inc. VAT: **529 €** Ref: **SIN-CYL-NS**

Fireplace CYLINDUS Black
Operates on bioethanol

This portable 32 kg marble fireplace operates on bioethanol gel and may be used either indoors or outdoors. If used indoors it must be placed within a well ventilated area.

Requires no lead , odourless, smokeless, water vapor and carbon dioxide emissions equivalent to that of 3 burning candles.
Heating Capacity: 2 000 watts, equivalent to the energy output of 2 electric heaters (can heat a room from 16 to 20 m2).
Tank capacity: 0.35 litre.
Consumption: 0.25 litre of ethanol per hour.
Fire Duration: 1:30 hour







Specifications

Ref	**SIN-CYL-NS**
Weight	**32 Kg**
Dimensions	**W 25 cm H 55 cm D 25 cm**
Materials	**Black marble, steeel, borosilicate glass**
Assembly	**no assembly required**
Delivery time	**2 weeks**
Delivery cost	**19.50 €**

www.bio-factory.co.uk

CYLINDUS XL Black

Price inc. VAT: **1 088 €**

Ref: **SIN-CYL-NL**

Fireplace CYLINDUS XL Black
Operates on bioethanol

This 119 kg marble fireplace operates on bioethanol gel and may be used either indoors or outdoors. If used indoors it must be placed within a well ventilated area.

Requires no lead , odourless, smokeless, water vapor and carbon dioxide emissions equivalent to that of 3 burning candles.
Heating Capacity: 2 000 watts, equivalent to the energy output of 2 electric heaters (can heat a room from 16 to 20 m2).
Tank capacity: 0.35 litre.
Consumption: 0.25 litre of ethanol per hour.
Fire Duration: 1:30 hour







Specifications

Ref	**SIN-CYL-NL**
Weight	**119 Kg**
Dimensions	**W 36 cm H 76 cm D 36 cm**
Materials	**Black marble, steeel, borosilicate glass**
Assembly	**no assembly required**
Delivery time	**2 weeks**
Delivery cost	**19.50 €**

www.bio-factory.co.uk

CYLINDUS XL White

Price inc. VAT: **1 088 €**

Ref: **SIN-CYL-BL**

Fireplace CYLINDUS XL White
Operates on bioethanol

This 119 kg marble fireplace operates on bioethanol gel and may be used either indoors or outdoors. If used indoors it must be placed within a well ventilated area.

Requires no lead, odourless, smokeless, water vapor and carbon dioxide emissions equivalent to that of 3 burning candles.
Heating Capacity: 2 000 watts, equivalent to the energy output of 2 electric heaters (can heat a room from 16 to 20 m2).
Tank capacity: 0.35 litre.
Consumption: 0.25 litre of ethanol per hour.
Fire Duration: 1:30 hour





Specifications

Ref	**SIN-CYL-BL**
Weight	**119 Kg**
Dimensions	**W 36 cm H 76 cm D 36 cm**
Materials	**White marble, steeel, borosilicate glass**
Assembly	**no assembly required**
Delivery time	**2 weeks**
Delivery cost	**19.50 €**

www.bio-factory.co.uk

Fireplace CUBUS Black

Price inc. VAT: **489 €** Ref: **SIN-CUB-NS**

Fireplace CUBUS Black
Operates on bioethanol

This 32 kg marble fireplace operates on bioethanol gel and may be used either indoors or outdoors. If used indoors it must be placed within a well ventilated area.

Requires no lead , odourless, smokeless, water vapor and carbon dioxide emissions equivalent to that of 3 burning candles.
Heating Capacity: 2 000 watts, equivalent to the energy output of 2 electric heaters (can heat a room from 16 to 20 m2) .
Tank capacity: 0.35 litre.
Consumption: 0.25 litre of ethanol per hour.
Fire Duration: 1:30 hour





Specifications

Ref	**SIN-CUB-NS**
Weight	**32 Kg**
Dimensions	**W 25 cm H 55 cm D 25 cm**
Materials	**Black marble,steeel, borosilicate glass**
Assembly	**no assembly required**
Delivery time	**2 weeks**
Delivery cost	**19.50 €**

www.bio-factory.co.uk

Fireplace CUBUS White

Price inc. VAT: **369 €** Ref: **SIN-CUB-BS**


Fireplace CUBUS White
Operates on bioethanol

This portable 32 kg marble fireplace operates on bioethanol gel and may be used either indoors or outdoors. If used indoors it must be placed within a well ventilated area.

Requires no lead , odourless, smokeless, water vapor and carbon dioxide emissions equivalent to that of 3 burning candles.
Heating Capacity: 2 000 watts, equivalent to the energy output of 2 electric heaters (can heat a room from 16 to 20 m2).
Tank capacity: 0.35 litre.
Consumption: 0.25 litre of ethanol per hour.
Fire Duration: 1:30 hour







Specifications

Ref	**SIN-CUB-BS**
Weight	**32 Kg**
Dimensions	**W 25 cm H 55 cm D 25 cm**
Materials	**White marble, steel, borosilicate glass**
Assembly	**no assembly required**
Delivery time	**2 weeks**
Delivery cost	**19.50 €**

www.bio-factory.co.uk

Fireplace CUBUS XL Black

Price inc. VAT: **1 088 €** Ref: **SIN-CUB-NL**

Fireplace CUBUS XL Black
Operates on bioethanol

This 136 kg marbre fireplace operates on bioethanol gel and may be used either indoors or outdoors. If used indoors it must be placed within a well ventilated area.

Requires no lead , odourless, smokeless, water vapor and carbon dioxide emissions equivalent to that of 3 burning candles.
Heating Capacity: 2 000 watts, equivalent to the energy output of 2 electric heaters (can heat a room from 16 to 20 m2).
Tank capacity: 0.35 litre.
Consumption: 0.25 litre of ethanol per hour.
Fire Duration: 1:30 hour







Specifications

Ref	**SIN-CUB-NL**
Weight	**119 Kg**
Dimensions	**W 36 cm H 76 cm D 36 cm**
Materials	**Black marble, steeel, borosilicate glass**
Assembly	**no assembly required**
Delivery time	**2 weeks**
Delivery cost	**19.50 €**

www.bio-factory.co.uk

Fireplace CUBUS XL White

Price inc. VAT: **989 €** Ref: **SIN-CUB-BL**

Fireplace CUBUS XL White
Operates on bioethanol

This 119 kg marble fireplace operates on bioethanol gel and may be used either indoors or outdoors. If used indoors it must be placed within a well ventilated area.

Requires no lead , odourless, smokeless, water vapor and carbon dioxide emissions equivalent to that of 3 burning candles.
Heating Capacity: 2 000 watts, equivalent to the energy output of 2 electric heaters.
Tank capacity: 0.35 litre.
Consumption: 0.25 litre of ethanol per hour.
Fire Duration: 1:30 hour







Specifications

Ref	**SIN-CUB-BL**
Weight	**119 Kg**
Dimensions	**W 36 cm H 76 cm D 36 cm**
Materials	**White marble, steeel, borosilicate glass**
Assembly	**no assembly required**
Delivery time	**2 weeks**
Delivery cost	**19.50 €**

www.bio-factory.co.uk

Fireplace COLOMBUS

Price inc. VAT: **339 €** Ref: **SIN-COL-GS**

Fireplace COLOMBUS
Operates on bioethanol

This portable 32 kg fireplace operates on bioethanol gel and may be used either indoors or outdoors. If used indoors it must be placed within a well ventilated area.

Requires no lead, odourless, smokeless, water vapor and carbon dioxide emissions equivalent to that of 3 burning candles.
Heating Capacity: 2 000 watts, equivalent to the energy output of 2 electric heaters (can heat a room from 16 to 20 m2).
Tank capacity: 0.35 litre.
Consumption: 0.25 litre of ethanol per hour.
Fire Duration: 1:30 hour





Specifications

Ref	**SIN-COL-GS**
Weight	**32 Kg**
Dimensions	**W 27 cm H 55 cm D 27 cm**
Materials	**Granite,steel**
Assembly	**no assembly required**
Delivery time	**2 weeks**
Delivery cost	**19.50 €**

www.bio-factory.co.uk

Bio-fireplace CILO

Price inc. VAT: **1 260 €** Ref: **RU-CILO-N**

Bio-fireplace CILO
Operates with bioethanol - Dutch designer: Hans Daalder
Height: 85 cm, diameter: 45 cm

No leads required, smokeless, odourless, water vapour and carbon dioxide emissions the equivalent of 3 burning candles.
May be used inside or outside.

Burner Saftey: bio-ethanol tank base contains porous ceramic substance to absorb biofuel. This safety configuration minimizes risk of spillage.
Once bio-ethanol is dispensed, it can not be removed from the base.
Heating Capacity: 1400 watts, equivalent to an electric heater (can heat a room from 11 to 14 m2).
Lacquered coating thermal resistant.

Installation in a well ventilated room required (living room, dining room, outdoor terrace).

Tank capacity : 0.75 litre. Consumption: 0.25 litre of ethanol per hour.
Duration : 3 hours.

TUV approved: German certificate of quality and safety.

Specifications

Ref	**RU-CILO-N**
Weight	**38 Kg**
Dimensions	**W 45 cm H 85 cm D 45 cm**
Materials	**black lacquered metal**
Assembly	**no assembly required**
Delivery time	**2 weeks**
Delivery cost	**19.50 €**

Bio Factory
Eco friendly designs at affordable price







www.bio-factory.co.uk

Bio-fireplace OLYMPE

Price inc. VAT: **650 €** Ref: **BB-OLY**

Bio-fireplace OLYMPE chromed metal
Runs on bioethanol

No leads are required, odourless and smokeless, water vapor and carbon dioxide emissions equivalent to that of 3 burning candles
Heating Capacity: 5 250 watts, the equivalent of two electric heaters (can heat a room from 45 to 53 m2).

Installation within a well ventilated room or outdoor terrace, balcony or garden
Consumption: 1 litre of ethanol per hour.

Duration: 1h to 1h30.

The delivery of this article also includes (2 packages):

- 3 bioethanol burners
- Flame exgtinguisher to stop flames

Specifications

Ref	**BB-OLY**
Weight	**7 Kg**
Dimensions	**W 39 cm H 60 cm D 39 cm**
Materials	**chromed metal**
Assembly	**assembly not required**
Delivery time	**2 weeks**
Delivery cost	**19.50 €**

Bio Factory
Eco friendly designs at affordable price







Bio-fireplace OLYMPE XL

Price inc. VAT: **790 €** Ref: **BB-OLY-XL**

NEW TO OUR COLLECTION 2009-2010
Bio-fireplace OLYMPIC XL (chromed metal)

This portable candle like bio-fireplace operates on bioethanol. The OLYMPIC XL may be used indoors or out. If used indoors it must be placed within a well ventilated room and not near any flammable objects. (ie. curtains, divans etc)
No leads are required, and the flames are odourless and smokeless. Water vapour and carbon dioxide emissions are equivalent to that of 3 burning candles.

Heating Capacity: 5 250 watts, the equivalent of two electric heaters (can heat a room from 45 to 53 m2).
Consumption: 1 litre of ethanol per hour.
Duration: 1h30

This article is delivered in 2 packages and also includes the following:

- A long lighter
- Flame exgtinguisher
- Funnel for dispensing bioethanol







Specifications

Ref	**BB-OLY-XL**
Weight	**16 Kg**
Dimensions	**W 39 cm H 120 cm D 39 cm**
Materials	**Chromed metal**
Assembly	**no assembly required**
Delivery time	**2 weeks**
Delivery cost	**19.50 €**

www.bio-factory.co.uk

Burner MODULO 1 L

Price inc. VAT: **295 €**

Ref: **ALT-ECO-330**

Burner MODULO 1 L for home fireplace
Operates with bioethanol - for use within an indoor or outdoor fireplace - adjustable flame.

No leads required, smokeless, odourless, water vapour and carbon dioxide emissions equivalent to that of 3 burning candles).

Heating Capacity: 1 400 watts, the equivalent output of an electric heater (can heat a room from 11 to 15 m2).

Tank capacity: 1 litre. Duration: about 4 hours.

Consumption: 0.25 litre of bioethanol per hour.

Burner trapdoor used to adjust flame height and strength.

Baton to close burner trapdoor included.







Specifications

Ref	**ALT-ECO-330**
Weight	**2,5 Kg**
Dimensions	**W 33,5 cm H 8 cm D 9,2 cm**
Materials	**stainless steel**
Assembly	**no assembly required**
Delivery time	**1 week**
Delivery cost	**8.00 €**

www.bio-factory.co.uk

Burner BIOFIRE 2 L

Price inc. VAT: **340 €** Ref: **ALT-BRU-35**

Burner BIOFIRE 2 L for home fireplace
Operates with bioethanol - for use within an indoor or outdoor fireplace - adjustable flame.

No leads required, smokeless, odourless, water vapour and carbon dioxide emissions equivalent to that of 3 burning candles).

Heating Capacity: 1 500 watts, the equivalent output of an electric heater (can heat a room from 11 to 15 m2).

Tank capacity: 2 litres. Duration: about 5 hours.

Consumption: 0.35 litre of bioethanol per hour.

Outside surface temperatures: Top 130 degrees C, Sides 80 to 100 degrees C.

Burner trapdoor used to adjust flame height and strength.

Baton to close burner trapdoor included.

Specifications

Ref	**ALT-BRU-35**
Weight	**2,9 Kg**
Dimensions	**W 35 cm H 7,5 cm D 11 cm**
Materials	**stainless steel (2 mm thick)**
Assembly	**no assembly required**
Delivery time	**1 week**
Delivery cost	**8.00 €**

Bio Factory
Eco friendly designs at affordable price







www.bio-factory.co.uk

Burner MODULO 1 L

Price inc. VAT: **400 €** Ref: **ALT-MINI**

Burner MINI for home fireplace
Operates with bioethanol - for use within an indoor or outdoor fireplace - adjustable flame.

No leads required, smokeless, odourless, water vapour and carbon dioxide emissions equivalent to that of 3 burning candles).

Heating Capacity: 1 400 watts, the equivalent output of an electric heater (can heat a room from 11 to 15 m2).

Tank capacity: 1 litre. Duration: about 4 hours.

Consumption: 0.25 litre of bioethanol per hour.

Burner trapdoor used to adjust flame height and strength.

Baton to close burner trapdoor included.

Specifications

Ref	**ALT-MINI**
Weight	**2,2 Kg**
Dimensions	**W 20 cm H 5 cm D 20 cm**
Materials	**stainless steel**
Assembly	**no assembly required**
Delivery time	**1 week**
Delivery cost	**8.00 €**

BioFactory
Eco friendly designs at affordable price







www.bio-factory.co.uk

Burner MODULO 1.5 L

Price inc. VAT: **380 €** Ref: **ALT-ECO-450**

Burner MODULO 1.5 L for home fireplace
Operates with bioethanol - for use within an indoor or outdoor fireplace - adjustable flame.

No leads required, smokeless, odourless, water vapour and carbon dioxide emissions equivalent to that of 3 burning candles).

Heating Capacity: 2 400 watts, the equivalent output of an electric heater (can heat a room from 20 to 25 m2).

Tank capacity: 1.5 litre. Duration: about 3:30 hours.

Consumption: 0.45 litre of bioethanol per hour.

Burner trapdoor used to adjust flame height and strength.

Baton to close burner trapdoor included.

Specifications

Ref	**ALT-ECO-450**
Weight	**3,2 Kg**
Dimensions	**W 45 cm H 6 cm D 9,5 cm**
Materials	**stainless steel**
Assembly	**no assembly required**
Delivery time	**1 week**
Delivery cost	**8.00 €**

Bio Factory
Eco friendly designs at affordable price







www.bio-factory.co.uk

Burner BIO-FLAME 2 L

Price inc. VAT: **375 €** Ref: **BB-BRU-2L**

Burner BIO-FLAME 2 L for home fireplace
Operates with bioethanol - For use within an indoor or outdoor fireplace - Adjustable flame

No leads required, smokeless, odourless, only water steam and carbonic gas (the equivalent of 3 candles).
Heating Capacity: 2 500 watts, the equivalent output of an electric heater(can heat a room from 20 to 25 m2) .

Tank capacity: 2 liters. Duration: about 4 hours.

Consumption: 0.5 litre of bioethanol per hour.

Outside surface temperatures: Top 130 degrees C, Sides 80 to 100 degrees C.

Burner trapdoor used to adjust flame height and strength.

The delivery of this article also includes a stick to close the door burner.

TUV approved: German certificate of quality and safety.
The TUV certificate is issued by the independent german organization: Technischer Überwachungs-Verein (Technical Inspection Association).

Specifications

Ref	**BB-BRU-2L**
Weight	**3,5 Kg**
Dimensions	**W 29,8 cm H 5,1 cm D 20,4 cm**
Materials	**stainless steel (2 mm thick)**
Assembly	**no assembly required**
Delivery time	**2 weeks**
Delivery cost	**8.00 €**

Bio Factory
Eco friendly designs at affordable price







www.bio-factory.co.uk

Burner BIO-FLAME 2 L-B

Price inc. VAT: **405 €** Ref: **BB-BRU-2LB**

Burner BIO-FLAME 2 L for home fireplace
Operates with bioethanol - For use within an indoor or outdoor fireplace - Adjustable flame.

No leads required, smokeless, odourless, only water steam and carbonic gas (the equivalent of 3 candles).
Heating Capacity: 2 500 watts, the equivalent output of an electric heater (can heat a room from 20 to 25 m2).

Tank capacity: 2 litres. Duration: about 4 hours.


Consumption: 0.5 litre of bioethanol per hour.

Outside surface temperatures: Top 130 degrees C, Sides 80 to 100 degrees C.

Burner trapdoor used to adjust flame height and strength.

The delivery of this article also includes a stick to close the door burner.

TUV approved: German certificate of quality and safety.
The TUV certificate is issued by the independent german organization: Technischer Überwachungs-Verein (Technical Inspection Association).







Specifications

Ref	**BB-BRU-2LB**
Weight	**3,5 Kg**
Dimensions	**W 30,9 cm H 5,1 cm D 21,5 cm**
Materials	**stainless steel (2 mm thick)**
Assembly	**no assembly required**
Delivery time	**2 weeks**
Delivery cost	**8.00 €**

www.bio-factory.co.uk

Burner BIO-FLAME 5 L

Price inc. VAT: **415 €** Ref: **BB-BRU-5L**

Burner BIO-FLAME 5 L for home fireplace
Runs on bioethanol - to be placed in a fireplace or outdoors - adjustable flame.

Requires no leads, does not smell or smoke, only water steam and carbonic gas (the equivalent of 3 candles).
Heating Capacity: 2 500 watts, the equivalent of a good electric heater.

Tank capacity: 5 litres. Autonomy: about 8 hours.

Consumption: 0.58 liter of bioethanol per hour.

Has a door closing to adjust the power of the flame.

The delivery of this article also includes a joystick to close the door burner.

Outside burner temperature:
- Roof: 130 ° C
- Side and lower side: 60 to 90 ° C

TUV approved: German certificate of quality and safety.
The TUV certificate is issued by the independent German organization: Technischer Überwachungs-Verein (Technical Inspection Association).







Specifications

Ref	**BB-BRU-5L**
Weight	**5 Kg**
Dimensions	**W 29,8 cm H 10,4 cm D 20,4 cm**
Materials	**stainless steel (2mm thick)**
Assembly	**not required**
Delivery time	**1 week**
Delivery cost	**8.00 €**

www.bio-factory.co.uk

Burner SAFRETTI 2 L

Price inc. VAT: **485 €** Ref: **SAF-BRU-2L**

Burner SAFRETTI 2 L for home fireplace
Operates with bioethanol - for use within an indoor or outdoor fireplace - adjustable flame.

No leads required, smokeless, odourless, water vapour and carbon dioxide emissions equivalent to that of 3 burning candles).

Heating Capacity: 1 500 watts, the equivalent output of an electric heater (can heat a room from 11 to 15 m2).

Tank capacity: 2 litres. Duration: about 5 hours.

Consumption: 0.35 litre of bioethanol per hour.

Outside surface temperatures: Top 130 degrees C, Sides 80 to 100 degrees C.

Burner trapdoor used to adjust flame height and strength.

Baton to close burner trapdoor included.

Specifications

Ref	**SAF-BRU-2L**
Weight	**3,2 Kg**
Dimensions	**W 35 cm H 8 cm D 10,7 cm**
Materials	**stainless steel (2 mm thick)**
Assembly	**no assembly required**
Delivery time	**2 weeks**
Delivery cost	**8.00 €**

Bio Factory
Eco friendly designs at affordable price







www.bio-factory.co.uk

Bio-fireplace FUEGO Black

Price inc. VAT: **590 €** Ref: **BB-FUE-N-2L**

Bio-fireplace FUEGO Black
The FUEGO may be used as an indoor or outdoor fireplace. It operates on bioethanol and if installed indoors it must be placed within a well ventilated area.

No leads required, smokeless, odourless, water vapour and carbon dioxide emissions equivalent to 3 burning candles. Adjustable flame height.

Heat capacity : 2500 watts, equivalent to the energy output of an electric heater (can heat a room from 20 to 25 m2).

Consumption: 0.5 liter of bio-ethanol per hour.

Tank capacity: 2 liters. Duration : 4 hours

The delivery of this article also includes :

- Burner trapdoor lever
- Long lighter
- Funnel





Specifications

Ref	**BB-FUE-N-2L**
Weight	**13 Kg**
Dimensions	**W 40 cm H 9.5 cm D 30 cm**
Materials	**metal, stainless steel**
Assembly	**no assembly required**
Delivery time	**2 weeks**
Delivery cost	**9.50 €**

www.bio-factory.co.uk

Bio-fireplace FUEGO White

Price inc. VAT: **590 €** Ref: **BB-FUE-B-2L**

Bio-fireplace FUEGO White
The FUEGO may be used as an indoor or outdoor fireplace. It operates on bioethanol and if installed indoors it must be placed within a well ventilated area.

No leads required, smokeless, odourless, water vapour and carbon dioxide emissions equivalent to 3 burning candles. Adjustable flame height.

Heat capacity : 2500 watts, equivalent to the energy output of an electric heater (can heat a room from 20 to 25 m2).

Consumption: 0.5 liter of bio-ethanol per hour.

Tank capacity: 2 liters. Duration : 4 hours

The delivery of this article also includes :

- Burner trapdoor lever
- Long lighter
- Funnel

Specifications

Ref	**BB-FUE-B-2L**
Weight	**13 Kg**
Dimensions	**W 40 cm H 9.5 cm D 30 cm**
Materials	**Stainless steel**
Assembly	**no assembly required**
Delivery time	**3 weeks**
Delivery cost	**9.50 €**

Bio Factory
Eco friendly designs at affordable price





BIO BRUCIATORE 40 cm

Price inc. VAT: **425 €** Ref: **ALT-BRU-40**

Burner BIO BRUCIATORE 40 cm for home fireplace
Operates with bioethanol - for use within an indoor or outdoor fireplace - adjustable flame.

No leads required, smokeless, odourless, water vapour and carbon dioxide (emissions equivalent to that of 3 burning candles).

Heating Capacity: 3 000 watts, the equivalent output of 2 electric heaters (can heat a room from 25 to 30 m2).

Tank capacity: 2.5 liters. Duration: about 3 to 5 hours depending of the trapdoor opening.

Consumption: 0.5 to 0.9 litre of bioethanol per hour.

Burner trapdoor used to adjust flame height and strength.

Baton to close burner trapdoor included.

Specifications

Ref	**ALT-BRU-40**
Weight	**6 Kg**
Dimensions	**W 40 cm H 7,5 cm D 20,5 cm**
Materials	**stainless steel**
Assembly	**no assembly required**
Delivery time	**1 week**
Delivery cost	**8.00 €**







www.bio-factory.co.uk

Burner BIO-FLAME 60 cm

Price inc. VAT: **640 €** Ref: **BB-BRU-60**

Burner BIO-FLAME 60 cm for home fireplace
Operates with bioethanol - For use within an indoor or outdoor fireplace - Adjustable flame

No leads required, smokeless, odourless, only water steam and carbonic gas (the equivalent of 3 candles).
Heating Capacity: 2,400 watts, the equivalent output of 2 electric heaters .(can heat a room from 20 to 25 m2)

Tank capacity: 3 litres. Duration: about 6 hours.

Consumption: 0.5 litre of bioethanol per hour.

Outside surface temperatures: Top 130 degrees C, Sides 80 to 100 degrees C.

Burner trapdoor used to adjust flame height and strength.

The delivery of this article also includes a joystick to close the door burner.


TUV approved: German certificate of quality and safety.
The TUV certificate is issued by the independent german organization: Technischer Überwachungs-Verein (Technical Inspection Association).

Specifications

Ref	**BB-BRU-60**
Weight	**10 Kg**
Dimensions	**W 60 cm H 5,1 cm D 20,4 cm**
Materials	**stainless steel (2 mm thick)**
Assembly	**no assembly required**
Delivery time	**1 week**
Delivery cost	**8.00 €**







www.bio-factory.co.uk

Burner BIO-FLAME 80 cm

Price inc. VAT: **735 €** Ref: **BB-BRU-80**

Burner BIO-FLAME 80 cm for home fireplace
Operates with bioethanol - For use within an indoor or outdoor fireplace - Adjustable flame

No leads required, smokeless, odourless, only water steam and carbonic gas (the equivalent of 3 candles).
Heating Capacity: 3,200 watts, the equivalent output of an electric heater (can heat a room from 25 to 32 m2).

Tank capacity: 4 litres. Duration: about 6 hours.

Consumption: 0.65 litre of bioethanol per hour.

Outside surface temperatures: Top 130 degrees C, Sides 80 to 100 degrees C.


Burner trapdoor used to adjust flame height and strength.

The delivery of this article also includes a joystick to close the door burner.

TUV approved: German certificate of quality and safety.
The TUV certificate is issued by the independent german organization: Technischer Überwachungs-Verein (Technical Inspection Association).

Specifications

Ref	**BB-BRU-80**
Weight	**12 Kg**
Dimensions	**W 80 cm H 5,1 cm D 20,4 cm**
Materials	**stainless steel (2 mm thick)**
Assembly	**no assembly required**
Delivery time	**1 week**
Delivery cost	**8.00 €**







www.bio-factory.co.uk

BIO-FLAME 80 cm Border

Price inc. VAT: **805 €** Ref: **BB-BRU-80LB**

Burner BIO-FLAME 80 cm with border - for home fireplace
Operates with bioethanol - For use within an indoor or outdoor fireplace - Adjustable flame

No leads required, smokeless, odourless, only water steam and carbonic gas (the equivalent of 3 candles).
Heating Capacity: 3,200 watts, the equivalent output of 2 electric heaters (can heat a room from 25 to 35 m2).

Tank capacity: 4 liters. Duration: about 6 hours.

Consumption: 0.65 litre of bioethanol per hour.

Outside surface temperatures: Top 130 degrees C, Sides 80 to 100 degrees C.

Burner trapdoor used to adjust flame height and strength.


The delivery of this article also includes a joystick to close the door burner.

TUV approved: German certificate of quality and safety.
The TUV certificate is issued by the independent german organization: Technischer Überwachungs-Verein (Technical Inspection Association).

Specifications

Ref	**BB-BRU-80LB**
Weight	**12 Kg**
Dimensions	**W 82 cm H 5,1 cm D 23,5 cm**
Materials	**stainless steel (2 mm thick)**
Assembly	**no assembly required**
Delivery time	**2 weeks**
Delivery cost	**8.00 €**

Bio Factory
Eco friendly designs at affordable price







www.bio-factory.co.uk

Burner BIO-FLAME 100 cm

Price inc. VAT: **810 €** Ref: **BB-BRU-LB**

Burner BIO-FLAME 100 cm for home fireplace
Operates with bioethanol - For use within an indoor or outdoor fireplace - Adjustable flame

No leads required, smokeless, odourless, only water steam and carbonic gas (the equivalent of 3 candles).
Heating Capacity: 4,000 watts, the equivalent output of an electric heater (can heat a room from 32 to 40 m2).

Tank capacity: 5 litres. Duration: about 6 hours.

Consumption: 0.8 litre of bioethanol per hour.

Outside surface temperatures: Top 130 degrees C, Sides 80 to 100 degrees C.

Burner trapdoor used to adjust flame height and strength.

The delivery of this article also includes a joystick to close the door burner.

TUV approved: German certificate of quality and safety.
The TUV certificate is issued by the independent german organization: Technischer Überwachungs-Verein (Technical Inspection Association).

Specifications

Ref	**BB-BRU-LB**
Weight	**15 Kg**
Dimensions	**W 100 cm H 5,1 cm D 20,4 cm**
Materials	**stainless steel (2 mm thick)**
Assembly	**no assembly required**
Delivery time	**1 week**
Delivery cost	**8.00 €**







www.bio-factory.co.uk

BIO-FLAME 100 cm Border

Price inc. VAT: **910 €** Ref: **BB-BRU-LBLB**

Burner BIO-FLAME 100 cm with border - for home fireplace
Operates with bioethanol - For use within an indoor or outdoor fireplace - Adjustable flame

No leads required, smokeless, odourless, only water steam and carbonic gas (the equivalent of 3 candles).
Heating Capacity: 4,000 watts, the equivalent output of an electric heater (can heat a room from 32 to 40 m2).

Tank capacity: 5 litres. Duration: about 6 hours.

Consumption: 0.8 litre of bioethanol per hour.

Outside surface temperatures: Top 130 degrees C, Sides 80 to 100 degrees C.

Burner trapdoor used to adjust flame height and strength.


The delivery of this article also includes a joystick to close the door burner.

TUV approved: German certificate of quality and safety.
The TUV certificate is issued by the independent german organization: Technischer Überwachungs-Verein (Technical Inspection Association).

Specifications

Ref	**BB-BRU-LBLB**
Weight	**15 Kg**
Dimensions	**W 102 cm H 5,1 cm D 23,5 cm**
Materials	**stainless steel (2 mm thick)**
Assembly	**no assembly required**
Delivery time	**1 week**
Delivery cost	**8.00 €**

Bio Factory
Eco friendly designs at affordable price








www.bio-factory.co.uk

Burner RUBY Inox Mini

Price inc. VAT: **795 €** Ref: **RU-BRU-IM**

Burner RUBY Inox Mini for home fireplace
Operates with bioethanol - To be installed in the fireplace.
Burner safety: burner base contains porous substance to absorb bio-fuel. This safety configuration minimizes risk of spillage. Once dispensed, bio-ethanol fuel can not be removed.

No leads required, smokeless, odourless, water vapour and carbon dioxide emissions equivalent to 3 burning candles.
Heat capacity: 1 400 watts, the equivalent output of an electric heater (can heat a room from 11 to 14 m2).
Tank capacity: 0,75 liter. Duration: about 3 hours
Consumption: 0,25 liter of bio-ethanol per hour. Width of the flame: 25 cm
TUV approved: German certificate of quality and safety.
The TUV certificate is issued by the independent German organization: Technischer Überwachungs-Verein (Technical Inspection Association).







Specifications

Ref	**RU-BRU-IM**
Weight	**6,2 Kg**
Dimensions	**W 40,9 cm H 7,8 cm D 13,7 cm**
Materials	**stainless steel, ceramic**
Assembly	**no assembly required**
Delivery time	**2 weeks**
Delivery cost	**8.00 €**

www.bio-factory.co.uk


Burner RUBY Inox Mini B

Price inc. VAT: **795 €** Ref: **RU-BRU-IMB**

Burner RUBY Inox Mini B (with lip)for home fireplace
Operates with bioethanol - To be installed in the fireplace.
Burner safety: burner base contains porous substance to absorb bio-fuel. This safety configuration minimizes risk of spillage. Once dispensed, bio-ethanol fuel can not be removed.

No leads required, smokeless, odourless, water vapour and carbon dioxide emissions equivalent to 3 burning candles.
Heat capacity: 1 400 watts, the equivalent output of an electric heater (can heat a room from 11 to 14 m2).
Tank capacity: 0,75 liter. Duration: about 3 hours
Consumption: 0,25 liter of bio-ethanol per hour.
Width of the flame: 25 cm
TUV approved: German certificate of quality and safety.
The TUV certificate is issued by the independent German organization: Technischer Überwachungs-Verein (Technical Inspection Association).





Specifications

Ref	**RU-BRU-IMB**
Weight	**6,2 Kg**
Dimensions	**W 42,9 cm H 7,8 cm D 15,7 cm**
Materials	**stainless steel, ceramic**
Assembly	**no assembly required**
Delivery time	**2 weeks**
Delivery cost	**8.00 €**

www.bio-factory.co.uk

Burner RUBY Black Mini

Price inc. VAT: **640 €** Ref: **RU-BRU-NM**


Burner RUBY Black Mini for home fireplace
Operates with bioethanol - To be installed in the fireplace.
Burner safety: burner base contains porous substance to absorb bio-fuel. This safety configuration minimizes risk of spillage. Once dispensed, bio-ethanol fuel can not be removed.

No leads required, smokeless, odourless, water vapour and carbon dioxide emissions equivalent to 3 burning candles.
Heat capacity: 1 400 watts, the equivalent output of an electric heater (can heat a room from 11 to 14 m2).
Tank capacity: 0,75 liter. Duration: about 3 hours
Consumption: 0,25 liter of bio-ethanol per hour.
Width of the flame: 25 cm.
TUV approved: German certificate of quality and safety. N°ID 24293, certificat ET 324 2009 C1
The TUV certificate is issued by the independent German organization: Technischer Überwachungs-Verein (Technical Inspection Association).



Specifications

Ref	**RU-BRU-NM**
Weight	**6,6 Kg**
Dimensions	**W 40,9 cm H 7,8 cm D 13,7 cm**
Materials	**Black steel, ceramic**
Assembly	**no assembly required**
Delivery time	**2 weeks**
Delivery cost	**8.00 €**



www.bio-factory.co.uk


Burner RUBY Black Mini B

Price inc. VAT: **640 €** Ref: **RU-BRU-NMB**

Burner RUBY Black Mini B (with lip) for home fireplace
Operates with bioethanol - To be installed in the fireplace.
Burner safety: burner base contains porous substance to absorb bio-fuel. This safety configuration minimizes risk of spillage. Once dispensed, bio-ethanol fuel can not be removed.

No leads required, smokeless, odourless, water vapour and carbon dioxide emissions equivalent to 3 burning candles.
Heat capacity: 1 400 watts, the equivalent output of an electric heater (can heat a room from 11 to 14 m2).
Tank capacity: 0,75 liter. Duration: about 3 hours
Consumption: 0,25 liter of bio-ethanol per hour.
Width of the flame: 25 cm
TUV approved: German certificate of quality and safety. N°ID 24293, certificat ET 324 2009 C1
The TUV certificate is issued by the independent German organization: Technischer Überwachungs-Verein (Technical Inspection Association).





Specifications

Ref	**RU-BRU-NMB**
Weight	**6,6 Kg**
Dimensions	**W 42,9 cm H 7,8 cm D 15,7 cm**
Materials	**Black steel, ceramic**
Assembly	**no assembly required**
Delivery time	**2 weeks**
Delivery cost	**8.00 €**

www.bio-factory.co.uk

Burner RUBY Black Small


Price inc. VAT: **735 €** Ref: **RU-BRU-NS**


Burner RUBY Black Small for home fireplace
Operates with bioethanol - To be installed in the fireplace.
Burner safety: burner base contains porous substance to absorb bio-fuel. This safety configuration minimizes risk of spillage. Once dispensed, bio-ethanol fuel can not be removed.

No leads required, smokeless, odourless, water vapour and carbon dioxide emissions equivalent to 3 burning candles.
Heat capacity: 1 800 watts, the equivalent output of an electric heater.
Tank capacity: 1 liter. Duration: about 3 hours
Consumption: 0,32 liter of bio-ethanol per hour.
Width of the flame: 25 cm.

TUV approved: German certificate of quality and safety. N°ID 24293, certificat ET 324 2009 C1
The TUV certificate is issued by the independent German organization: Technischer Überwachungs-Verein (Technical Inspection Association).







Specifications

Ref	**RU-BRU-NS**
Weight	**8 Kg**
Dimensions	**W 40,6 cm H 7,9 cm D 20,0 cm**
Materials	**Black steel, ceramic**
Assembly	**no assembly required**
Delivery time	**2 weeks**
Delivery cost	**8.00 €**

www.bio-factory.co.uk

Burner RUBY Inox Large


Price inc. VAT: **895 €** Ref: **RU-BRU-IL**

Burner RUBY Inox Large for home fireplace
Operates with bioethanol - To be installed in the fireplace.
Burner safety: burner base contains porous substance to absorb bio-fuel. This safety configuration minimizes risk of spillage. Once dispensed, bio-ethanol fuel can not be removed.

No leads required, smokeless, odourless, water vapour and carbon dioxide emissions equivalent to 3 burning candles.
Heat capacity: 2 800 watts, the equivalent output of 2 electric heaters (can heat a room from 25 to 30 m2).
Tank capacity: 1,5 liter. Duration: about 3 hours
Consumption: 0,47 liter of bio-ethanol per hour.
Width of the flame: 40 cm

TUV approved: German certificate of quality and safety. N°ID 24293, certificat ET 324 2009 C1
The TUV certificate is issued by the independent German organization: Technischer Überwachungs-Verein (Technical Inspection Association).





Specifications

Ref	**RU-BRU-IL**
Weight	**13,5 Kg**
Dimensions	**W 57,6 cm H 7,9 cm D 20,0 cm**
Materials	**stainless steel, ceramic**
Assembly	**no assembly required**
Delivery time	**2 weeks**
Delivery cost	**8.00 €**

www.bio-factory.co.uk

Burner RUBY Inox Large B


Price inc. VAT: **895 €** Ref: **RU-BRU-ILB**

Burner RUBY Inox Large B (with lip) for home fireplace
Operates with bioethanol - To be installed in the fireplace.
Burner safety: burner base contains porous substance to absorb bio-fuel. This safety configuration minimizes risk of spillage. Once dispensed, bio-ethanol fuel can not be removed.

No leads required, smokeless, odourless, water vapour and carbon dioxide emissions equivalent to 3 burning candles.
Heat capacity: 2 800 watts, the equivalent output of 2 electric heaters (can heat a room from 25 to 30 m2).
Tank capacity: 1,5 liter. Duration: about 3 hours
Consumption: 0,47 of bio-ethanol per hour.
Width of the flame: 40 cm

TUV approved: German certificate of quality and safety. N°ID 24293, certificat ET 324 2009 C1
The TUV certificate is issued by the independent German organization: Technischer Überwachungs-Verein (Technical Inspection Association).





Specifications

Ref	**RU-BRU-ILB**
Weight	**13,5 Kg**
Dimensions	**W 59,6 cm H 7,9 cm D 22,0 cm**
Materials	**stainless steel, ceramic**
Assembly	**no assembly required**
Delivery time	**2 weeks**
Delivery cost	**8.00 €**

www.bio-factory.co.uk


Burner RUBY Black Large

Price inc. VAT: **795 €** Ref: **RU-BRU-NL**

Burner RUBY Black Large for home fireplace
Operates with bioethanol - To be installed in the fireplace.
Burner safety: burner base contains porous substance to absorb bio-fuel. This safety configuration minimizes risk of spillage. Once dispensed, bio-ethanol fuel can not be removed.

No leads required, smokeless, odourless, water vapour and carbon dioxide emissions equivalent to 3 burning candles.
Heat capacity: 2 800 watts, the equivalent output of 2 electric heaters (can heat a room from 25 to 30 m2).
Tank capacity: 1,5 liter. Duration: about 3 hours
Consumption: 0,47 liter of bio-ethanol per hour.
Width of the flame: 40 cm
TUV approved: German certificate of quality and safety. N°ID 24293, certificat ET 324 2009 C1
The TUV certificate is issued by the independent German organization: Technischer Überwachungs-Verein (Technical Inspection Association).





Specifications

Ref	**RU-BRU-NL**
Weight	**13,5 Kg**
Dimensions	**W 57,6 cm H 7,9 cm D 20,0 cm**
Materials	**Black steel, ceramic**
Assembly	**no assembly required**
Delivery time	**2 weeks**
Delivery cost	**8.00 €**

www.bio-factory.co.uk


Burner RUBY Black Large B

Price inc. VAT: **795 €** Ref: **RU-BRU-NLB**

Burner RUBY Black Large B (with lip) for home fireplace
Operates with bioethanol - To be installed in the fireplace.
Burner safety: burner base contains porous substance to absorb bio-fuel. This safety configuration minimizes risk of spillage. Once dispensed, bio-ethanol fuel can not be removed.

No leads required, smokeless, odourless, water vapour and carbon dioxide emissions equivalent to 3 burning candles.
Heat capacity: 2 800 watts, the equivalent output of 2 electric heaters (can heat a room from 25 to 30 m2).
Tank capacity: 1,5 liter. Duration: about 3 hours
Consumption: 0,47 liter of bio-ethanol per hour.
Width of the flame: 40 cm
TUV approved: German certificate of quality and safety. N°ID 24293, certificat ET 324 2009 C1
The TUV certificate is issued by the independent German organization: Technischer Überwachungs-Verein (Technical Inspection Association).





Specifications

Ref	**RU-BRU-NLB**
Weight	**13,5 Kg**
Dimensions	**W 59,6 cm H 7,9 cm D 22,0 cm**
Materials	**Black steel, ceramic**
Assembly	**no assembly required**
Delivery time	**2 weeks**
Delivery cost	**8.00 €**

www.bio-factory.co.uk

FUEGO Black 60 cm

Price inc. VAT: **940 €** Ref: **BB-FUE-N-3L**

Bio-fireplace FUEGO Black 60 cm for home fireplace
Operates with bioethanol - For use within an indoor or outdoor fireplace - Adjustable flame

No leads required, smokeless, odourless, only water steam and carbonic gas (the equivalent of 3 candles).
Heating Capacity: 2,400 watts, the equivalent output of 2 electric heaters .(can heat a room from 20 to 25 m2)

Tank capacity: 3 litres. Duration: about 6 hours.

Consumption: 0.5 litre of bioethanol per hour.

Outside surface temperatures: Top 130 degrees C, Sides 80 to 100 degrees C.

Burner trapdoor used to adjust flame height and strength.

The delivery of this article also includes a joystick to close the door burner.

TUV approved: German certificate of quality and safety.
The TUV certificate is issued by the independent german organization: Technischer Überwachungs-Verein (Technical Inspection Association).







Specifications

Ref	**BB-FUE-N-3L**
Weight	**15 Kg**
Dimensions	**W 76 cm H 10 cm D 37 cm**
Materials	**stainless steel (2 mm thick)**
Assembly	**no assembly required**
Delivery time	**3 weeks**
Delivery cost	**8.00 €**

www.bio-factory.co.uk

Burner RUBY Line 80 cm

Price inc. VAT: **1 245 €** Ref: **RU-BRU-LINE**

Burner RUBY Line for home fireplace
Operates with bioethanol - To be installed in the fireplace.
Burner safety: burner base contains porous substance to absorb bio-fuel. This safety configuration minimizes risk of spillage. Once dispensed, bio-ethanol fuel can not be removed.

No leads required, smokeless, odourless, water vapour and carbon dioxide emissions equivalent to 3 burning candles.
Heat capacity: 3 000 watts, the equivalent output of 2 electric heaters (can heat a room from 25 to 35 m2) .
Tank capacity: 1,5 liter. Duration: about 3 hours
Consumption: 0,5 liter of bio-ethanol per hour.
Width of the flame: 64 cm
TUV approved: German certificate of quality and safety. N°ID 24293, certificat ET 324 2009 C1
The TUV certificate is issued by the independent German organization: Technischer Überwachungs-Verein (Technical Inspection Association).







Specifications

Ref	**RU-BRU-LINE**
Weight	**15 Kg**
Dimensions	**W 82,1 cm H 7,9 cm D 15,7 cm**
Materials	**stainless steel, ceramic**
Assembly	**no assembly required**
Delivery time	**2 weeks**
Delivery cost	**8.00 €**

www.bio-factory.co.uk

Burner SPARX

Price inc. VAT: **1 225 €** Ref: **SPA-BRU**

BioBurner SPARX
Secure Electronic System
This burner is ideal to be integrated with a piece of furniture or a decorative object without pipe (fireplace or others). It is specially adapted for professional use in a store, a waiting room or a restaurant. Heating Capacity: 3,700 watts (can heat a room from 30 to 37 m2).

The bioburner SPARX offers the greatest guarantees in terms of safety:

- Easy-to-connect ethanol drum: it does not require delicate fuel decanting operations.
- Flame non-return electronic safety: there is no risk of accident due to hot steam ignition.
- CO2 Control: for example, automatic shut-off in a scarcely ventilated room.
- According to the requirements of French rule NF D35-386.

Feeding: 4 LR06 batteries
Autonomy of one bioethanol drum: 3 to 5 hours
Drum capacity: 1.8 L

Specifications

Ref	**SPA-BRU**
Weight	**8 Kg**
Dimensions	**W 36 cm H 11,5 cm D 21 cm**
Materials	**Brushed inoxidable metal**
Assembly	**no assembly required**
Delivery time	**2 weeks**
Delivery cost	**9.50 €**







Burner SPARX XL

Price inc. VAT: **1 725 €** Ref: **SPA-BRU-XL**

BioBurner SPARX XL
Secure Electronic System
This burner is ideal to be integrated with a piece of furniture or a decorative object without pipe (fireplace or others). It is specially adapted for professional use in a store, a waiting room or a restaurant. Heating Capacity: 3,700 watts(can heat a room from 30 to 37 m2) .

The bioburner SPARX XL offers the greatest guarantees in terms of safety:

- Easy-to-connect ethanol drum: it does not require delicate fuel decanting operations.
- Flame non-return electronic safety: there is no risk of accident due to hot steam ignition.
- CO2 Control: for example, automatic shut-off in a scarcely ventilated room.
- According to the requirements of French rule NF D35-386.

Feeding: 4 LR06 batteries
Autonomy of one bioethanol drum: 3 to 5 hours
Drum capacity: 1.8 L



Specifications

Ref	**SPA-BRU-XL**
Weight	**13 Kg**
Dimensions	**W 53 cm H 11,5 cm D 21 cm**
Materials	**Brushed inoxidable metal**
Assembly	**no assembly required**
Delivery time	**2 weeks**
Delivery cost	**9.50 €**

www.bio-factory.co.uk

Burner SAFRETTI 1.2

Price inc. VAT: **1 100 €** Ref: **SAF-BRU-1.2**

Burner SAFRETTI 1.2 - adjustable flame

To be installed in the fireplace - Runs on bioethanol

Requires no leads, does not smell or smoke, only water vapour and carbon dioxide (the equivalent of 3 candles).
Heating Capacity: 1500 to 2000 watts, the equivalent of a 2 electric heaters (can heat a room from 16 to 20 m2).

Tank capacity: 2 litres. Consumption: 0.3 litre of bioethanol per hour.

Autonomy: 6 hours.

The delivery of this article includes:
- 1 stick to adjust the intensity of the flame.



Specifications

Ref	**SAF-BRU-1.2**
Weight	**7 Kg**
Dimensions	**W 48,5 cm H 35 cm D 46 cm**
Materials	**stainless steel, security glass**
Assembly	**assembly not required**
Delivery time	**2 weeks**
Delivery cost	**8.00 €**

www.bio-factory.co.uk

2 Burners SAFRETTI 2.2

Price inc. VAT: **1 620 €** Ref: **SAF-BRU-2.2**

2 Burners SAFRETTI 2.2 - adjustable flame

To be installed in the fireplace - Runs on bioethanol

Requires no leads, does not smell or smoke, only water vapor and carbon dioxide (the equivalent of 3 candles).
Heating Capacity: 3 000 to 4 000 watts, the equivalent of 3 electric heaters (can heat a room from 30 to 40 m2)
.

Tank capacity: 2 x 2 litres. Consumption (for the 2 burners): 0.6 litre of bioethanol per hour.

Autonomy: 6 hours.

The delivery of this article includes:
- 1 stick to adjust the door and control the intensity of the flame.



Specifications

Ref	**SAF-BRU-2.2**
Weight	**12 Kg**
Dimensions	**W 84,5 cm H 35 cm D 34 cm**
Materials	**stainless steel, security glass**
Assembly	**assembly not required**
Delivery time	**2 weeks**
Delivery cost	**8.00 €**

www.bio-factory.co.uk

3 Burners SAFRETTI 3.2

Price inc. VAT: **2 120 €** Ref: **SAF-BRU-3.2**

3 Burners SAFRETTI 3.2 - adjustable flame


To be installed in the fireplace - Runs on bioethanol

Requires no leads, does not smell or smoke, only water vapor and carbon dioxide (the equivalent of 3 candles).
Heating Capacity: 4 500 to 6 000 watts, the equivalent of 5 electric heaters (can heat a room from 45 to 60 m2).

Tank capacity: 3 x 2 litres. Consumption (for the 2 burners): 0.9 litre of bioethanol per hour.

Autonomy: 6 hours.

The delivery of this article includes:
- 1 stick to adjust the door and control the intensity of the flame.



Specifications

Ref	**SAF-BRU-3.2**
Weight	**18.5 Kg**
Dimensions	**W 120 cm H 35 cm D 34 cm**
Materials	**stainless steel, security glass**
Assembly	**assembly not required**
Delivery time	**2 weeks**
Delivery cost	**8.00 €**

www.bio-factory.co.uk

Insert BIO FLAME Small

Price inc. VAT: **1 125 €** Ref: **RU-INS-S**


Insert BIO FLAME Small for home fireplace
Operates with bioethanol - To be installed in the fireplace.
Burner safety: burner base contains porous substance to absorb bio-fuel. This safety configuration minimizes risk of spillage. Once dispensed, bio-ethanol fuel can not be removed.

No leads required, smokeless, odourless, water vapour and carbon dioxide emissions equivalent to 3 burning candles.
Heat capacity: 1 800 watts, the equivalent output of an electric heater (can heat a room from 25 to 30 m2).
Tank capacity: 1 liter. Duration: about 3 hours
Consumption: 0,32 liter of bio-ethanol per hour.
Width of the flame: 25 cm.

Outside measurements:
Hauteur : 68,0 cm I Largeur : 50,0 cm / Profondeur : 20,8 cm

Inside measurements:
Hauteur : 64,0 cm I Largeur : 41,0 cm / Profondeur : 20,6 cm
TUV approved: German certificate of quality and safety. N°ID 24293, certificat ET 324 2009 C1
The TUV certificate is issued by the independent German organization: Technischer Überwachungs-Verein (Technical Inspection Association).





Specifications

Ref	**RU-INS-S**
Weight	
Dimensions	**W 50,0 cm H 68,0 cm D 20,8 cm**
Materials	**Steel, ceramic**
Assembly	**no assembly required**
Delivery time	**2 weeks**
Delivery cost	**14.50 €**

www.bio-factory.co.uk

Insert BIO FLAME Large

Price inc. VAT: **1 185 €** Ref: **RU-INS-L**


Insert BIO FLAME Large for home fireplace
Operates with bioethanol - To be installed in the fireplace.
Burner safety: burner base contains porous substance to absorb bio-fuel. This safety configuration minimizes risk of spillage. Once dispensed, bio-ethanol fuel can not be removed.

No leads required, smokeless, odourless, water vapour and carbon dioxide emissions equivalent to 3 burning candles.
Heat capacity: 2 800 watts, the equivalent output of 2 electric heaters (can heat a room from 25 to 30 m2).
Tank capacity: 1,5 liter. Duration: about 3 hours
Consumption: 0,47 liter of bio-ethanol per hour.
Width of the flame: 40 cm
TUV approved: German certificate of quality and safety. N°ID 24293, certificat ET 324 2009 C1
The TUV certificate is issued by the independent German organization: Technischer Überwachungs-Verein (Technical Inspection Association).



Specifications

Ref	**RU-INS-L**
Weight	
Dimensions	**W 68,0 cm H 71,0 cm D 20,2 cm**
Materials	**Black steel, ceramic**
Assembly	**no assembly required**
Delivery time	**2 weeks**
Delivery cost	**14.50 €**



www.bio-factory.co.uk

Insert AMBIANCE

Price inc. VAT: **1 790 €** Ref: **RU-INS-AMB**

Insert AMBIANCE for home fireplace
Operates with bioethanol - To be installed in the fireplace.
Burner safety: burner base contains porous substance to absorb bio-fuel. This safety configuration minimizes risk of spillage. Once dispensed, bio-ethanol fuel can not be removed.


No leads required, smokeless, odourless, water vapour and carbon dioxide emissions equivalent to 3 burning candles.
Heat capacity: 3000 watts, the equivalent output of 2 electric heaters (peut chauffer un pièce de 25 à 35 m2).
Tank capacity: 1.5 liter. Duration: about 3 hours
Consumption: 0.5 liter of bio-ethanol per hour.
Width of the flame: 70 cm.
TUV approved: German certificate of quality and safety. N°ID 24293, certificat ET 324 2009 C1
The TUV certificate is issued by the independent German organization: Technischer Überwachungs-Verein (Technical Inspection Association).



Specifications

Ref	**RU-INS-AMB**
Weight	
Dimensions	**W 93,0 cm H 51,8 cm D 20,9 cm**
Materials	**Black steel, ceramic**
Assembly	**no assembly required**
Delivery time	**2 weeks**
Delivery cost	**14.50 €**





www.bio-factory.co.uk

Insert ELEGANCE

Price inc. VAT: **1 920 €** Ref: **RU-INS-ELE**

Insert ELEGANCE for home fireplace
Operates with bioethanol - To be installed in the fireplace.
Burner safety: burner base contains porous substance to absorb bio-fuel. This safety configuration minimizes risk of spillage. Once dispensed, bio-ethanol fuel can not be removed.


No leads required, smokeless, odourless, water vapour and carbon dioxide emissions equivalent to 3 burning candles.
Heat capacity: 5 600 watts (2 x 2 800 watts), the equivalent output of 4 electric heaters (can heat a room from 55 to 60 m2).
Tank capacity: 3 liters (2 x 1,5 liter). Duration: about 3 hours
Consumption: 1 liter of bio-ethanol per hour.
Width of the flame: 40 cm
TUV approved: German certificate of quality and safety. N°ID 24293, certificat ET 324 2009 C1
The TUV certificate is issued by the independent German organization: Technischer Überwachungs-Verein (Technical Inspection Association).



Specifications

Ref	**RU-INS-ELE**
Weight	
Dimensions	**W 125,5 cm H 51,9 cm D 20,9 cm**
Materials	**Black steel, ceramic**
Assembly	**no assembly required**
Delivery time	**2 weeks**
Delivery cost	**14.50 €**





www.bio-factory.co.uk

Insert BRICK

Price inc. VAT: **1 450 €** Ref: **RU-INS-BRI**


Insert BRICK for home fireplace
Operates with bioethanol - To be installed in the fireplace.
Burner safety: burner base contains porous substance to absorb bio-fuel. This safety configuration minimizes risk of spillage. Once dispensed, bio-ethanol fuel can not be removed.

No leads required, smokeless, odourless, water vapour and carbon dioxide emissions equivalent to 3 burning candles.
Heat capacity: 2 800 watts, the equivalent output of 2 electric heater (can heat a room from 25 to 30 m2).
Tank capacity: 1,5 liter. Duration: about 3 hours
Consumption: 0,47 liter of bio-ethanol per hour.
Width of the flame: 40 cm
TUV approved: German certificate of quality and safety. N°ID 24293, certificat ET 324 2009 C1
The TUV certificate is issued by the independent German organization: Technischer Überwachungs-Verein (Technical Inspection Association).



Specifications

Ref	**RU-INS-BRI**
Weight	
Dimensions	**W 68,5 cm H 74,4 cm D 22,5 cm**
Materials	**Black steel, ceramic**
Assembly	**no assembly required**
Delivery time	**2 weeks**
Delivery cost	**14.50 €**



www.bio-factory.co.uk


Insert BRICK Medaillon

Price inc. VAT: **1 490 €** Ref: **RU-INS-BRI-MED**

Insert BRICK for home fireplace
Operates with bioethanol - To be installed in the fireplace.
Burner safety: burner base contains porous substance to absorb bio-fuel. This safety configuration minimizes risk of spillage. Once dispensed, bio-ethanol fuel can not be removed.

No leads required, smokeless, odourless, water vapour and carbon dioxide emissions equivalent to 3 burning candles.
Heat capacity: 2 800 watts, the equivalent output of 2 electric heaters (can heat a room from 25 to 30 m2).
Tank capacity: 1,5 liter. Duration: about 3 hours
Consumption: 0,47 liter of bio-ethanol per hour.
Width of the flame: 40 cm
TUV approved: German certificate of quality and safety. N°ID 24293, certificat ET 324 2009 C1
The TUV certificate is issued by the independent German organization: Technischer Überwachungs-Verein (Technical Inspection Association).





Specifications

Ref	**RU-INS-BRI-MED**
Weight	
Dimensions	**W 68,5 cm H 74,4 cm D 22,5 cm**
Materials	**Black steel, ceramic**
Assembly	**no assembly required**
Delivery time	**2 weeks**
Delivery cost	**14.50 €**

www.bio-factory.co.uk

FER NOIR 55 cm

Price inc. VAT: **1 980 €** Ref: **CC-FN-55M**

Bio-Logs FER NOIR Width: 55 cm
Mechanical model

No leads required, odourless, smokeless, only water steam and carbon dioxide emissions (the equivalent of 4 candles).

To be installed at home in your fireplace (or to complete with one of our fireplaces for ecological logs).

Bio-logs FER NOIR are made of black lacquered metallic andirons on which real oak trunks are laid. It is a patented and safe article.
Heating capacity: 2 800 watts, the equivalent of two electric radiators (can heat a room from 22 to 28 m2) .

Combustion takes place in the back part through a wide-slot burner. The flame is not in contact with the logs (there is no risk of fire).

Tank capacity: 3 liters
Consumption: 0.35 litter per hour.
Autonomy: about 8-9 hours.

This article is delivered with:
- long lighter
- funnel

Specifications

Ref	**CC-FN-55M**
Weight	**17 Kg**
Dimensions	**W 55 cm H 35 cm D 45 cm**
Materials	**Black lacquered metal, oak logs**
Assembly	**No assembly required**
Delivery time	**2 to 3 weeks**
Delivery cost	**19.50 €**







FER NOIR 55 cm

Price inc. VAT: **2 520 €** Ref: **CC-FN-55**

Bio-Logs FER NOIR Width: 55 cm
Electronic ignition - Cerificate NF (D35-386)

No leads required, odourless, smokeless, only water steam and carbon dioxide emissions (the equivalent of 4 candles).

To be installed at home in your fireplace (or to complete with one of our fireplaces for ecological logs).

Bio-logs FER NOIR are made of black lacquered metallic andirons on which real oak trunks are laid. It is a patented and safe article.
Heating capacity: 3 500 watts, the equivalent of two electric radiators (can heat a room from 25 to 35 m2) .

Combustion takes place in the back part through a wide-slot burner. The flame is not in contact with the logs (there is no risk of fire).
- Electronic ignition with remote control

Tank capacity: 3 litters.
Consumption: 0.6 litter per hour.
Autonomy: about 5 hours.
This article is delivered with:
- remote control for starting, stopping
- funnel

Specifications

Ref	**CC-FN-55**
Weight	**18 Kg**
Dimensions	**W 55 cm H 35 cm D 45 cm**
Materials	**Black lacquered metal, oak logs**
Assembly	**no assembly required**
Delivery time	**2 to 3 weeks**
Delivery cost	**19.50 €**

Bio Factory
Eco friendly designs at affordable price







POMME PIN Black 55 cm

Price inc. VAT: **2 190 €** Ref: **CC-PP-N-55M**

Bio-Logs POMME DE PIN Black - Width: 55 cm
Mechanical model

No leads required, odourless, smokeless, only water steam and carbon dioxide emissions (the equivalent of 4 candles).

To be installed at home in your fireplace (or to complete with one of our fireplaces for ecological logs).

Bio-logs POMME DE PIN are made of black lacquered metallic andirons on which real oak trunks are laid. It is a patented and safe article.

Heating capacity: 2 800 watts, the equivalent of two electric radiators (can heat a room from 22 to 28 m2).

Combustion takes place in the back part through a wide-slot burner. The flame is not in contact with the logs (there is no risk of fire).

Tank capacity: 3 litters.
Consumption: 0.35 litter per hour.
Autonomy: about 8-9 hours.


This article is delivered with:
- long lighter
- funnel


Specifications

Ref	**CC-PP-N-55M**
Weight	**22 Kg**
Dimensions	**W 55 cm H 35 cm D 45 cm**
Materials	**Chromed steel, oak logs**
Assembly	**No assembly required**
Delivery time	**2 to 3 weeks**
Delivery cost	**19.50 €**

Bio Factory
Eco friendly designs at affordable price







www.bio-factory.co.uk

POMME PIN Black 55 cm

Price inc. VAT: **2 740 €** Ref: **CC-PP-N-55**

Bio-Logs POMME DE PIN Black - Width: 55 cm
Electronic ignition - Certificate NF (D35-386)

No leads required, odourless, smokeless, only water steam and carbon dioxide emissions (the equivalent of 4 candles).

To be installed at home in your fireplace (or to complete with one of our fireplaces for ecological logs).

Bio-logs POMME DE PIN are made of black lacquered metallic andirons on which real oak trunks are laid. It is a patented and safe article.

Heating capacity: 3,500 watts, the equivalent of two electric radiators (can heat a room from 25 to 35 m2).

Combustion takes place in the back part through a wide-slot burner. The flame is not in contact with the logs (there is no risk of fire).

- Electronic ignition with remote control
Tank capacity: 3 litters.
Consumption: 0.6 litter per hour.
Autonomy: about 5 hours.
This article is delivered with:
- remote control for starting, stopping
- funnel

Specifications

Ref	**CC-PP-N-55**
Weight	**23 Kg**
Dimensions	**W 55 cm H 35 cm D 45 cm**
Materials	**Chromed steel, oak logs**
Assembly	**no assembly required**
Delivery time	**2 to 3 weeks**
Delivery cost	**19.50 €**

Bio Factory
Eco friendly designs at affordable price







www.bio-factory.co.uk

POMME PIN Brass 55 cm

Price inc. VAT: **2 190 €** Ref: **CC-PP-L-55M**

Bio-Logs POMME DE PIN brass - Width: 55 cm
Mechanical model

No leads required, odourless, smokeless, only water steam and carbon dioxide emissions (the equivalent of 4 candles).

To be installed at home in your fireplace (or to complete with one of our fireplaces for ecological logs).

Bio-logs POMME DE PIN are made of lacquered metallic andirons on which real oak trunks are laid. It is a patented and safe article.

Heating capacity: 2,800 watts, the equivalent of two electric radiators (can heat a room from 22 to 28 m2).

Combustion takes place in the back part through a wide-slot burner. The flame is not in contact with the logs (there is no risk of fire).

Tank capacity: 3 litters.
Consumption: 0.55 litter per hour.
Autonomy: about 8-9 hours.

This article is delivered with:
- long lighter
- funnel

Specifications

Ref	**CC-PP-L-55M**
Weight	**26 Kg**
Dimensions	**W 55 cm H 35 cm D 45 cm**
Materials	**Brass coated steel, oak logs**
Assembly	**No assembly required**
Delivery time	**2 to 3 weeks**
Delivery cost	**19.50 €**

Bio Factory
Eco friendly designs at affordable price







POMME PIN Brass 55 cm

Price inc. VAT: **2 740 €** Ref: **CC-PP-L-55**

Bio-Logs POMME DE PIN brass - Width: 55 cm
Electronic starting - Certificate NF (D35-386)

No leads required, odourless, smokeless, only water steam and carbon dioxide emissions (the equivalent of 4 candles).

To be installed at home in your fireplace (or to complete with one of our fireplaces for ecological logs).

Bio-logs POMME DE PIN are made of lacquered metallic andirons on which real oak trunks are laid. It is a patented and safe article.

Heating capacity: 3,500 watts, the equivalent of two electric radiators (can heat a room from 25 to 35 m2).

Combustion takes place in the back part through a wide-slot burner. The flame is not in contact with the logs (there is no risk of fire).
Electronic ignition with remote control

Tank capacity: 3 litters.
Consumption: 0.5 litter per hour.
Autonomy: about 5 hours.
This article is delivered with:
- remote control for starting, stopping
- funnel

Specifications

Ref	**CC-PP-L-55**
Weight	**27 Kg**
Dimensions	**W 55 cm H 35 cm D 45 cm**
Materials	**Brass coated steel, oak logs**
Assembly	**no assembly required**
Delivery time	**2 to 3 weeks**
Delivery cost	**19.50 €**

Bio Factory
Eco friendly designs at affordable price







www.bio-factory.co.uk

POMME PIN Chromium 55 cm

Price inc. VAT: **2 190 €** Ref: **CC-PP-C-55M**

Bio-Logs POMME DE PIN chromium - Width 55 cm
Mechanical model

No leads required, odourless, smokeless, only water steam and carbon dioxide emissions (the equivalent of 4 candles).

To be installed at home in your fireplace (or to complete with one of our fireplaces for ecological logs).

Bio-logs POMME DE PIN chromium are made of black lacquered metallic andirons on which real oak trunks are laid. It is a patented and safe article.

Heating capacity: 2 800 watts, the equivalent of two electric radiators (can heat a room from 22 to 28 m2).

Combustion takes place in the back part through a wide-slot burner. The flame is not in contact with the logs (there is no risk of fire).

Tank capacity: 3 litres.
Consumption: 0.35 litter per hour.
Autonomy: about 8-9 hours.
This article is delivered with:
- long lighter
- funnel

Specifications

Ref	**CC-PP-C-55M**
Weight	**22 kg**
Dimensions	**W 55 cm H 35 cm D 45 cm**
Materials	**Chromed steel, oak logs**
Assembly	**No assembly required**
Delivery time	**2 to 3 weeks**
Delivery cost	**19.50 €**

Bio Factory
Eco friendly designs at affordable price







www.bio-factory.co.uk

POMME PIN Chromium 55 cm

Price inc. VAT: **2 740 €** Ref: **CC-PP-C-55**

Bio-Logs POMME DE PIN chromium - Width 55 cm
Electronic ignition - Certificate NF (D35-386)

No leads required, odourless, smokeless, only water steam and carbon dioxide emissions (the equivalent of 4 candles).

To be installed at home in your fireplace (or to complete with one of our fireplaces for ecological logs).

Bio-logs POMME DE PIN chromium are made of black lacquered metallic andirons on which real oak trunks are laid. It is a patented and safe article.

Heating capacity: 3 500 watts, the equivalent of two electric radiators (can heat a room from 25 to 35 m2).

Combustion takes place in the back part through a wide-slot burner. The flame is not in contact with the logs (there is no risk of fire).
Electronic ignition with remote control.

Tank capacity: 3 litres.
Consumption: 0.6 litres per hour.
Autonomy: about 5 hours.
This article is delivered with:
- remote control for starting, stopping
- funnel

Specifications

Ref	**CC-PP-C-55**
Weight	**23 Kg**
Dimensions	**W 55 cm H 35 cm D 45 cm**
Materials	**Chromed steel, oak logs**
Assembly	**no assembly required**
Delivery time	**2 to 3 weeks**
Delivery cost	**19.50 €**

Bio Factory
Eco friendly designs at affordable price







www.bio-factory.co.uk

LOUIS XIV Brass 55 cm

Price inc. VAT: **2 560 €** Ref: **CC-LO-L-55M**

Bio-Logs LOUIS XIV brass - Width: 55 cm
Mechanical model

No leads required, odourless, smokeless, only water steam and carbon dioxide emissions (the equivalent of 4 candles).

To be installed at home in your fireplace (or to complete with one of our fireplaces for ecological logs).

Bio-logs LOUIS XIV are made of lacquered metallic andirons on which real oak trunks are laid. It is a patented and safe article.

Heating capacity: 2,800 watts, the equivalent of two electric radiators (can heat a room from 22 to 28 m2).

Combustion takes place in the back part through a wide-slot burner. The flame is not in contact with the logs (there is no risk of fire).

Tank capacity: 3 litters.
Consumption: 0.55 litter per hour.
Autonomy: about 8-9 hours.


This article is delivered with:
- long lighter
- funnel


Specifications

Ref	**CC-LO-L-55M**
Weight	
Dimensions	**W 55 cm H 35 cm D 45 cm**
Materials	**Brass coated steel, oak logs**
Assembly	**No assembly required**
Delivery time	**2 to 3 weeks**
Delivery cost	**19.50 €**

Bio Factory
Eco friendly designs at affordable price







www.bio-factory.co.uk

LOUIS XIV Brass 55 cm

Price inc. VAT: **3 130 €** Ref: **CC-LO-L-55**

Bio-Logs LOUIS XIV brass - Width: 55 cm
Electronic starting - Certificate NF (D35-386)

No leads required, odourless, smokeless, only water steam and carbon dioxide emissions (the equivalent of 4 candles).

To be installed at home in your fireplace (or to complete with one of our fireplaces for ecological logs).

Bio-logs LOUIS XIV are made of lacquered metallic andirons on which real oak trunks are laid. It is a patented and safe article.

Heating capacity: 3,500 watts, the equivalent of two electric radiators (can heat a room from 25 to 35 m2).

Combustion takes place in the back part through a wide-slot burner. The flame is not in contact with the logs (there is no risk of fire).
Electronic ignition with remote control

Tank capacity: 3 litters.
Consumption: 0.5 litter per hour.
Autonomy: about 5 hours.
This article is delivered with:
- remote control for starting, stopping
- funnel







Specifications

Ref	**CC-LO-L-55**
Weight	
Dimensions	**W 55 cm H 35 cm D 45 cm**
Materials	**Brass coated steel, oak logs**
Assembly	**No assembly required**
Delivery time	**2 to 3 weeks**
Delivery cost	**19.50 €**

www.bio-factory.co.uk

ART-DECO Black 55 cm

Price inc. VAT: **2 420 €** Ref: **CC-AD-N-55M**

Bio-Logs ART DECO Black - Width: 55 com
Mechanical model

No leads required, odourless, smokeless, only water steam and carbon dioxide emissions (the equivalent of 4 candles).

To be installed at home in your fireplace (or to complete with one of our fireplaces for ecological logs).

Bio-logs ART DECO Black are made of black lacquered metallic andirons on which real oak trunks are laid. It is a patented and safe article.
Heating capacity: 2 800 watts, the equivalent of two electric radiators (can heat a room from 22 to 28 m2).

Combustion takes place in the back part through a wide-slot burner. The flame is not in contact with the logs (there is no risk of fire).

Tank capacity: 3 litres.
Consumption: 0.35 litres per hour.
Autonomy: about 8-9 hours.
This article is delivered with:
- long lighter
- funnel

Specifications

Ref	**CC-AD-N-55M**
Weight	**17 kg**
Dimensions	**W 55 cm H 35 cm D 45 cm**
Materials	**Black lacquered metal, oak logs**
Assembly	**No assembly required**
Delivery time	**2 to 3 weeks**
Delivery cost	**19.50 €**

Bio Factory
Eco friendly designs at affordable price







www.bio-factory.co.uk

ART-DECO Black 55 cm

Price inc. VAT: **2 960 €** Ref: **CC-AD-N-55**

Bio-Logs ART DECO Black - Width: 55 com
Electronic ignition - Certificate NF (D35-386)

No leads required, odourless, smokeless, only water steam and carbon dioxide emissions (the equivalent of 4 candles).

To be installed at home in your fireplace (or to complete with one of our fireplaces for ecological logs).

Bio-logs ART DECO Black are made of black lacquered metallic andirons on which real oak trunks are laid. It is a patented and safe article.
Heating capacity: 3 500 watts, the equivalent of two electric radiators (can heat a room from 25 to 35 m2).

Combustion takes place in the back part through a wide-slot burner. The flame is not in contact with the logs (there is no risk of fire).
Electronic ignition with remote control

Tank capacity: 3 litres.
Consumption: 0.6 litres per hour.
Autonomy: about 5 hours.
This article is delivered with:
- remote control for starting, stopping
- funnel

Specifications

Ref	**CC-AD-N-55**
Weight	**18 Kg**
Dimensions	**W 55 cm H 35 cm D 45 cm**
Materials	**Black lacquered metal, oak logs**
Assembly	**No assembly required**
Delivery time	**2 to 3 weeks**
Delivery cost	**19.50 €**

Bio Factory
Eco friendly designs at affordable price







ART DECO chrome 55 cm

Price inc. VAT: **2 420 €** Ref: **CC-AD-C-55M**

Bio-Logs ART DECO chrome - Width: 55 cm
Mechanical model

No leads required, odourless, smokeless, only water steam and carbon dioxide emissions (the equivalent of 4 candles).

To be installed at home in your fireplace (or to complete with one of our fireplaces for ecological logs).

Bio-logs ART DECO are made of black lacquered metallic andirons on which real oak trunks are laid. It is a patented and safe article.

Heating capacity: 2 800 watts, the equivalent of two electric radiators (can heat a room from 22 to 28 m2).

Combustion takes place in the back part through a wide-slot burner. The flame is not in contact with the logs (there is no risk of fire).

Tank capacity: 3 litters.
Consumption: 0.35 litter per hour.
Autonomy: about 8-9 hours.

This article is delivered with:
- long lighter
- funnel

Specifications

Ref	**CC-AD-C-55M**
Weight	**22 Kg**
Dimensions	**W 55 cm H 35 cm D 45 cm**
Materials	**Chromed steel, oak logs**
Assembly	**No assembly required**
Delivery time	**2 to 3 weeks**
Delivery cost	**19.50 €**

Bio Factory
Eco friendly designs at affordable price







www.bio-factory.co.uk

Bio-Logs ART DECO chrome

Price inc. VAT: **2 960 €** Ref: **CC-AD-C-55**

Bio-Logs ART DECO chrome - Width: 55 cm
Electronic ignition - Certificate NF (D35-386)

No leads required, odourless, smokeless, only water steam and carbon dioxide emissions (the equivalent of 4 candles).

To be installed at home in your fireplace (or to complete with one of our fireplaces for ecological logs).

Bio-logs ART DECO are made of black lacquered metallic andirons on which real oak trunks are laid. It is a patented and safe article.
Heating capacity: 3 500 watts, the equivalent of two electric radiators (can heat a room from 25 to 35 m2).

Combustion takes place in the back part through a wide-slot burner. The flame is not in contact with the logs (there is no risk of fire).
- Electronic ignition with remote control

Tank capacity: 3 litres.
Consumption: 0.6 litres per hour.
Autonomy: about 5 hours.
This article is delivered with:
- remote control for starting, stopping
- funnel


Specifications

Ref	**CC-AD-C-55**
Weight	**23 Kg**
Dimensions	**W 55 cm H 35 cm D 45 cm**
Materials	**Chromed steel, oak logs**
Assembly	**no assembly required**
Delivery time	**2 to 3 weeks**
Delivery cost	**19.50 €**

Bio Factory
Eco friendly designs at affordable price







www.bio-factory.co.uk

FER NOIR 80 cm

Price inc. VAT: **2 310 €** Ref: **CC-FN-80M**

Bio-Logs FER NOIR Width: 80 cm
Mechanical model

No leads required, odourless, smokeless, only water steam and carbon dioxide emissions (the equivalent of 4 candles).

To be installed at home in your fireplace (or to complete with one of our fireplaces for ecological logs).

Bio-logs FER NOIR are made of black lacquered metallic andirons on which real oak trunks are laid. It is a patented and safe article.
Heating capacity: 3 200 watts, the equivalent of two electric radiators (can heat a room from 25 to 32 m2) .

Combustion takes place in the back part through a wide-slot burner. The flame is not in contact with the logs (there is no risk of fire).

Tank capacity: 5 liters
Consumption: 0.55 litter per hour.
Autonomy: about 8-9 hours.

This article is delivered with:
- long lighter
- funnel

Specifications

Ref	**CC-FN-80M**
Weight	**26 kg**
Dimensions	**W 80 cm H 35 cm D 45 cm**
Materials	**Black lacquered metal, oak logs**
Assembly	**No assembly required**
Delivery time	**2 to 3 weeks**
Delivery cost	**19.50 €**

Bio Factory
Eco friendly designs at affordable price







FER NOIR 80 cm

Price inc. VAT: **2 850 €** Ref: **CC-FN-80**

Bio-Logs FER NOIR - Width: 80 cm
Electronic ignition - Certificate NF (D35-386)

No leads required, odourless, smokeless, only water steam and carbon dioxide emissions (the equivalent of 4 candles).

To be installed at home in your fireplace (or to complete with one of our fireplaces for ecological logs).

Bio-logs FER NOIR are made of black lacquered metallic andirons on which real oak trunks are laid. It is a patented and safe article.
Heating capacity: 6 500 watts, the equivalent of four electric radiators (can heat a room from 45 to 65 m2).

Combustion takes place in the back part through a wide-slot burner. The flame is not in contact with the logs (there is no risk of fire).
Electronic ignition with remote control

Tank capacity: 5 litres
Consumption: 1.25 litres per hour
Autonomy: 4 hours
This article is delivered with:
- remote control for starting, stopping
- funnel

Specifications

Ref	**CC-FN-80**
Weight	**27 Kg**
Dimensions	**W 80 cm H 35 cm D 45 cm**
Materials	**black lacquered metal, oak logs**
Assembly	**no assembly required**
Delivery time	**2 to 3 weeks**
Delivery cost	**19.50 €**

Bio Factory
Eco friendly designs at affordable price







POMME PIN Black 80 cm

Price inc. VAT: **2 530 €** Ref: **CC-PP-N-80M**

Bio-Logs POMME DE PIN Black - Width: 80 cm
Mechanical model

No leads required, odourless, smokeless, only water steam and carbon dioxide emissions (the equivalent of 4 candles).

To be installed at home in your fireplace (or to complete with one of our fireplaces for ecological logs).

Bio-logs POMME DE PIN are made of black lacquered metallic andirons on which real oak trunks are laid. It is a patented and safe article.


Heating capacity: 3 200 watts, the equivalent of two electric radiators (can heat a room from 25 to 32 m2).


Combustion takes place in the back part through a wide-slot burner. The flame is not in contact with the logs (there is no risk of fire).

Tank capacity: 5 litters.
Consumption: 0.55 litter per hour.
Autonomy: about 8-9 hours.

This article is delivered with:
- long lighter
- funnel







Specifications

Ref	**CC-PP-N-80M**
Weight	
Dimensions	**W 80 cm H 35 cm D 45 cm**
Materials	**Chromed steel, oak logs**
Assembly	**No assembly required**
Delivery time	**2 to 3 weeks**
Delivery cost	**19.50 €**

www.bio-factory.co.uk

POMME PIN Black 80 cm

Price inc. VAT: **3 070 €** Ref: **CC-PP-N-80**

Bio-Logs POMME DE PIN Black - Width: 80 cm
Electronic ignition - Certificate NF (D35-386)

No leads required, odourless, smokeless, only water steam and carbon dioxide emissions (the equivalent of 4 candles).

To be installed at home in your fireplace (or to complete with one of our fireplaces for ecological logs).

Bio-logs POMME DE PIN are made of black lacquered metallic andirons on which real oak trunks are laid. It is a patented and safe article.

Heating capacity: 6,500 watts, the equivalent of 4 electric radiators (can heat a room from 45 to 65 m2).

Combustion takes place in the back part through a wide-slot burner. The flame is not in contact with the logs (there is no risk of fire).

- Electronic ignition with remote control
Tank capacity: 5 litters.
Consumption: 1.25 litter per hour.
Autonomy: about 4 hours.
This article is delivered with:
- remote control for starting, stopping
- funnel

Specifications

Ref	**CC-PP-N-80**
Weight	
Dimensions	**W 80 cm H 35 cm D 45 cm**
Materials	**Chromed steel, oak logs**
Assembly	**No assembly required**
Delivery time	**2 to 3 weeks**
Delivery cost	**19.50 €**







www.bio-factory.co.uk

POMME PIN Brass 80 cm

Price inc. VAT: **2 530 €** Ref: **CC-PP-L-80M**

Bio-Logs POMME DE PIN brass - Width: 80 cm
Mechanical model

No leads required, odourless, smokeless, only water steam and carbon dioxide emissions (the equivalent of 4 candles).

To be installed at home in your fireplace (or to complete with one of our fireplaces for ecological logs).

Bio-logs POMME DE PIN are made of lacquered metallic andirons on which real oak trunks are laid. It is a patented and safe article.

Heating capacity: 3,200 watts, the equivalent of two electric radiators (can heat a room from 25 to 32 m2).

Combustion takes place in the back part through a wide-slot burner. The flame is not in contact with the logs (there is no risk of fire).

Tank capacity: 5 litters.
Consumption: 0.55 litter per hour.
Autonomy: about 8-9 hours.


This article is delivered with:
- long lighter
- funnel

Specifications

Ref	**CC-PP-L-80M**
Weight	**26 kg**
Dimensions	**W 80 cm H 35 cm D 45 cm**
Materials	**Brass coated steel, oak logs**
Assembly	**No assembly required**
Delivery time	**2 to 3 weeks**
Delivery cost	**19.50 €**

Bio Factory
Eco friendly designs at affordable price





www.bio-factory.co.uk

POMME PIN Brass 80 cm

Price inc. VAT: **3 070 €** Ref: **CC-PP-L-80**

Bio-Logs POMME DE PIN brass - Width: 80 cm
Electronic ignition - Certificate NF (D35-386)

No leads required, odourless, smokeless, only water steam and carbon dioxide emissions (the equivalent of 4 candles).

To be installed at home in your fireplace (or to complete with one of our fireplaces for ecological logs).

Bio-logs POMME DE PIN are made of black lacquered metallic andirons on which real oak trunks are laid. It is a patented and safe article.
Heating capacity: 6 500 watts, the equivalent of 4 electric radiators (can heat a room from 45 to 65 m2).

Combustion takes place in the back part through a wide-slot burner. The flame is not in contact with the logs (there is no risk of fire).
Electronic ignition with remote control

Tank capacity: 5 litres.
Consumption: 1.25 litres per hour.
Autonomy: about 4 hours.
This article is delivered with:
- remote control for starting, stopping
- funnel

Specifications

Ref	**CC-PP-L-80**
Weight	**27 Kg**
Dimensions	**W 80 cm H 35 cm D 45 cm**
Materials	**Brass coated steel, oak logs**
Assembly	**no assembly required**
Delivery time	**2 to 3 weeks**
Delivery cost	**19.50 €**







POMME PIN Chromium 80 cm

Price inc. VAT: **2 530 €** Ref: **CC-PP-C-80M**

Bio-Logs POMME DE PIN chromium - Width 80 cm
Mechanical model

No leads required, odourless, smokeless, only water steam and carbon dioxide emissions (the equivalent of 4 candles).

To be installed at home in your fireplace (or to complete with one of our fireplaces for ecological logs).

Bio-logs POMME DE PIN chromium are made of black lacquered metallic andirons on which real oak trunks are laid. It is a patented and safe article.

Heating capacity: 3 200 watts, the equivalent of two electric radiators (can heat a room from 25 to 32 m2).


Combustion takes place in the back part through a wide-slot burner. The flame is not in contact with the logs (there is no risk of fire).


Tank capacity: 5 litres.
Consumption: 0.55 litter per hour.
Autonomy: about 8-9 hours.
This article is delivered with:
- long lighter
- funnel

Specifications

Ref	**CC-PP-C-80M**
Weight	
Dimensions	**W 80 cm H 35 cm D 45 cm**
Materials	**Chromed steel, oak logs**
Assembly	**No assembly required**
Delivery time	**2 to 3 weeks**
Delivery cost	**19.50 €**







www.bio-factory.co.uk

POMME PIN Chromium 80 cm

Price inc. VAT: **3 070 €** Ref: **CC-PP-C-80**

Bio-Logs POMME DE PIN chromium - Width 80 cm
Electronic ignition - Certificate NF (D35-386)

No leads required, odourless, smokeless, only water steam and carbon dioxide emissions (the equivalent of 4 candles).

To be installed at home in your fireplace (or to complete with one of our fireplaces for ecological logs).

Bio-logs POMME DE PIN chromium are made of black lacquered metallic andirons on which real oak trunks are laid. It is a patented and safe article.

Heating capacity: 6 500 watts, the equivalent of 4 electric radiators (can heat a room from 45 to 65 m2).

Combustion takes place in the back part through a wide-slot burner. The flame is not in contact with the logs (there is no risk of fire).
Electronic ignition with remote control.


Tank capacity: 5 litres.
Consumption: 1.25 litres per hour.
Autonomy: about 4 hours.
This article is delivered with:
- remote control for starting, stopping
- funnel

Specifications

Ref	**CC-PP-C-80**
Weight	
Dimensions	**W 80 cm H 35 cm D 45 cm**
Materials	**Chromed steel, oak logs**
Assembly	**No assembly required**
Delivery time	**2 to 3 weeks**
Delivery cost	**19.50 €**

Bio Factory
Eco friendly designs at affordable price







www.bio-factory.co.uk

LOUIS XIV Brass 80 cm

Price inc. VAT: **2 920 €** Ref: **CC-LO-L-80M**

Bio-Logs LOUIS XIV brass - Width: 80 cm
Mechanical model

No leads required, odourless, smokeless, only water steam and carbon dioxide emissions (the equivalent of 4 candles).

To be installed at home in your fireplace (or to complete with one of our fireplaces for ecological logs).

Bio-logs LOUIS XIV are made of lacquered metallic andirons on which real oak trunks are laid. It is a patented and safe article.

Heating capacity: 3,200 watts, the equivalent of two electric radiators (can heat a room from 25 to 32 m2).

Combustion takes place in the back part through a wide-slot burner. The flame is not in contact with the logs (there is no risk of fire).

Tank capacity: 5 litters.
Consumption: 0.55 litter per hour.
Autonomy: about 8-9 hours.

This article is delivered with:
- long lighter
- funnel

Specifications

Ref	**CC-LO-L-80M**
Weight	
Dimensions	**W 80 cm H 35 cm D 45 cm**
Materials	**Brass coated steel, oak logs**
Assembly	**No assembly required**
Delivery time	**2 to 3 weeks**
Delivery cost	**19.50 €**

Bio Factory
Eco friendly designs at affordable price







www.bio-factory.co.uk

LOUIS XIV Brass 80 cm

Price inc. VAT: **3 460 €** Ref: **CC-LO-L-80**

Bio-Logs LOUIS XIV brass - Width: 80 cm
Electronic starting - Certificate NF (D35-386)

No leads required, odourless, smokeless, only water steam and carbon dioxide emissions (the equivalent of 4 candles).

To be installed at home in your fireplace (or to complete with one of our fireplaces for ecological logs).

Bio-logs LOUIS XIV are made of lacquered metallic andirons on which real oak trunks are laid. It is a patented and safe article.

Heating capacity: 6,500 watts, the equivalent of 4 electric radiators (can heat a room from 45 to 65 m2).

Combustion takes place in the back part through a wide-slot burner. The flame is not in contact with the logs (there is no risk of fire).
Electronic ignition with remote control

Tank capacity: 5 litters.
Consumption: 1.25 litter per hour.
Autonomy: about 4 hours.
This article is delivered with:
- remote control for starting, stopping
- funnel

Specifications

Ref	**CC-LO-L-80**
Weight	
Dimensions	**W 80 cm H 35 cm D 45 cm**
Materials	**Brass coated steel, oak logs**
Assembly	**No assembly required**
Delivery time	**2 to 3 weeks**
Delivery cost	**19.50 €**

Bio Factory
Eco friendly designs at affordable price







www.bio-factory.co.uk

ART-DECO Black 80 cm

Price inc. VAT: **2 750 €** Ref: **CC-AD-N-80M**

Bio-Logs ART DECO Black - Width: 80 cm
Mechanical model

No leads required, odourless, smokeless, only water steam and carbon dioxide emissions (the equivalent of 4 candles).

To be installed at home in your fireplace (or to complete with one of our fireplaces for ecological logs).

Bio-logs ART DECO Black are made of black lacquered metallic andirons on which real oak trunks are laid. It is a patented and safe article.
Heating capacity: 3 200 watts, the equivalent of two electric radiators (can heat a room from 25 to 32 m2).

Combustion takes place in the back part through a wide-slot burner. The flame is not in contact with the logs (there is no risk of fire).

Tank capacity: 5 litres.
Consumption: 0.55 litres per hour.
Autonomy: about 8-9 hours.
This article is delivered with:
- long lighter
- funnel

Specifications

Ref	**CC-AD-N-80M**
Weight	**27 kg**
Dimensions	**W 80 cm H 35 cm D 45 cm**
Materials	**Black lacquered metal, oak logs**
Assembly	**No assembly required**
Delivery time	**2 to 3 weeks**
Delivery cost	**19.50 €**

Bio Factory
Eco friendly designs at affordable price







www.bio-factory.co.uk

ART-DECO Black 80 cm

Price inc. VAT: **3 290 €** Ref: **CC-AD-N-80**

Bio-Logs ART DECO black - Width: 80 cm
Electronic ignition - Certificate NF (D35-386)
No leads required, odourless, smokeless, only water steam and carbon dioxide emissions (the equivalent of 4 candles).

To be installed at home in your fireplace (or to complete with one of our fireplaces for ecological logs).

Bio-logs ART DECO are made of lacquered metallic andirons on which real oak trunks are laid. It is a patented and safe article.

Heating capacity: 6,500 watts, the equivalent of 4 electric radiators (can heat a room from 45 to 65 m2).
Combustion takes place in the back part through a wide-slot burner. The flame is not in contact with the logs (there is no risk of fire).
Electronic ignition with remote control

Tank capacity: 5 litres.
Consumption: 1.25 litres per hour.
Autonomy: about 4 hours.
This article is delivered with:
- remote control for starting, stopping
- funnel

Specifications

Ref	**CC-AD-N-80**
Weight	**28 Kg**
Dimensions	**W 80 cm H 35 cm D 45 cm**
Materials	**Black lacquered metal, oak logs**
Assembly	**No assembly required**
Delivery time	**2 to 3 weeks**
Delivery cost	**19.50 €**

Bio Factory
Eco friendly designs at affordable price







www.bio-factory.co.uk

ART-DECO chrome 80 cm.

Price inc. VAT: **2 750 €** Ref: **CC-AD-C-80M**

Bio-Logs ART DECO chrome - Width: 80 cm
Mechanical model

No leads required, odourless, smokeless, only water steam and carbon dioxide emissions (the equivalent of 4 candles).

To be installed at home in your fireplace (or to complete with one of our fireplaces for ecological logs).

Bio-logs ART DECO are made of chrome metallic andirons on which real oak trunks are laid. It is a patented and safe article.

Heating capacity: 3,200 watts, the equivalent of two electric radiators (can heat a room from 25 to 32 m2).

Combustion takes place in the back part through a wide-slot burner. The flame is not in contact with the logs (there is no risk of fire).

Tank capacity: 5 litters.
Consumption: 0,55 litter per hour.
Autonomy: about 8-9 hours.

This article is delivered with:
- long lighter
- funnel

Specifications

Ref	**CC-AD-C-80M**
Weight	**27 Kg**
Dimensions	**W 80 cm H 35 cm D 45 cm**
Materials	**Chrome steel, oak logs**
Assembly	**No assembly required**
Delivery time	**2 to 3 weeks**
Delivery cost	**19.50 €**







ART-DECO chrome 80 cm.

Price inc. VAT: **3 290 €** Ref: **CC-AD-C-80**

Bio-Logs ART DECO chrome - Width: 80 cm
Electronic ignition - Certificate NF (D35-386)
No leads required, odourless, smokeless, only water steam and carbon dioxide emissions (the equivalent of 4 candles).

To be installed at home in your fireplace (or to complete with one of our fireplaces for ecological logs).

Bio-logs ART DECO are made of chrome metallic andirons on which real oak trunks are laid. It is a patented and safe article.

Heating capacity: 6,500 watts, the equivalent of 4 electric radiators (can heat a room from 45 to 65 m2).

Combustion takes place in the back part through a wide-slot burner. The flame is not in contact with the logs (there is no risk of fire).
Electronic ignition with remote control

Tank capacity: 5 litres.
Consumption: 1,25 litres per hour.
Autonomy: 4 hours.
This article is delivered with:
- remote control for starting, stopping
- funnel


Specifications

Ref	**CC-AD-C-80**
Weight	**28 Kg**
Dimensions	**W 80 cm H 35 cm D 45 cm**
Materials	**Chrome steel, oak logs**
Assembly	**requires only 10 minutes**
Delivery time	**2 to 3 weeks**
Delivery cost	**19.50 €**

Bio Factory
Eco friendly designs at affordable price







www.bio-factory.co.uk

Bioethanol - 3 x 5 L

Price inc. VAT: **54 €** Ref: **CT-BIO-5Lx3**

Bioethanol - 15 liters (3 bottles of 5 L)
Smokeless and odorless

Consumption: the heating capacity of a bio-fireplace depends on the amount of ethanol it consumes per hour. Most bio-fireplaces consume between 0.3 and 1.2 liter of bioethanol per hour.

Heating capacity:
The calorific value of bioethanol is 5 250 W / h per liter burned, (50% more than wood). This means that 1 liter of bioethanol burned per hour has a power of 5 250 Watts.

For example, the bio-fireplace OSLO XL burn 1.2 liter of bioethanol per hour, thus generating: 5 250 x 1.2 = 6 300 Watts

Bioethanol is ethanol of biological and agricultural origin. . It is produced from vegetable matter and is used as biofuels (or agrofuels).

It is a source of energy from agriculture and belongs to the family of renewable energies. Plants containing sugar (beet, cane sugar) or starch (wheat, maize) can be converted to bioethanol, obtained by fermentation of sugar extracted from sugar plant or by enzymatic hydrolysis of starch contained in cereals.

Specifications

Ref	**CT-BIO-5Lx3**
Weight	**15 Kg**
Dimensions	**W 37 cm H 30 cm D 27 cm**
Materials	**Bioethanol liquid**
Assembly	
Delivery time	**1 Week**
Delivery cost	**25.00 €**



x 3

www.bio-factory.co.uk

Long lighter 35 cm

Price inc. VAT: **12 €** Ref: **LIS-BRIQ**

Security Lighter - Length: 35 cm
Copper & stainless steel

Refillable lighter

It allows you to light burners and fireplaces under security conditions. Its 35cm length avoids any burning risk when lighting the flame.

Please Note: Read security instructions prior to using burners & fireplaces.







Specifications

Ref	**LIS-BRIQ**
Weight	**0.05 Kg**
Dimensions	**W 1,5 cm H 35 cm D 1 cm**
Materials	**copper - stainless Steel**
Assembly	**assembly not required**
Delivery time	**1 week**
Delivery cost	**2.50 €**

www.bio-factory.co.uk

Decorative logs

Price inc. VAT: **160 €** Ref: **BB-DW-S6**

Decorative logs
In fire-resistant ceramics

Set of 6 decorative logs 25 to 30 cm long and 7 to 9 cm in diameter.

Resistant to high temperatures, they can be laid around the fire.



Specifications

Ref	**BB-DW-S6**
Weight	**2,55 Kg**
Dimensions	**W 7-9 cm H 25-30 cm D 7-9 cm**
Materials	**Fire-resistant ceramics**
Assembly	**no assembly required**
Delivery time	**1 week**
Delivery cost	**9.00 €**

www.bio-factory.co.uk

White pebbles

Price inc. VAT: **49 €** Ref: **BB-GAL-B**

Decorative pebbles white

They are used to decorate a fireplace or a bio-ethanol burner in a fireplace.
Resistant to high temperatures.
Easy to clean with water.





Specifications

Ref	**BB-GAL-B**
Weight	**3 Kg**
Dimensions	**W H D**
Materials	**tinted white pebbles**
Assembly	**no assembly required**
Delivery time	**1 week**
Delivery cost	**9.00 €**

www.bio-factory.co.uk

Electric FIRE BOWL - White

Price inc. VAT: **240 €** Ref: **EF-BOWL-B**

Electric fireplace FIRE BOWL

This model simulates the flame thanks to a set of integrated lights and the fire effect is very realistic.
The system is linked to an electric radiator which has two positions to choose: 1000 watts or 2000 watts.

- Power: 1000W or 2000W, protection against overheating.
- Retro design
- Treated steel and glass
- 220V feeder cable

Certification: CE







Specifications

Ref	**EF-BOWL-B**
Weight	
Dimensions	**W 40 cm H 38 cm D 30 cm**
Materials	**Steel, glass (Security)**
Assembly	**Assembled in only 10 minutes**
Delivery time	**2 weeks**
Delivery cost	**19.50 €**

www.bio-factory.co.uk

Electric FIRE BOWL - Black

Price inc. VAT: **240 €** Ref: **EF-BOWL-N**

Electric fireplace FIRE BOWL

This model simulates the flame thanks to a set of integrated lights and the fire effect is very realistic.
The system is linked to an electric radiator which has two positions to choose: 1000 watts or 2000 watts.

- Power: 1000W or 2000W, protection against overheating.
- Retro design
- Treated steel and glass
- 220V feeder cable

Certification: CE







Specifications

Ref	**EF-BOWL-N**
Weight	
Dimensions	**W 40 cm H 38 cm D 30 cm**
Materials	**Steel, glass (Security)**
Assembly	**Assembled in only 10 minutes**
Delivery time	**2 weeks**
Delivery cost	**19.50 €**

www.bio-factory.co.uk

Electric BLACK FIRE

Price inc. VAT: **280 €** Ref: **EF-FIR-N**

Electric fireplace BLACK FIRE

This model simulates the flame thanks to a set of integrated lights and rotating mirrors. The fire effect is very realistic. The system is linked to an electric radiator which has two positions to choose: 1000 watts or 2000 watts.

- Power: 1000W or 2000W, protection against overheating.
- Adjustable "decorative flame"
- Remote control for adjustment at a distance.
- Modern design flat frontal glass (safety glass)
- It is fixed to the wall by using the supports prepared for that purpose.
- Treated steel and glass
- 220V feeder cable

Certification: CE







Specifications

Ref	**EF-FIR-N**
Weight	
Dimensions	**W 62 cm H 48 cm D 13 cm**
Materials	**Black steel, smoked tinted glass (Security)**
Assembly	**Assembled in only 10 minutes**
Delivery time	**2 weeks**
Delivery cost	**19.50 €**

www.bio-factory.co.uk

Electric BLACK RIVER

Price inc. VAT: **400 €** Ref: **EF-BRIV**

Electric fireplace BLACK RIVER

This model simulates the flame thanks to a set of integrated lights and rotating mirrors. The fire effect is very realistic. The system is linked to an electric radiator which has two positions to choose: 900 watts or 1,800 watts.

- Power: 900 W or 1,800 W, protection against overheating.
- Adjustable "decorative flame"
- Remote control for adjustment at a distance.
- Modern design frontal glass (safety glass)
- It is fixed to the wall by using the supports prepared for that purpose.
- Treated steel and glass
- 220V feeder cable

Certification: CE







Specifications

Ref	**EF-BRIV**
Weight	**23 Kg**
Dimensions	**W 65 cm H 65 cm D 14 cm**
Materials	**Steel and glass (Security)**
Assembly	**Assembled in only 10 minutes**
Delivery time	**2 weeks**
Delivery cost	**19.50 €**

www.bio-factory.co.uk

Electric VOLCANO

Price inc. VAT: **445 €** Ref: **EF-VOLC**

Electric fireplace VOLCANO

This model simulates the flame thanks to a set of integrated lights and rotating mirrors. The fire effect is very realistic. The system is linked to an electric radiator which has two positions to choose: 1,000 watts or 2,000 watts.

Leds with changing colours: red, green, blue, yellow.


- Power: 1,000 W or 2,000 W thermostat, protection against overheating.
- Adjustable "decorative flame"
- Remote control for adjustment at a distance.
- Modern design frontal glass (safety glass)
- It is fixed to the wall by using the supports prepared for that purpose.
- Treated steel and glass
- 220V feeder cable

Certification: CE

Specifications

Ref	**EF-VOLC**
Weight	**20 Kg**
Dimensions	**W 90 cm H 56 cm D 15 cm**
Materials	**Steel, glass (Security)**
Assembly	**Assembled in only 10 minutes**
Delivery time	**2 weeks**
Delivery cost	**19.50 €**

Bio Factory
Eco friendly designs at affordable price







www.bio-factory.co.uk

Electric PURE INOX

Price inc. VAT: **445 €** Ref: **EF-PUINOX**

Electric fireplace PURE INOX

This model simulates the flame thanks to a set of integrated lights and rotating mirrors. The fire effect is very realistic. The system is linked to an electric radiator which has two positions to choose: 1,000 watts or 2,000 watts.


Leds with changing colours: red, green, blue, yellow.

- Power: 1,000 W or 2,000 W, protection against overheating.
- Adjustable "decorative flame"
- Remote control for adjustment at a distance.
- Modern design frontal glass (safety glass)
- It is fixed to the wall by using the supports prepared for that purpose.
- Treated steel and glass
- 220V feeder cable

Certification: CE

Specifications

Ref	**EF-PUINOX**
Weight	**25 Kg**
Dimensions	**W 90 cm H 56 cm D 16 cm**
Materials	**Steel, glass (Security)**
Assembly	**Assembled in only 10 minutes**
Delivery time	**2 weeks**
Delivery cost	**19.50 €**







www.bio-factory.co.uk

Electric WHITE LOFT

Price inc. VAT: **465 €** Ref: **EF-LOF-B**


Electric fireplace WHITE LOFT

This model simulates the flame thanks to a set of integrated lights and rotating mirrors. The fire effect is very realistic. The system is linked to an electric radiator which has two positions to choose: 1000 watts or 2000 watts.

Leds with changing colours: red, green, blue, yellow.

- Power: 1000W or 2000W, protection against overheating.
- Adjustable "decorative flame"
- Remote control for adjustment at a distance.
- Modern design curved frontal glass (safety glass)
- It is fixed to the wall by using the supports prepared for that purpose.
- Treated steel and glass
- 220V feeder cable

Certification: CE







Specifications

Ref	**EF-LOF-B**
Weight	**23 Kg**
Dimensions	**W 96 cm H 56 cm D 15 cm**
Materials	**Steel, lacquered MDF, glass (Security)**
Assembly	**Assembled in only 10 minutes**
Delivery time	**2 weeks**
Delivery cost	**19.50 €**

www.bio-factory.co.uk

Electric RED LINE

Price inc. VAT: **465 €** Ref: **EF-RED**

Electric fireplace RED LINE


This model simulates the flame thanks to a set of integrated lights and rotating mirrors. The fire effect is very realistic.
The system is linked to an electric radiator which has two positions to choose: 1000 watts or 2000 watts.

Leds with changing colours: red, green, blue, yellow.

- Power: 1000W or 2000W, protection against overheating.
- Adjustable "decorative flame"
- Remote control for adjustment at a distance.
- Modern design curved frontal glass (safety glass)
- It is fixed to the wall by using the supports prepared for that purpose.
- Treated steel and glass
- 220V feeder cable

Certification: CE







Specifications

Ref	**EF-RED**
Weight	
Dimensions	**W 96 cm H 56 cm D 14 cm**
Materials	**Steel and red glass (Security)**
Assembly	**Assembled in only 10 minutes**
Delivery time	**2 weeks**
Delivery cost	**19.50 €**

www.bio-factory.co.uk

Electric VOLCANO XXL

Price inc. VAT: **590 €** Ref: **EF-VOLC-XL**

Electric fireplace VOLCANO XXL

This model simulates the flame thanks to a set of integrated lights and rotating mirrors. The fire effect is very realistic. The system is linked to an electric radiator which has two positions to choose: 1,000 watts or 2,000 watts.

Leds with changing colours: red, green, blue, yellow.

- Power: 1,000 W or 2,000 W, protection against overheating.
- Adjustable "decorative flame"
- Remote control for adjustment at a distance.
- Modern design frontal glass (safety glass)
- It is fixed to the wall by using the supports prepared for that purpose.
- Treated steel and glass
- 220V feeder cable

Certification: CE







Specifications

Ref	**EF-VOLC-XL**
Weight	**24 Kg**
Dimensions	**W 122 cm H 56 cm D 10 cm**
Materials	**Steel, glass (Security)**
Assembly	**Assembled in only 10 minutes**
Delivery time	**2 weeks**
Delivery cost	**19.50 €**

www.bio-factory.co.uk

Electric PURE INOX XXL

Price inc. VAT: **590 €** Ref: **EF-PUINOX-XL**

Electric fireplace PURE INOX XXL

This model simulates the flame thanks to a set of integrated lights and rotating mirrors. The fire effect is very realistic. The system is linked to an electric radiator which has two positions to choose: 1,000 watts or 2,000 watts.

Leds with changing colours: red, green, blue, yellow.

- Power: 1,000 W or 2,000 W, protection against overheating.
- Adjustable "decorative flame"
- Remote control for adjustment at a distance.
- Modern design frontal glass (safety glass)
- It is fixed to the wall by using the supports prepared for that purpose.
- Treated steel and glass
- 220V feeder cable

Certification: CE







Specifications

Ref	**EF-PUINOX-XL**
Weight	
Dimensions	**W 122 cm H 56 cm D 11 cm**
Materials	**Steel, glass (Security)**
Assembly	**Assembled in only 10 minutes**
Delivery time	**2 weeks**
Delivery cost	**19.50 €**

www.bio-factory.co.uk

Electric YOSEMITE XXL

Price inc. VAT: **610 €** Ref: **EF-YOS-XL**

Electric fireplace YOSEMITE XXL

This model simulates the flame thanks to a set of integrated lights and rotating mirrors. The fire effect is very realistic. The system is linked to an electric radiator which has two positions to choose: 1,000 watts or 2,000 watts.


Leds with changing colours: red, green, blue, yellow.

- Power: 1,000 W or 2,000 W, protection against overheating.
- Adjustable "decorative flame"
- Remote control for adjustment at a distance.
- Modern design frontal glass (safety glass)
- It is fixed to the wall by using the supports prepared for that purpose.
- Treated steel and glass
- 220V feeder cable

Certification: CE







Specifications

Ref	**EF-YOS-XL**
Weight	
Dimensions	**W 122 cm H 56 cm D 11 cm**
Materials	**Steel, wood and glass (Security)**
Assembly	**Assembled in only 10 minutes**
Delivery time	**2 weeks**
Delivery cost	**19.50 €**

www.bio-factory.co.uk

Insert MYSTIC

Price inc. VAT: **2 460 €**


Ref: **RU-MYST-RF10**

Electric insert for fireplace MYSTIC
Real Fire Effect

Decorative fireplace with an electric radiator.
Adjustable power: 750 / 1 500 Watts.
Adjustable flame image (more or less bright).







Specifications

Ref	**RU-MYST-RF10**
Weight	**27 KG**
Dimensions	**W 62,5 cm H 70,3 cm D 30,0 cm**
Materials	
Assembly	**No assembly required**
Delivery time	**2 weeks**
Delivery cost	**14.50 €**

www.bio-factory.co.uk

Electric MANHATTAN

Price inc. VAT: **640 €** Ref: **EF-MANH**

Electric fireplace MANHATTAN
Real Fire Effect


Decorative fireplace with an electric radiator, two positions to choose: 1,000 watts or 2,000 watts.
The fire effect is very realistic.

- Power: 1,000 W or 2,000 W, protection against overheating
- A panel LEDs light up the fireplace and emphasize its modern design
- Structure: MDF wood
- Delivered assembled with a user manual and gray pebbles

Certification: CE







Specifications

Ref	**EF-MANH**
Weight	
Dimensions	**W 86 cm H 86 cm D 22 cm**
Materials	**MDF wood**
Assembly	**No assembly required**
Delivery time	**2 weeks**
Delivery cost	**19.50 €**

www.bio-factory.co.uk

Fireplace BARCELONA

Price inc. VAT: **1 140 €** Ref: **RU-BARC-ELE**

Electric Fireplace BARCELONA
Real Fire Effect

Decorative fireplace with an electric radiator.
Adjustable flame image (more or less bright).
Adjustable power: 900 / 1 800 Watts.

Certification: CE





Specifications

Ref	**RU-BARC-ELE**
Weight	**80 Kg**
Dimensions	**W 119 cm H 104 cm D 38 cm**
Materials	**White lacquered wood**
Assembly	**Assembled in only 10 minutes**
Delivery time	**2 weeks**
Delivery cost	**19.50 €**

www.bio-factory.co.uk

Fireplace ZEMBRA

Price inc. VAT: **1 340 €**

Ref: **RU-ZEMB-ELE**

Electric fireplace Zembra
Real fire effect

Decorative fireplace with electric radiator.
Adjustable flame image (more or less luminous).
Adjustable power : 900 / 1 800 Watts.

Certification: CE



Specifications

Ref	**RU-ZEMB-ELE**
Weight	**60 Kg**
Dimensions	**W 87 cm H 95 cm D 34 cm**
Materials	**Concrete and resin**
Assembly	**Only 10 minutes required**
Delivery time	
Delivery cost	**19.50 €**

www.bio-factory.co.uk

Fireplace DIABLO

Price inc. VAT: **1 520 €**

Ref: **RU-DIAB-ELE**

Electric Fireplace DIABLO
Real Fire Effect

Decorative fireplace with an electric radiator.
Adjustable Power: 1 000 / 2 000 Watts.

Certification: CE





Specifications

Ref	**RU-DIAB-ELE**
Weight	
Dimensions	**W 96 cm H 95 cm D 33 cm**
Materials	**Black lacquered wood**
Assembly	**Assembled in only 10 minutes**
Delivery time	**2 weeks**
Delivery cost	**19.50 €**

www.bio-factory.co.uk

Fireplace EVITA

Price inc. VAT: **1 620 €**

Ref: **RU-EVIT-ELE**

Electric Fireplace EVITA
Real Fire Effect

Decorative fireplace with an electric radiator.
Adjustable flame image (more or less bright).
Adjustable power: 900 / 1 800 Watts.

Certification: CE



Specifications

Ref	**RU-EVIT-ELE**
Weight	
Dimensions	**W 102 cm H 98 cm D 39 cm**
Materials	**White lacquered wood**
Assembly	**Assembled in only 10 minutes**
Delivery time	**2 weeks**
Delivery cost	**19.50 €**

www.bio-factory.co.uk

Fireplace CADIZ

Price inc. VAT: **1 950 €** Ref: **RU-CADI-ELE**

Electric fireplace CADIZ
Real fire effect

Decorative fireplace with electric radiator.
Adjustable flame image (more or less luminous).
Adjustable power. : 900 / 1 800 Watts.

Certification: CE







Specifications

Ref	**RU-CADI-ELE**
Weight	**60 Kg**
Dimensions	**W 98 cm H 94,5 cm D 37,5 cm**
Materials	**Fossil stone**
Assembly	**Only 10 minutes required**
Delivery time	**2 weeks**
Delivery cost	**19.50 €**

www.bio-factory.co.uk

Fireplace LOUIS

Price inc. VAT: **2 350 €** Ref: **RU-LOUI-ELE**

Electric fireplace LOUIS
Real fire effect

Decorative fireplace with electric radiator.
Adjustable flame image (more or less luminous).
Adjustable power. : 900 / 1 800 Watts.

Certification: CE







Specifications

Ref	**RU-LOUI-ELE**
Weight	**60 Kg**
Dimensions	**W 118 cm H 111 cm D 48,6 cm**
Materials	**Composite stone (stone powder and resin)**
Assembly	**Only 10 minutes required**
Delivery time	**6 weeks**
Delivery cost	**19.50 €**

www.bio-factory.co.uk

Fireplace KRETA

Price inc. VAT: **2 450 €**

Ref: **RU-KRET-ELE**

Electric fireplace KRETA
Real fire effect

Decorative fireplace with electric radiator.
Adjustable flame image (more or less luminous).
Adjustable power. : 900 / 1 800 Watts.

Certification: CE







Specifications

Ref	**RU-KRET-ELE**
Weight	**60 Kg**
Dimensions	**W 120 cm H 110 cm D 54 cm**
Materials	**Fossil stone**
Assembly	**Only 10 minutes required**
Delivery time	**2 weeks**
Delivery cost	**19.50 €**

www.bio-factory.co.uk

Fireplace NERO

Price inc. VAT: **3 550 €** Ref: **RU-NERO-ELE**

Electric fireplace NERO
Real fire effect

Decorative fireplace with electric radiator.
Adjustable flame image (more or less luminous).
Adjustable power. : 900 / 1 800 Watts.

Certification: CE







Specifications

Ref	**RU-NERO-ELE**
Weight	**60 Kg**
Dimensions	**W 119 cm H 101 cm D 36 cm**
Materials	**Fossil stone**
Assembly	**Only 10 minutes required**
Delivery time	**2 weeks**
Delivery cost	**19.50 €**

www.bio-factory.co.uk

Fireplace AMBIANCE

Price inc. VAT: **3 850 €**

Ref: **RU-AMBI-ELE**

Electric Fireplace AMBIANCE
Real Fire Effect

Decorative fireplace with an electric radiator.
Adjustable flame image (more or less bright).
Adjustable power: 750 / 1 500 Watts.

Certification: CE







Specifications

Ref	**RU-AMBI-ELE**
Weight	**80 Kg**
Dimensions	**W 110 cm H 195 cm D 35 cm**
Materials	**White lacquered MDF wood**
Assembly	**Assembled in only 10 minutes**
Delivery time	**2 weeks**
Delivery cost	**29.50 €**

www.bio-factory.co.uk

Bio-fireplace XAMENA Inox

Price inc. VAT: **350 €** Ref: **CO-XAM-I Promo**

40% DISCOUNT : 297 € instead of 495 €

Bio-fireplace XAMENA Stainless steel
Operates with bioethanol - adjustable flame

No leads required, smokeless and completely odourless. Water and vapour emissions equivalent to 3 burning candles.
Heating Capacity: 1 500 watts, the equivalent of an electric heater. The black lacquered coating resists to high temperatures.

Install in a well-ventilated room (living room, dining room, outdoor terrace).

Tank capacity: 1 litre. Consumption: 0.3 litre of ethanol per hour.
Durations: 3 hours.
Safety : bioethanol tank contains safety features to absorb biofuel. This feature ensures once bioethanol is dispensed it may not bight safe use: once introduced, bioethanol can
not be reversed.

The delivery of this article also includes:

- Long lighter
- Funnel for filling bioethanol
- Stop burner to extinguish the flames
- Screws

Specifications

Ref	**CO-XAM-I Promo**
Weight	**17,5 Kg**
Dimensions	**W 76 cm H 55 cm D 17 cm**
Materials	**stainless steel**
Assembly	**easily assembled in 10 minutes**
Delivery time	**1 week**
Delivery cost	**19.50 €**

Bio Factory
Eco friendly designs at affordable price







www.bio-factory.co.uk